


Tests de Calidad de Datos — por Modelo

104 tests definidos sobre 55 modelos · Generado: 2026-06-17 14:34



Sonnell (30 tests)

fct_sonnell_invoice_totals (8 tests)

Tipo de Test	Columna	Parámetros adicionales
accepted_values	CurrentVersion	values=[0, 1], quote=False
not_null	CurrentVersion	—
not_null	Month	—
not_null	Subsystem	—
accepted_values	Type	values=['Regular', 'Offset']
not_null	Type	—
not_null	Version	—
not_null	Year	—

fct_sonnell_subsystem_cost (10 tests)

Tipo de Test	Columna	Parámetros adicionales
accepted_values	CurrentVersion	values=[0, 1], quote=False
not_null	CurrentVersion	—
not_null	DailySummaryId	—
unique	DailySummaryId	—
not_null	GroupId	—
not_null	Month	—
not_null	RoutId	—
not_null	ServiceDate	—
not_null	Version	—
not_null	Year	—

fct_sonnell_subsystem_offset (6 tests)

Tipo de Test	Columna	Parámetros adicionales
accepted_values	CurrentVersion	values=[0, 1], quote=False

not_null	CurrentVersion	—
not_null	Month	—
not_null	Subsystem	—
not_null	Version	—
not_null	Year	—

stg_sonnell_checkpoints (2 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	ServiceDate	—
not_null	Version	—

stg_sonnell_daily_summary (2 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	ServiceDate	—
not_null	Version	—

stg_sonnell_parameters (1 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	GroupId	—

stg_sonnell_rates (1 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	GroupId	—

AMA / Geotab — Sin tests definidos

HMS (22 tests)

fct_hms_monthly_trips (7 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	Date	—
not_null	Id	—
unique	Id	—
accepted_values	OTP	values=['ON-TIME', 'DELAYED']
not_null	Route	—
accepted_values	Trip_Status	values=['COMPLETED', 'MISSED TRIP']
not_null	Vessel	—

fct_hms_ntd_data (10 tests)

Tipo de Test	Columna	Parámetros adicionales
unique	—	—
not_null	Date	—
accepted_values	DayOfWeek	values=[0, 1, 2, 3, 4, 5, 6], quote=False
not_null	DayOfWeek	—
accepted_values	IsMissed	values=[0, 1], quote=False
not_null	IsMissed	—
accepted_values	IsOutbound	values=[0, 1], quote=False
not_null	IsOutbound	—
not_null	Route	—
not_null	Vessel	—

stg_hms_trips (5 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	date	—
not_null	pax	—
not_null	route	—
not_null	scheduled_departure_time	—
not_null	vessel	—

Monitoring (30 tests)

fct_pipeline_health_daily (30 tests)

Tipo de Test	Columna	Parámetros adicionales
expression_is_true	—	expression=executions_total = executions_success + executions_failed + executions_skipped
expression_is_true	—	expression=event_date <= CAST(GETDATE() AS DATE)
unique_combination_of_columns	—	combination_of_columns=['event_date', 'entity_name', 'domain']
expression_is_true	baseline_7d_stddev	expression=>= 0
not_null	dbt_run_id	—
not_null	dbt_updated_at	—
accepted_values	domain	values=['geotab', 'transdev', 'sonnell', 'hms', 'gtfs', 'ama_legacy', 'other']
not_null	domain	—
not_null	entity_name	—
expression_is_true	error_count	expression=>= 0
expression_is_true	error_rate_pct	expression=>= 0 AND error_rate_pct <= 100
not_null	event_date	—
expression_is_true	executions_failed	expression=>= 0
expression_is_true	executions_skipped	expression=>= 0
expression_is_true	executions_success	expression=>= 0
expression_is_true	executions_total	expression=>= 0
not_null	executions_total	—
expression_is_true	expected_frequency_hrs	expression=> 0
not_null	expected_frequency_hrs	—
expression_is_true	health_score	expression=>= 0 AND health_score <= 100
accepted_values	health_status	values=['HEALTHY', 'WARNING', 'CRITICAL', 'NO_DATA']
not_null	health_status	—
accepted_values	is_high_failure_rate	values=[0, 1]
accepted_values	is_volume_anomaly	values=[0, 1]
accepted_values	is_zero_records	values=[0, 1]
expression_is_true	records_failed	expression=>= 0
expression_is_true	records_processed	expression=>= 0
not_null	records_processed	—
accepted_values	sla_met	values=[0, 1]
not_null	sla_met	—

ATI Datawarehouse — Sin tests definidos

Legacy / Ad-hoc (22 tests)

fct_operator_scd (8 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	dbt_updated_at	—
accepted_values	is_current	values=[0, 1]
not_null	is_current	—
not_null	operator_id	—
not_null	operator_name	—
not_null	scd_id	—
unique	scd_id	—
not_null	valid_from	—

fct_route_scd (10 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	dbt_updated_at	—
accepted_values	is_current	values=[0, 1]
not_null	is_current	—
not_null	operator_id	—
not_null	route_id	—
not_null	route_name	—
not_null	route_operator_key	—
not_null	scd_id	—
unique	scd_id	—
not_null	valid_from	—

my_first_dbt_model (2 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	id	—
unique	id	—

my_second_dbt_model (2 tests)

Tipo de Test	Columna	Parámetros adicionales
not_null	id	—
unique	id	—