

LilyPond

The music typesetter

Changes

The LilyPond development team

This document lists changes and new features in LilyPond version 2.27.2 since 2.26.

For more information about how this manual fits with the other documentation, or to read this manual in other formats, see *Manuals in General Information*.
If you are missing any manuals, the complete documentation can be found at <https://lilypond.org/>.

This document has been placed in the public domain.

For LilyPond version 2.27.2

LilyPond — Changes

This document lists changes and new features in LilyPond version 2.27.2 since 2.26.

Note: LilyPond releases can contain syntax changes, which may require modifications in your existing files written for older versions so that they work in the new version. To upgrade files, it is **strongly recommended** to use the `convert-ly` tool distributed with LilyPond, which is described in Updating files with `convert-ly` in *Application Usage*. `convert-ly` can perform almost all syntax updates automatically. Frescobaldi users can run `convert-ly` directly from Frescobaldi using “Tools > Update with `convert-ly`...”. Other editing environments with LilyPond support may provide a way to run `convert-ly` graphically.

Table of Contents

Major changes in LilyPond

New for musical notation

- Pitches improvements
- Rhythm improvements
- Expressive mark improvements
- Repeat improvements
- Editorial annotation improvements
- Text and font improvements

New for specialist notation

Miscellaneous improvements

Major changes in LilyPond

None so far.

New for musical notation

Pitches improvements

None so far.

Rhythm improvements

•

The new `\measure` command changes the measure length to match the duration of the given music and restores it afterward.

```
\fixed c'' {
  d2( c)
  \measure { d\breve }
}
```



LilyPond v2.27.2

•

The new `\measureRemainder` command is similar to `\measure`, but it can be used to complete a measure that has already begun.

•

The new `\setMeasureLengthFromHere` command simplifies creating irregular measures by setting the measure length relative to the current measure position. This complements `\partial`, which changes the measure position relative to the measure length. The new `\setDefaultMeasureLength` command restores the measure length to the value dictated by the time signature.


•

The new `\premeasure music` command is an abbreviation for `\partial duration music` that computes the duration automatically.

•

By default, strictly alternating meters consisting of 4/4 and 2/2 are printed in a historic style using multiple C or cut-C symbols.

```
{
  \time #'((2 . 2) (2 . 2))
  b'1 2 2
}
```



LilyPond v2.27.2

-

The automatic beaming algorithm now can be told to interrupt an automatically created beam at some point using `\beamBreak`. Similarly, using `\noBeamBreak`, two adjoining notes can be forced to get beamed together:

```
\relative {
  c''8 c c c d d \beamBreak d d
  \time 2/4
  c8 8 8 8
  8 8 \noBeamBreak 8 8
  4. 8 \noBeamBreak
  8 4 8
}
```



LilyPond v2.27.2

Expressive mark improvements

None so far.

Repeat improvements

None so far.

Editorial annotation improvements

-

The Scheme function `parenthesize-stencil` got an optional argument to lengthen the parentheses.

-

The Scheme function `bracketify-stencil` got an optional argument to lengthen the brackets.


Text and font improvements

-

An equal sign was added to the Emmentaler font.

-

A senza-misura time signature was added to the Emmentaler font.



LilyPond v2.27.2

.

Text variant glyphs for common time and cut time symbols were added to the Emmentaler font. They can be either accessed directly as Unicode characters or using the `\text-common-time` and `\text-cut-time` markup commands.

Commontime (C), cut time (C).

LilyPond v2.27.2

.

Fonts may be changed in a single markup using `\font-select`. The font names for the serif, sans and typewriter families are chosen independently.

```
\markup \font-select #'((sans . "DejaVu Sans")
                        (typewriter . "DejaVu Sans Mono"))
{
  \sans \line { Sans-serif font. }
  \typewriter \line { Typewriter font. }
  \line { Default serif font. }
  \font-select #'(serif . "DejaVu Serif")
  \line { Changed serif font. }
}
```

Sans-serif font. Typewriter font. Default serif font. Changed serif font.

LilyPond v2.27.2

New for specialist notation

•

The chord name input $x:1/x$ gets now rendered as ‘N.C./ x ’.

```
\chords { d:1/d }
```


N.C./D

LilyPond v2.27.2

•

White mensural ligatures now support final ascending longae facing backwards, obey tweaks in more cases, and handle errors more gracefully.

```
\score {
  \new PetrucciStaff {
    \clef "petrucci-c4"
    \[ g\breve f \tweak ligature-pes ##t c'\longa \]
  }
}
```



LilyPond v2.27.2

•

Stanza numbers in lyrics are now created with a dedicated `\stanza ...` command. This replaces the former syntax `\set stanza = ....`

```
\relative {
  c'4 c g' g
  a a g2
}
\addlyrics {
  \stanza "1."
  Twin -- kle, twin -- kle, lit -- tle star
}
\addlyrics {
  \stanza "2."
  When the bla -- zing sun is gone
}
```



1. Twinkle, twinkle, lit-tle star
2. When the bla-zing sun is gone

LilyPond v2.27.2

Stanza numbers in lyrics can now be auto-repeated at the beginning of each line. To activate this feature, set the `stanzaReminders` property to `#t`:

```
\new Voice \relative {
  \key e \minor
  b'4 b a g
  fis2 e \break
  b'4 cis d b
  e2 dis \break
  e4 g fis fis
  e1
}
\addlyrics {
  \stanza "1."
  \set stanzaReminders = ##t
  Je -- su, mei -- ne Freu -- de,
  mei -- nes Her -- zens Wei -- de,
  \set stanzaReminderText = "(1st)"
  Je -- su, mei -- ne Zier.
}
\addlyrics {
  \stanza "2."
  Un -- ter dei -- nem Schir -- men
  bin ich vor den Stür -- men
  \set stanzaReminders = ##t
  \set stanzaReminderText = #make-tiny-markup
  al -- ler Fein -- de frei.
}
```

1. Je-su, mei-ne Freu-de,
2. Unter deinem Schirmen

3
1. meines Herzens Wei-de,
bin ich vor den Stürmen

5
(1st) Je su, meine Zier.
2. al-ler Feinde frei.

LilyPond v2.27.2

An alternative to using `\pes` and `\flexa` (which internally do the same) is the command `\~`. This isn't new (being introduced in 2003); however, it stayed undocumented and was broken for some time.

```
\new VaticanaScore {
  \new VaticanaVoice \relative {
```



```
\[ a \pes b \flexa g \]  
}  
}
```



LilyPond v2.27.2

```
\new VaticanaScore {  
  \new VaticanaVoice \relative {  
    \[ a \~ b \~ g \]  
  }  
}
```



LilyPond v2.27.2

Miscellaneous improvements

-

The new `\verboseBarNumbers` command simplifies documentation examples where bar numbers are a central concern. It might also be useful for debugging.

-

The new commands `\startGradualTempoChange` and `\stopGradualTempoChange` describe a temporary departure from the prevailing tempo. Currently, these affect only MIDI output.

-

These functions, which have been deprecated since version 2.13.19, have been removed: `\deprecatedcresc`, `\deprecatedendcresc`, `\deprecateddim`, and `\deprecatedenddim`.

-

The `glyph-name` property of a `NoteHead` grob now contains a fully qualified glyph name, as documented. It is no longer necessary to replace the stencil just to draw a different note head glyph; setting this property suffices.

```
{
  c'4
  \once\override NoteHead.glyph-name = "noteheads.s2triangle"
  c'4
}
```



LilyPond v2.27.2

As a side effect, the Scheme function `note-head::calc-glyph-name` is not needed anymore and will be removed after a deprecation cycle. Depending on the intended use case, its use may be replaced either by accessing the `glyph-name` property of a specific `NoteHead` grob, or by calling `select-head-glyph` for a specific notehead style and `duration-log`.