

Containerization:

Not your mama's Tupperware



YOUR CLOUDS.
OUR EXPERTISE.

Ell Marquez

Technical Trainer

Rackspace Private Cloud Training


Ell.marquez@rackspace.com




YOUR CLOUDS.
OUR EXPERTISE.


Agenda

Virtualization
Containerization
Docker
Kubernetes





What is Virtualization?





Type 1 Hypervisor





Type 1 Hypervisor





16 GB

Type 1 Hypervisor





4 GB

Type 1 Hypervisor






8 GB


Type 1 Hypervisor







Containerization



chroot

1979/1982

jail

2000


**Process
Containers**

2006

NameSpaces


Present








What's a
process?

















```
trainer@rackspacetraining:~$ █
```

```
trainer@rackspacetraining:~$  
trainer@rackspacetraining:~$ sudo iptables -L  
Chain INPUT (policy ACCEPT)  
target     prot opt source          destination  
f2b-sshd  tcp  --  anywhere        anywhere          multiport dports ssh  
  
Chain FORWARD (policy ACCEPT)  
target     prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target     prot opt source          destination  
  
Chain f2b-sshd (1 references)  
target     prot opt source          destination  
RETURN    all  --  anywhere        anywhere
```

```
trainer@rackspacetraining:~$  
trainer@rackspacetraining:~$ sudo iptables -L  
Chain INPUT (policy ACCEPT)  
target     prot opt source          destination  
f2b-sshd   tcp  --  anywhere        anywhere          multiport dports ssh  
  
Chain FORWARD (policy ACCEPT)  
target     prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target     prot opt source          destination  
  
Chain f2b-sshd (1 references)  
target     prot opt source          destination  
RETURN    all  --  anywhere        anywhere  
trainer@rackspacetraining:~$ sudo ip netns add sample && sudo ip netns list  
sample  
trainer@rackspacetraining:~$ █
```

```
trainer@rackspacetraining:~$  
trainer@rackspacetraining:~$ sudo iptables -L  
Chain INPUT (policy ACCEPT)  
target     prot opt source          destination  
f2b-sshd   tcp  --  anywhere        anywhere          multiport dports ssh  
  
Chain FORWARD (policy ACCEPT)  
target     prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target     prot opt source          destination  
  
Chain f2b-sshd (1 references)  
target     prot opt source          destination  
RETURN    all  --  anywhere        anywhere  
trainer@rackspacetraining:~$ sudo ip netns add sample && sudo ip netns list  
sample  
trainer@rackspacetraining:~$ sudo ip netns exec sample bash  
root@rackspacetraining:~#
```

```
trainer@rackspace-training:~$  
trainer@rackspace-training:~$ sudo iptables -L  
Chain INPUT (policy ACCEPT)  
target    prot opt source          destination  
f2b-sshd  tcp  --  anywhere       anywhere        multiport dports ssh  
  
Chain FORWARD (policy ACCEPT)  
target    prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target    prot opt source          destination  
  
Chain f2b-sshd (1 references)  
target    prot opt source          destination  
RETURN   all  --  anywhere       anywhere  
trainer@rackspace-training:~$ sudo ip netns add sample && sudo ip netns list  
sample  
trainer@rackspace-training:~$ sudo ip netns exec sample bash  
root@rackspace-training:~# iptables -L  
Chain INPUT (policy ACCEPT)  
target    prot opt source          destination  
  
Chain FORWARD (policy ACCEPT)  
target    prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target    prot opt source          destination  
root@rackspace-training:~#
```

```
trainer@rackspacetraining:~$  
trainer@rackspacetraining:~$ sudo iptables -L  
Chain INPUT (policy ACCEPT)  
target     prot opt source          destination  
f2b-sshd   tcp  --  anywhere        anywhere          multiport dports ssh  
  
Chain FORWARD (policy ACCEPT)  
target     prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target     prot opt source          destination  
  
Chain f2b-sshd (1 references)  
target     prot opt source          destination  
RETURN    all  --  anywhere        anywhere  
trainer@rackspacetraining:~$ sudo ip netns add sample && sudo ip netns list  
sample  
trainer@rackspacetraining:~$ sudo ip netns exec sample bash  
root@rackspacetraining:~# iptables -L  
Chain INPUT (policy ACCEPT)  
target     prot opt source          destination  
  
Chain FORWARD (policy ACCEPT)  
target     prot opt source          destination  
  
Chain OUTPUT (policy ACCEPT)  
target     prot opt source          destination  
root@rackspacetraining:~# iptables -A INPUT -p tcp -m tcp --dport 80 -j ACCEPT  
root@rackspacetraining:~# iptables -A INPUT -p tcp -m tcp --dport 443 -j ACCEPT  
root@rackspacetraining:~#
```

```
target      prot opt source          destination

Chain f2b-sshd (1 references)
target      prot opt source          destination
RETURN     all   --  anywhere        anywhere
trainer@rackspace-training:~$ sudo ip netns add sample && sudo ip netns list
sample
trainer@rackspace-training:~$ sudo ip netns exec sample bash
root@rackspace-training:~# iptables -L
Chain INPUT (policy ACCEPT)
target      prot opt source          destination

Chain FORWARD (policy ACCEPT)
target      prot opt source          destination

Chain OUTPUT (policy ACCEPT)
target      prot opt source          destination
root@rackspace-training:~# iptables -A INPUT -p tcp -m tcp --dport 80 -j ACCEPT
root@rackspace-training:~# iptables -A INPUT -p tcp -m tcp --dport 443 -j ACCEPT
root@rackspace-training:~# iptables -L
Chain INPUT (policy ACCEPT)
target      prot opt source          destination
ACCEPT     tcp   --  anywhere        anywhere          tcp dpt:http
ACCEPT     tcp   --  anywhere        anywhere          tcp dpt:https

Chain FORWARD (policy ACCEPT)
target      prot opt source          destination

Chain OUTPUT (policy ACCEPT)
target      prot opt source          destination
root@rackspace-training:~#
```

```
trainer@rackspace-training:~$ sudo ip netns add sample && sudo ip netns list
sample
trainer@rackspace-training:~$ sudo ip netns exec sample bash
root@rackspace-training:~# iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source          destination
target     prot opt source          destination
Chain FORWARD (policy ACCEPT)
target     prot opt source          destination
root@rackspace-training:~# iptables -A INPUT -p tcp -m tcp --dport 80 -j ACCEPT
root@rackspace-training:~# iptables -A INPUT -p tcp -m tcp --dport 443 -j ACCEPT
root@rackspace-training:~# iptables -L
Chain INPUT (policy ACCEPT)
target     prot opt source          destination
ACCEPT    tcp   --  anywhere        anywhere          tcp dpt:http
ACCEPT    tcp   --  anywhere        anywhere          tcp dpt:https
Chain FORWARD (policy ACCEPT)
target     prot opt source          destination
Chain OUTPUT (policy ACCEPT)
target     prot opt source          destination
root@rackspace-training:~# exit
exit
trainer@rackspace-training:~$ iptables -L
iptables v1.6.0: can't initialize iptables table `filter': Permission denied (you must be root)
Perhaps iptables or your kernel needs to be upgraded.
trainer@rackspace-training:~$ █
```

```
Chain INPUT (policy ACCEPT)
target    prot opt source          destination
ACCEPT    tcp   --  anywhere        anywhere          tcp dpt:http
ACCEPT    tcp   --  anywhere        anywhere          tcp dpt:https

Chain FORWARD (policy ACCEPT)
target    prot opt source          destination


Chain OUTPUT (policy ACCEPT)
target    prot opt source          destination
root@rackspacetraining:~# exit
exit
trainer@rackspacetraining:~$ iptables -L
iptables v1.6.0: can't initialize iptables table `filter': Permission denied (you must be root)
Perhaps iptables or your kernel needs to be upgraded.
trainer@rackspacetraining:~$ sudo iptables -L
Chain INPUT (policy ACCEPT)
target    prot opt source          destination
f2b-sshd  tcp   --  anywhere        anywhere          multiport dports ssh

Chain FORWARD (policy ACCEPT)
target    prot opt source          destination

Chain OUTPUT (policy ACCEPT)
target    prot opt source          destination

Chain f2b-sshd (1 references)
target    prot opt source          destination
RETURN   all   --  anywhere        anywhere
trainer@rackspacetraining:~$ █
```

Machine Containers



trainer@rackspacetraining:~\$ █

```
trainer@rackspacetraining:~$ sudo lxc list
+-----+-----+-----+-----+
| NAME | STATE | IPV4 | IPV6 | TYPE | SNAPSHOTS |
+-----+-----+-----+-----+
trainer@rackspacetraining:~$ █
```

```
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+
| NAME | STATE | IPV4 | IPV6 | TYPE | SNAPSHOTS |
+-----+-----+-----+-----+
trainer@rackspace-training:~$ sudo lxc launch ubuntu:16.04 ubuntu-container
Creating ubuntu-container
Starting ubuntu-container
trainer@rackspace-training:~$ █
```

```
trainer@rackspace-training:~$ sudo lxc list
```

NAME	STATE	IPV4	IPV6	TYPE	SNAPSHOTS

```
trainer@rackspace-training:~$ sudo lxc launch ubuntu:16.04 ubuntu-container
```

Creating ubuntu-container

Starting ubuntu-container

```
trainer@rackspace-training:~$ sudo lxc list
```

NAME	STATE	IPV4	IPV6	TYPE	SNAPSHOTS
ubuntu-container	RUNNING		fdf2:82e5:d36b:f591:216:3eff:fe3e:a154 (eth0)	PERSISTENT	0

```
trainer@rackspace-training:~$
```

```
trainer@rackspace-training:~$ sudo lxc list
```

NAME	STATE	IPV4	IPV6	TYPE	SNAPSHOTS

```
trainer@rackspace-training:~$ sudo lxc launch ubuntu:16.04 ubuntu-container
```

Creating ubuntu-container

Starting ubuntu-container

```
trainer@rackspace-training:~$ sudo lxc list
```

NAME	STATE	IPV4	IPV6	TYPE	SNAPSHOTS
ubuntu-container	RUNNING		fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0)	PERSISTENT	0

```
trainer@rackspace-training:~$ cat /etc/issue
```

Ubuntu 16.04.3 LTS \n \l

```
trainer@rackspace-training:~$ █
```

```
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+
| NAME | STATE | IPV4 | IPV6 | TYPE | SNAPSHOTS |
+-----+-----+-----+-----+
trainer@rackspace-training:~$ sudo lxc launch ubuntu:16.04 ubuntu-container
Creating ubuntu-container
Starting ubuntu-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+-----+-----+
|      NAME      | STATE | IPV4 |          IPV6          | TYPE | SNAPSHOTS |
+-----+-----+-----+-----+-----+-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0      |
+-----+-----+-----+-----+-----+-----+
trainer@rackspace-training:~$ cat /etc/issue
Ubuntu 16.04.3 LTS \n \l

trainer@rackspace-training:~$ sudo lxc launch images:alpine/3.5 alpine-container
Creating alpine-container
Starting alpine-container
trainer@rackspace-training:~$ 
```

```
Creating ubuntu-container
Starting ubuntu-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+
|      NAME      | STATE   | IPV4           |          IPV6           |      TYPE      | SNAPSHOTS |
+-----+-----+-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0          |
+-----+-----+-----+
trainer@rackspace-training:~$ cat /etc/issue
Ubuntu 16.04.3 LTS \n \l

trainer@rackspace-training:~$ sudo lxc launch images:alpine/3.5 alpine-container
Creating alpine-container
Starting alpine-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+-----+-----+
|      NAME      | STATE   |      IPV4      |          IPV6      |      TYPE      | SNAPS    |
HOTS |
+-----+-----+-----+-----+-----+-----+
-----+
| alpine-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feb6:3bf2 (eth0) | PERSISTENT | 0          |
|           |           |
+-----+-----+-----+-----+-----+-----+
-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0          |
|           |
+-----+-----+-----+-----+-----+-----+
-----+
trainer@rackspace-training:~$ █
```

```
Starting ubuntu-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+
|      NAME      | STATE   | IPV4           | IPV6           |      TYPE      | SNAPSHOTS |
+-----+-----+-----+-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0          |
+-----+-----+-----+-----+
trainer@rackspace-training:~$ cat /etc/issue
Ubuntu 16.04.3 LTS \n \l

trainer@rackspace-training:~$ sudo lxc launch images:alpine/3.5 alpine-container
Creating alpine-container
Starting alpine-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+
|      NAME      | STATE   | IPV4           | IPV6           |      TYPE      | SNAPS    |
+-----+-----+-----+-----+
| HOTS |          |          |          |          |          |          |
+-----+-----+-----+-----+
| alpine-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feb6:3bf2 (eth0) | PERSISTENT | 0          |
|          |          |          |          |          |          |
+-----+-----+-----+-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0          |
|          |          |          |          |          |          |
+-----+-----+-----+-----+
trainer@rackspace-training:~$ sudo lxc exec alpine-container -- ash
~ #
```

```
+-----+-----+-----+-----+
|      NAME      | STATE   | IPV4           | IPV6           |      TYPE      | SNAPSHOTS |
+-----+-----+-----+-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0          |
+-----+-----+-----+-----+
trainer@rackspace-training:~$ cat /etc/issue
Ubuntu 16.04.3 LTS \n \l


trainer@rackspace-training:~$ sudo lxc launch images:alpine/3.5 alpine-container
Creating alpine-container
Starting alpine-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+
|      NAME      | STATE   | IPV4           | IPV6           |      TYPE      | SNAPS    |
HOTS |
+-----+-----+-----+-----+
-----+
| alpine-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feb6:3bf2 (eth0) | PERSISTENT | 0          |
|
+-----+-----+-----+-----+
-----+
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0          |
|
+-----+-----+-----+-----+
-----+
trainer@rackspace-training:~$ sudo lxc exec alpine-container -- ash
~ # whoami
root
~ #
```


```
| ubuntu-container | RUNNING |      | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0      |
+-----+-----+-----+-----+-----+-----+
trainer@rackspace-training:~$ cat /etc/issue
Ubuntu 16.04.3 LTS \n \l

trainer@rackspace-training:~$ sudo lxc launch images:alpine/3.5 alpine-container
Creating alpine-container
Starting alpine-container
trainer@rackspace-training:~$ sudo lxc list
+-----+-----+-----+-----+-----+-----+
|      NAME      | STATE   |      IPV4      |          IPV6          |      TYPE      | SNAPS
+-----+-----+-----+-----+-----+-----+
| HOTS |
+-----+-----+-----+-----+-----+-----+
| alpine-container | RUNNING | 10.49.185.39 (eth0) | fdf2:82e5:d36b:f591:216:3eff:feb6:3bf2 (eth0) | PERSISTENT | 0
|           |
+-----+-----+-----+-----+-----+-----+
|      ubuntu-container | RUNNING |          | fdf2:82e5:d36b:f591:216:3eff:feec:b066 (eth0) | PERSISTENT | 0
|           |
+-----+-----+-----+-----+-----+-----+
|           |
+-----+-----+-----+-----+-----+-----+
trainer@rackspace-training:~$ sudo lxc exec alpine-container -- ash
~ # whoami
root
~ # cat /etc/issue
Welcome to Alpine Linux 3.5
Kernel \r on an \m (\l)

~ #
```


Application Containers






docker


Application Containers




Application Containers




Application Containers




Application Containers






Docker Image




Base Image




Read Write Layer






Read Write Layer


Alpine



apk update

Alpine





apk add htop

apk update

Alpine



Explore Publish Feedback Log In

The Docker Store

Find Trusted and Enterprise Ready Containers, Plugins, and Docker Editions

Search for great content (e.g. mysql)

Docker EE

Docker CE


Containers

Plugins

GET DOCKER

Get started with Docker

Docker is the world's leading software container platform available for



Docker File

```
From alpine:latest  
Run apk update  
Run apk add htop
```

```
trainer@rackspacetraining:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspacetraining:~$
```

```
trainer@rackspacetraining:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspacetraining:~$
```

```
trainer@rackspacetraining:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspacetraining:~$
```

```
trainer@rackspacetraining:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspacetraining:~$
```


```
trainer@rackspace-training:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8ef076
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspace-training:~$
```



```
trainer@rackspace-training:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspace-training:~$
```

```
trainer@rackspacetraining:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspacetraining:~$ █
```

```
trainer@rackspace-training:~$ sudo docker build .
Sending build context to Docker daemon 22.02 kB
Step 1/3 : FROM alpine:latest
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspace-training:~$
```

```
latest: Pulling from library/alpine
ff3a5c916c92: Pull complete
Digest: sha256:7df6db5aa61ae9480f52f0b3a06a140ab98d427f86d8d5de0bedab9b8df6b1c0
Status: Downloaded newer image for alpine:latest
--> 3fd9065eaf02
Step 2/3 : RUN apk update
--> Running in 1eca023ad8b5
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-63-g2bfbc724f [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9045 distinct packages available
--> 66dbbe8efa76
Removing intermediate container 1eca023ad8b5
Step 3/3 : RUN apk add htop
--> Running in 68e8164e970e
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
--> d91489a54832
Removing intermediate container 68e8164e970e
Successfully built d91489a54832
trainer@rackspace-training:~$ sudo docker images
REPOSITORY          TAG           IMAGE ID        CREATED         SIZE
<none>              <none>        d91489a54832   18 minutes ago  8.09 MB
alpine               latest        3fd9065eaf02    4 weeks ago    4.15 MB
trainer@rackspace-training:~$ █
```





```
trainer@rackspacetraining:~$ cat Dockerfile
From alpine:latest

Run apk update && apk add htop && apk add bash
trainer@rackspacetraining:~$
```

```
trainer@rackspacetraining:~$ cat Dockerfile
```

```
From alpine:latest
```

```
Run apk update && apk add htop && apk add bash
```

```
trainer@rackspacetraining:~$ sudo docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
<none>	<none>	d91489a54832	About an hour ago	8.09 MB
alpine	latest	3fd9065eaf02	4 weeks ago	4.15 MB

```
trainer@rackspacetraining:~$ █
```

```
trainer@rackspace-training:~$ cat Dockerfile
From alpine:latest

Run apk update && apk add htop && apk add bash
trainer@rackspace-training:~$ sudo docker images
REPOSITORY          TAG           IMAGE ID      CREATED        SIZE
<none>              <none>        d91489a54832   About an hour ago  8.09 MB
alpine               latest        3fd9065eaf02    4 weeks ago    4.15 MB
trainer@rackspace-training:~$ sudo docker build . -t alpine:bach
```

```
trainer@rackspace-training:~$ sudo docker images
REPOSITORY          TAG        IMAGE ID      CREATED       SIZE
<none>              <none>     d91489a54832   About an hour ago  8.09 MB
alpine              latest    3fd9065eaf02    4 weeks ago   4.15 MB
trainer@rackspace-training:~$ sudo docker build . -t alpine: bash
Sending build context to Docker daemon 22.02 kB
Step 1/2 : FROM alpine:latest
--> 3fd9065eaf02
Step 2/2 : RUN apk update && apk add htop && apk add bash
--> Running in 9c07d9311c14
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-69-g944a45f26d [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9047 distinct packages available
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
(1/3) Installing pkgconf (1.3.10-r0)
(2/3) Installing readline (7.0.003-r0)
(3/3) Installing bash (4.4.19-r1)
Executing bash-4.4.19-r1.post-install
Executing busybox-1.27.2-r7.trigger
OK: 13 MiB in 18 packages
--> 24565039698a
Removing intermediate container 9c07d9311c14
Successfully built 24565039698a
trainer@rackspace-training:~$
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
<none>	<none>	d91489a54832	About an hour ago	8.09 MB
alpine	latest	3fd9065eaf02	4 weeks ago	4.15 MB

```
trainer@rackspace-training:~$ sudo docker build . -t alpine: bash
```

```
Sending build context to Docker daemon 22.02 kB
```

```
Step 1/2 : FROM alpine: latest
```

```
--> 3fd9065eaf02
```

```
Step 2/2 : RUN apk update && apk add htop && apk add bash
```

```
--> Running in 9c07d9311c14
```

```
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
```

```
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
```

```
v3.7.0-69-g944a45f26d [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
```

```
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
```

```
OK: 9047 distinct packages available
```

```
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
```

```
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
```

```
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
```

```
(4/4) Installing htop (2.0.2-r0)
```

```
Executing busybox-1.27.2-r7.trigger
```

```
OK: 12 MiB in 15 packages
```

```
(1/3) Installing pkgconf (1.3.10-r0)
```

```
(2/3) Installing readline (7.0.003-r0)
```

```
(3/3) Installing bash (4.4.19-r1)
```

```
Executing bash-4.4.19-r1.post-install
```

```
Executing busybox-1.27.2-r7.trigger
```

```
OK: 13 MiB in 18 packages
```


```
--> 24565039698a
```


```
Removing intermediate container 9c07d9311c14
```

```
Successfully built 24565039698a
```

```
trainer@rackspace-training:~$ █
```

```
Step 1/2 : FROM alpine:latest
--> 3fd9065eaf02
Step 2/2 : RUN apk update && apk add htop && apk add bash
--> Running in 9c07d9311c14
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/main/x86_64/APKINDEX.tar.gz
fetch http://dl-cdn.alpinelinux.org/alpine/v3.7/community/x86_64/APKINDEX.tar.gz
v3.7.0-69-g944a45f26d [http://dl-cdn.alpinelinux.org/alpine/v3.7/main]
v3.7.0-66-g3a4ccadc0d [http://dl-cdn.alpinelinux.org/alpine/v3.7/community]
OK: 9047 distinct packages available
(1/4) Installing ncurses-terminfo-base (6.0_p20171125-r0)
(2/4) Installing ncurses-terminfo (6.0_p20171125-r0)
(3/4) Installing ncurses-libs (6.0_p20171125-r0)
(4/4) Installing htop (2.0.2-r0)
Executing busybox-1.27.2-r7.trigger
OK: 12 MiB in 15 packages
(1/3) Installing pkgconf (1.3.10-r0)
(2/3) Installing readline (7.0.003-r0)
(3/3) Installing bash (4.4.19-r1)
Executing bash-4.4.19-r1.post-install
Executing busybox-1.27.2-r7.trigger
OK: 13 MiB in 18 packages
--> 24565039698a
Removing intermediate container 9c07d9311c14
Successfully built 24565039698a
trainer@rackspace-training:~$ sudo docker images
REPOSITORY          TAG           IMAGE ID        CREATED         SIZE
alpine              bash          24565039698a   11 minutes ago  9.66 MB
<none>              <none>        d91489a54832   About an hour ago  8.09 MB
alpine              latest        3fd9065eaf02    4 weeks ago    4.15 MB
trainer@rackspace-training:~$
```





```
trainer@rackspace:~$ sudo docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
alpine	bash	24565039698a	4 days ago	9.66 MB
<none>	<none>	d91489a54832	4 days ago	8.09 MB
alpine	latest	3fd9065eaf02	4 weeks ago	4.15 MB

```
trainer@rackspace:~$ █
```

```
trainer@rackspacetraining:~$ sudo docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
alpine	bash	24565039698a	4 days ago	9.66 MB
<none>	<none>	d91489a54832	4 days ago	8.09 MB
alpine	latest	3fd9065eaf02	4 weeks ago	4.15 MB

```
trainer@rackspacetraining:~$ sudo docker run [ ]
```

```
trainer@rackspacetraining:~$ sudo docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
alpine	bash	24565039698a	4 days ago	9.66 MB
<none>	<none>	d91489a54832	4 days ago	8.09 MB
alpine	latest	3fd9065eaf02	4 weeks ago	4.15 MB

```
trainer@rackspacetraining:~$ sudo docker run docker/whalesay █
```

```
trainer@rackspacetraining:~$ sudo docker images
REPOSITORY      TAG          IMAGE ID      CREATED       SIZE
alpine          bash         24565039698a  4 days ago   9.66 MB
<none>          <none>       d91489a54832  4 days ago   8.09 MB
alpine          latest        3fd9065eaf02  4 weeks ago  4.15 MB
trainer@rackspacetraining:~$ sudo docker run docker/whalesay cowsay "Hello World!"
```

```
trainer@rackspace-training:~$ sudo docker images
REPOSITORY          TAG        IMAGE ID      CREATED       SIZE
alpine              bash      24565039698a    4 days ago   9.66 MB
<none>              <none>    d91489a54832    4 days ago   8.09 MB
alpine              latest    3fd9065eaf02    4 weeks ago  4.15 MB
trainer@rackspace-training:~$ sudo docker run docker/whalesay cowsay "Hello World!"
Unable to find image 'docker/whalesay:latest' locally
latest: Pulling from docker/whalesay
e190868d63f8: Pull complete
909cd34c6fd7: Pull complete
0b9bfabab7c1: Pull complete
a3ed95caeb02: Pull complete
00bf65475aba: Pull complete
c57b6bcc83e3: Pull complete
8978f6879e2f: Pull complete
8eed3712d2cf: Pull complete
Digest: sha256:178598e51a26abbc958b8a2e48825c90bc22e641de3d31e18aa55f3258ba93b
Status: Downloaded newer image for docker/whalesay:latest
```

```
<none>          <none>          d91489a54832    4 days ago      8.09 MB
alpine          latest           3fd9065eaf02    4 weeks ago     4.15 MB
trainer@rackspace:~$ sudo docker run docker/whalesay cowsay "Hello World!"
Unable to find image 'docker/whalesay:latest' locally
latest: Pulling from docker/whalesay
e190868d63f8: Pull complete
909cd34c6fd7: Pull complete
0b9bfabab7c1: Pull complete
a3ed95caeb02: Pull complete
00bf65475aba: Pull complete
c57b6bcc83e3: Pull complete
8978f6879e2f: Pull complete
8eed3712d2cf: Pull complete
Digest: sha256:178598e51a26abbc958b8a2e48825c90bc22e641de3d31e18aaf55f3258ba93b
Status: Downloaded newer image for docker/whalesay:latest
```

```
< Hello World! >
```



```
trainer@rackspace:~$ █
```

Why do we need Kubernetes?



What is
Kubernetes?




Application



Application







Application




Desired State vs Observed State




Pods



Pods






Master Node



Worker Node







Let's pull it all together.





Master Node







Worker Node









[root@master /]#

```
[root@master ~]# kubectl [
```

```
[root@master ~]# kubectl get nodes
```

NAME	STATUS	AGE
worker1	Ready	2d
worker2	Ready	2d
worker3	Ready	2d

```
[root@master ~]# █
```

```
[root@master ~]# kubectl get nodes
```

NAME	STATUS	AGE
worker1	Ready	2d
worker2	Ready	2d
worker3	Ready	2d

```
[root@master ~]# kubectl get pods
```

```
No resources found.
```

```
[root@master ~]# █
```

```
[root@master ~]# kubectl get nodes
```

NAME	STATUS	AGE
worker1	Ready	2d
worker2	Ready	2d
worker3	Ready	2d

```
[root@master ~]# kubectl get pods
```

No resources found.

```
[root@master ~]# kubectl get ns
```

NAME	STATUS	AGE
default	Active	3d
kube-system	Active	3d
practice	Active	37m

```
[root@master ~]# []
```

```
[root@master ~]# kubectl get nodes
NAME      STATUS    AGE
worker1   Ready     2d
worker2   Ready     2d
worker3   Ready     2d
[root@master ~]# kubectl get pods
No resources found.
[root@master ~]# kubectl get ns
NAME      STATUS    AGE
default   Active    3d
kube-system   Active    3d
practice   Active    37m
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
practice   busybox   1/1      Running   0          23m
[root@master ~]#
```


```
[root@master ~]# kubectl get nodes
NAME      STATUS    AGE
worker1   Ready     2d
worker2   Ready     2d
worker3   Ready     2d
[root@master ~]# kubectl get pods
No resources found.
[root@master ~]# kubectl get ns
NAME      STATUS    AGE
default   Active    3d
kube-system   Active    3d
practice   Active    37m
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
practice   busybox   1/1      Running   0          23m
[root@master ~]# kubectl run webapp --image=nginx --port=80
deployment "webapp" created
[root@master ~]#
```

```
[root@master ~]# kubectl get nodes
NAME      STATUS    AGE
worker1   Ready     2d
worker2   Ready     2d
worker3   Ready     2d
[root@master ~]# kubectl get pods
No resources found.
[root@master ~]# kubectl get ns
NAME      STATUS    AGE
default   Active    3d
kube-system   Active    3d
practice   Active    37m
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
practice   busybox   1/1      Running   0          23m
[root@master ~]# kubectl run webapp --image=nginx --port=80
deployment "webapp" created
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
default   webapp-856210044-sgk6q  1/1      Running   0          1m
practice   busybox   1/1      Running   0          27m
[root@master ~]# █
```

```
[root@master ~]# kubectl get nodes
NAME      STATUS    AGE
worker1   Ready     2d
worker2   Ready     2d
worker3   Ready     2d
[root@master ~]# kubectl get pods
No resources found.
[root@master ~]# kubectl get ns
NAME      STATUS    AGE
default   Active    3d
kube-system   Active    3d
practice  Active    37m
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
practice   busybox   1/1      Running   0          23m
[root@master ~]# kubectl run webapp --image=nginx --port=80
deployment "webapp" created
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
default    webapp-856210044-sgk6q  1/1      Running   0          1m
practice   busybox   1/1      Running   0          27m
[root@master ~]# kubectl delete pod webapp-856210044-sgk6q
pod "webapp-856210044-sgk6q" deleted
[root@master ~]# █
```

```
[root@master ~]# kubectl get nodes
NAME      STATUS    AGE
worker1   Ready     2d
worker2   Ready     2d
worker3   Ready     2d
[root@master ~]# kubectl get pods
No resources found.
[root@master ~]# kubectl get ns
NAME      STATUS    AGE
default   Active    3d
kube-system   Active    3d
practice   Active    37m
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
practice   busybox   1/1      Running   0          23m
[root@master ~]# kubectl run webapp --image=nginx --port=80
deployment "webapp" created
[root@master ~]# kubectl get pods --all-namespaces
NAMESPACE  NAME      READY    STATUS    RESTARTS   AGE
default   webapp-856210044-sgk6q  1/1      Running   0          1m
practice   busybox   1/1      Running   0          27m
[root@master ~]# kubectl delete pod webapp-856210044-sgk6q
pod "webapp-856210044-sgk6q" deleted
[root@master ~]# kubectl get pods
NAME      READY    STATUS    RESTARTS   AGE
webapp-856210044-jhqcd  1/1      Running   0          3m
[root@master ~]# █
```

Desired State vs Observed State



Summary

training.rackspace.com
RACKSIDES

March 16th

March 21st

March 27th

Questions

Send Your Questions via Zoom Q&A

Thank You

training.rackspace.com — training@rackspace.com



**YOUR CLOUDS.
OUR EXPERTISE.**