



GEOMETRY

		D	C	G	A	B	E	H	K	J	F	L	M
	SIZE	SEAT TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE	SEAT ANGLE	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	BB DROP	FC
		mm	mm	mm	DEGREES	DEGREES	mm	mm	mm	mm	mm	mm	mm
MOUNTAIN / GRAVITY													
FURY ALLOY WORLD CUP / TEAM / EXPERT /	XS	440	594	407	63	70	432	125	349	45	1167	-6	735
	S	450	631	409	63	70	432	125	349	45	1204	-6	772
	M	460	657	413	63	70	432	125	349	45	1230	-6	798
	L	470	682	413	63	70	432	125	349	45	1255	-6	823
MOUNTAIN / MTBMX													
LA BOMBA 1.0 / 2.0	S	310	566	610	68	73.5	410	115	308	41	1069	25	660
	M	310	592	607	68	73.5	410	115	308	41	1096	25	687
MOUNTAIN / ALL MOUNTAIN													
FORCE CARBON X PRO / EXPERT	S	425	565	751	67.2	73.8	443	98	348	43	1127	9	684
	M	455	599	763	67.2	73.8	443	114	348	43	1162	9	719
	L	480	627	770	67.2	73.8	443	130	348	43	1192	9	749
	XL	505	656	795	67.2	73.8	443	147	348	43	1223	9	780
MOUNTAIN / TRAIL													
SENSOR CARBON TEAM / PRO	S	449	572	728	67.5	73.5	440	98	335	42	1118	18	678
	M	474	601	749	68.5	73.5	440	109	335	42	1136	18	696
	L	500	629	769	68.5	73.5	440	125	335	42	1166	18	726
	XL	526	658	793	68.5	73.5	440	141	335	42	1196	18	756
SENSOR EXPERT / ELITE	XS	428	550	706	69.5	73	424	100	333	42	1051	0	627
	S	448	560	722	69.5	73	424	110	333	42	1062	0	637
	M	484	589	750	69.5	73	424	120	333	42	1091	0	667
	L	509	612	772	69.5	73	424	140	333	42	1116	0	69
	XL	517	630	781	69.5	73	424	155	333	42	1134	0	711
ZASKAR CARBON 9R EXPERT	S	465	571	758	71	74.5	445	110	307	43	1045	65	608
	M	475	604	767	72	73.5	445	110	307	43	1073	65	636
	L	512	629	797	72	73.5	445	120	307	43	1098	65	661
	XL	550	645	828	72	73	445	130	307	43	1113	65	676
ZASKAR CARBON 6R ELITE	XS	370	556	704	69.5	73	419	110	300	39	1041	35	623
	S	420	577	736	69.5	73	419	110	300	39	1062	35	644
	M	460	607	760	69.5	73	419	110	300	39	1092	35	675
	L	510	633	798	69.5	73	419	130	300	39	1119	35	701
	XL	560	652	840	69.5	73	419	160	300	39	1140	35	723
ZASKAR ALLOY 9R ELITE / COMP	S	420	571	762	71	73	445	110	297	39	1073	65	636
	M	470	605	793	72	73	445	110	297	39	1086	65	649
	L	507	629	818	72	73	445	120	297	39	1110	65	673
	XL	545	645	845	72	73	445	130	297	39	1121	65	684
ZASKAR ALLOY COMP	XS	370	556	704	69.5	73	419	110	300	39	1041	35	623
	S	420	577	736	69.5	73	419	110	300	39	1062	35	644
	M	460	607	760	69.5	73	419	110	300	39	1092	35	675
	L	510	633	798	69.5	73	419	130	300	39	1119	35	701
	XL	560	652	840	69.5	73	419	160	300	39	1140	35	723



GEOMETRY

	SIZE	SEAT TUBE LENGTH	ACTUAL TOP TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE	SEAT ANGLE	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC	AXLE TO CROWN
		INCH	INCH	INCH	INCH	DEGREES	DEGREES	INCH	INCH	INCH	INCH	INCH	INCH	INCH	INCH
BMX STREET															
PERFORMER 20"	U	9.2	20.75	21.9	22.7	74.5	71	13.6	4.4	11.77	1.5	36.6	-1.7	22.8	12.6
COMPE	U	9.2	20.5	21.7	22.7	74.5	71	13.6	4.4	11.77	1.5	36.3	-1.7	22.8	12.6
ZONE	U	9.2	20.5	21.7	21.1	74.5	71	13.6	3.9	11.77	1.5	36.3	-1.7	22.3	12.6
SLAMMER	U	9.2	20	21.2	22.4	74.5	71	13.6	3.9	11.77	1.5	35.8	-1.7	22.6	12.6

	SIZE	D SEAT TUBE LENGTH	C HORIZONTAL TOP TUBE LENGTH	G STAND OVER HEIGHT	A HEAD ANGLE	B SEAT ANGLE	E CHAIN STAY LENGTH	H HEAD TUBE LENGTH	K BOTTOM BRACKET HEIGHT	J FORK OFFSET (RAKE)	F WHEEL BASE	L BB DROP	M FC
		mm	mm	mm	DEGREES	DEGREES	mm	mm	mm	mm	mm	mm	mm
KIDS													
AGGRESSOR 24" BOYS	U	345	510	600	70	73	410	105	282	40	981	18	572
AGGRESSOR 20" BOYS	U	280	486	509	69.5	71	380	105	254	38	915	10	535
LAGUNA 24" GIRLS	U	375	523	516	70	73	410	95	275	40	990	25	582
LAGUNA 20" GIRLS	U	280	461	500	69.5	71	380	105	254	38	890	10	510

	SIZE	SEAT TUBE LENGTH	ACTUAL TOP TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE	SEAT ANGLE	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC	AXLE TO CROWN
		INCH	INCH	INCH	INCH	DEGREES	DEGREES	INCH	INCH	INCH	INCH	INCH	INCH	INCH	INCH
MACH ONE EXPERT	U	9.3	19	19	18.8	73	71	13.9	3.5	10.2	1.3	33.8	33.8	33.8	12.6



GEOMETRY

	SIZE	SEAT TUBE LENGTH	ACTUAL TOP TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE	SEAT ANGLE	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC	AXLE TO CROWN
		INCH	INCH	INCH	INCH	DEGREES	DEGREES	INCH	INCH	INCH	INCH	INCH	INCH	INCH	INCH
BMX / RACE ETC.															
CARBON SPEED SERIES PRO FRAME & FORK	U	9	20.5	21.5	22	74	72	14.5	5	11.5	1.3	37.2	-1.5	22.8	12.6
CARBON SPEED SERIES PRO XL FRAME & FORK	U	9	21	22	22.5	74	72	14.5	5	11.5	1.3	37.7	-1.5	23.3	12.6
CARBON SPEED SERIES PRO XXL FRAME & FORK	U	9	21.5	21.5	22.5	74	72	14.5	5	11.5	1.3	38.7	-1.5	23.9	12.6
SPEED SERIES PRO 24"	U	9	21.7	23	25	73	70	15.3	5	11.4	1.3	38.6	0	23.3	14.3
SPEED SERIES PRO XL	U	8.2	21	22	22.4	74	72	14.5	5	11.5	1.3	37.6	-1.5	23.3	12.6
SPEED SERIES PRO	U	8.2	20.5	21.5	21.9	74	72	14.5	5	11.5	1.3	37.1	-1.5	22.7	12.6
SPEED SERIES XXL FRAME	U	8.3	21.5	22.6	22.5	74	72	15	5	11.5	1.3	38.7	-1.5	23.9	12.6
SPEED SERIES XXXL FRAME	U	8.3	22	23.1	22.5	74	72	15.5	5	11.5	1.3	39.3	-1.5	24.3	12.6
PRO SERIES PRO 24"	U	10.6	21.7	23.1	24.8	73	70	15.5	4.7	11.7	1.3	39	0	23.4	14.3
PRO SERIES PRO XL	U	9.1	21	22.1	22.3	74	72	14.8	4.7	11.4	1.3	38	-1.5	23.3	12.6
PRO SERIES PRO	U	9.1	20.5	21.5	22.3	74	72	14.2	4.7	11.4	1.3	37	-1.5	22.8	12.6
PRO SERIES EXPERT XL	U	9.2	19.5	20.8	22.4	73	70	13.7	3.9	11.7	1.3	35.3	-1.75	22.2	12
PRO SERIES EXPERT	U	9.1	19.2	20.5	21.7	73	70	13.4	3.9	11.2	1.3	34.8	-1	21.29	12
PRO SERIES JR.	U	7.8	18.5	19.7	21.6	73	70	13.4	3.9	11.2	1.3	34	-1	20.6	12
PRO SERIES MINI	U	7.8	17	18	21.2	72	70	12.9	3.9	11	1.3	32	-1	19.1	12
PRO SERIES MICRO 18"	U	7.8	16.2	17.1	19.6	72	71	12.4	3.9	9.8	1.3	31	-1	18.6	11
BMX DIRT															
CAGE - DILLWAARD 20.75" SIGNATURE FRAME	U	8.8	20.75	22.2	21	75	71	13.7	4.5	11.9	1.3	36.4	-1.8	23.1	12.6
CAGE - DILLWAARD 21" SIGNATURE FRAME	U	9.1	21	22.5	21	75	71	13.7	4.5	11.9	1.3	36.7	-1.8	22.9	12.6
CAGE - DILLWAARD 21.25" CAGE - WISE 21.25" SIGNATURE FRAMES	U	9.7	21.25	22.7	21	75	71	13.7	4.5	11.9	1.3	36.9	-1.8	23.3	12.6
CAGE - WISE 20.75" SIGNATURE FRAME	U	8.8	20.75	22.2	21	75	71	13.7	4.5	11.9	1.3	36.4	-1.8	23.1	12.6
CAGE - WISE 21" SIGNATURE FRAME	U	9.1	21	22.5	21	75	71	13.7	4.5	11.9	1.3	36.7	-1.8	22.9	12.6
FUELER	U	9.2	21.25	22.5	22.8	75	71	13.7	5	11.77	1.3	36.9	-1.7	23.3	12.6
BUMP	U	9.2	21	22.25	22.75	74.5	71	13.6	4.4	11.7	1.5	36.8	-1.7	23.4	12.6
FLY 20"	U	9.2	20.75	21.9	22.75	74.5	71	13.6	4.4	11.7	1.5	36.6	-1.7	23.1	12.6
FLY 18"	U	8	18	18.4	20.5	73.5	7	12.4	4.4	10.5	1.5	34.3	-1.5	20.3	11.8
FLY 16"	U	8	16.5	17.6	19	73.5	7	11.5	4.4	9.5	1.5	30.1	-1.5	18	10.8
RICOCHET	U	9.2	20.5	21.7	22.4	74.5	71	13.6	3.9	11.77	1.5	36.3	-1.7	22.8	12.6
AIR	U	9.2	19.5	20.6	21.1	74.5	71	13.6	3.9	11.77	1.5	35.3	-1.7	21.8	12.6



GEOMETRY

	D	C	G	A	B	E	H	K	J	F	L	M
SIZE	SEAT TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE	SEAT ANGLE	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	BB DROP	FC
	mm	mm	mm	DEGREES	DEGREES	mm	mm	mm	mm	mm	mm	mm

URBAN

TACHYON
1.0 / 2.0 / 3.0

XS	450	541	704	70.5	74.5	435	115	275	50	1038	70	613
S	470	545	724	70.5	74	435	130	275	50	1038	70	612
M	490	552	748	71.5	73.5	435	160	275	45	1027	70	602
L	510	565	769	72.5	73	435	180	275	45	1025	70	599
XL	530	577	789	72.5	73	435	200	275	45	1037	70	612
XXL	550	592	809	72.5	72	435	220	275	45	1041	70	616

TRANSEO
1.0 / 2.0 / 3.0 / 4.0

XS	406	545	631	70.5	74	450	155	273	50	1055	72	615
S	448	559	707	71	74	450	155	273	50	1064	72	625
M	492	572	742	72	74	450	155	273	50	1067	72	627
L	543	591	780	72	74	450	155	273	50	1086	72	645
XL	594	598	822	72	73.5	450	175	273	50	1088	72	647
XXL	644	609	866	72	73.5	450	205	273	50	1100	72	660

TRANSEO 3.0
(STEP-THROUGH)

S	388	515	588	70.5	75.5	450	110	273	50	1041	72	601
M	432	544	588	71	74	450	110	273	50	1049	72	609
L	483	553	592	71	73.5	450	130	273	50	1053	72	614

MEATBALL

XXS	480	494	721	71	76.5	415	90	277	43	977	63	570
XS	500	509	739	72	76	415	100	277	43	980	63	573
S	520	528	758	73	75	415	110	280	43	984	60	576
M	540	546	775	73	75	415	120	280	43	1002	60	595
L	560	567	798	74	74	415	140	285	43	1007	55	598
XL	580	587	817	74	74	415	160	285	43	1027	55	618

SPEEDBALL

XXS	480	494	721	71	76.5	420	90	277	43	982	63	570
XS	500	509	739	72	76	420	100	277	43	985	63	573
S	520	528	758	73	75	420	110	280	43	989	60	576
M	540	546	775	73	75	420	120	280	43	1007	60	595
L	560	567	798	74	74	420	140	285	43	1012	55	598
XL	580	587	817	74	74	420	160	285	43	1032	55	618




GEOMETRY


	D	C	G	A	B	E	H	K	J	F	L	M	
	SEAT TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE	SEAT ANGLE	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	BB DROP	FC	
SIZE	mm	mm	mm	DEGREES	DEGREES	mm	mm	mm	mm	mm	mm	mm	
KARAKORAM ELITE / COMP	S	420	584	734	70.5	73.5	445	110	315	45	1087	58	649
	M	471	603	772	71	73	445	110	315	45	1095	58	656
	L	507	623	802	71	73	445	110	315	45	1115	58	676
	XL	545	642	833	71	72.5	445	120	315	45	1128	58	689
AVALANCHE ELITE / COMP	XS	368	520	737	70.5	73	420	100	301	39	995	35	576
	S	407	540	759	70.5	73	420	110	301	39	1015	35	597
	M	445	571	782	70.5	73	420	120	301	39	1047	35	628
	L	483	592	804	70.5	73	420	130	301	39	1068	35	650
	XL	521	610	831	70.5	73	420	150	301	39	1087	35	669
	XXL	559	620	854	70.5	73	420	160	301	39	1097	35	679
TIMBERLINE 29" 1.0 / 2.0	S	420	571	734	71	74	445	110	305	46	1061	65	623
	M	470	605	767	72	74	445	110	305	46	1106	65	653
	L	507	629	799	72	73	445	120	305	46	1110	65	669
	XL	545	645	828	72	73	445	130	305	46	1122	65	685
AGGRESSOR 26" 1.0 / 2.0 / 3.0	XS	368	520	673	70.5	73	420	100	302	40	985	35	567
	S	407	540	707	70.5	73	420	110	302	40	1006	35	589
	M	445	571	730	70.5	73	420	110	302	40	1039	35	622
	L	483	592	761	70.5	73	420	130	302	40	1062	35	644
	XL	521	610	796	70.5	73	420	150	302	40	1082	35	664
	XL	559	620	823	70.5	73	420	160	302	40	1093	35	676
LAGUNA 26"	S	356	528	560	70	74	436	100	300	45	1035	40	602
	M	407	541	560	70	74	436	115	300	45	1048	40	615




GEOMETRY




FURY ALLOY




ROAD ALLOY




FORCE CARBON X / SENSOR CARBON / ALLOY



URBAN



ZASKAR / KARAKORAM / AVALANCHE / AGGRESSOR



BMX