



# GEOMETRY

		D	C	G	A	B	E	H	K	J	F		
	SIZE	SEAT TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE°	SEAT ANGLE°	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC
		MM	MM	MM			MM	MM	MM	MM	MM		
<b>MOUNTAIN / GRAVITY</b>													
FURY CARBON TEAM (W. 1.5 DEG. ANGLE OFFSET HS)	<b>S</b>	449.9	577.08	728.8	63.5	69.7	438.0	110	350.1	44	1146.07	-10.1	708.3
	<b>M</b>	460.6	607.05	733.9	63.5	69.7	438.0	120	350.1	44	1177.09	-10.2	739.3
	<b>L</b>	481.8	631.95	746.4	63.5	69.7	438.0	130	350.1	44	1203.06	-10.3	765.3
FURY ALLOY 1.0 / 2.0 / 3.0	<b>S</b>	425.0	570.00	734.7	63.5	69.0	430.0	130	352.0	42	1122.77	-12	691.0
	<b>M</b>	435.0	595.00	739.7	63.5	69.0	430.0	130	352.0	42	1153.57	-12	716.0
	<b>L</b>	445.0	610.00	752.2	63.5	69.0	430.0	130	352.0	42	1179.34	-12	731.0
<b>MOUNTAIN / MTBMX</b>													
LA BOMBA	<b>S</b>	310.0	565.78	610.0	68	73.5	410.0	115	308.0	41	1068.88	25	660.1
	<b>M</b>	310.0	592.58	607.1	68	73.5	410.0	115	308.0	41	1095.68	25	686.9
<b>MOUNTAIN / ALL MOUNTAIN</b>													
FORCE ALLOY 1.0 / 2.0 / 3.0	<b>S</b>	443.2	565.01	702.6	69	72.9	430.8	100	347.0	40	1085.19	-14	654.7
	<b>M</b>	468.1	584.97	718.2	69	72.9	430.8	110	347.0	40	1105.84	-14	675.4
	<b>L</b>	483.2	599.99	732.2	69	72.9	430.8	130	347.0	40	1121.87	-14	691.4
	<b>XL</b>	508.1	630.00	752.9	69	72.8	430.8	150	347.0	40	1152.94	-14	722.5
<b>MOUNTAIN / TRAIL/XC</b>													
SENSOR 2.0 / 4.0	<b>XS</b>	428.1	550.00	705.6	69.5	73.0	424.2	100	333.0	39	1050.96	0	626.8
	<b>S</b>	448.1	560.00	722.6	69.5	73.0	424.2	110	333.0	39	1061.60	0	637.4
	<b>M</b>	484.1	589.00	750.2	69.5	73.0	424.2	120	333.0	39	1091.24	0	667.1
	<b>L</b>	509.1	612.00	771.9	69.5	73.0	424.2	140	333.0	39	1115.52	0	691.3
	<b>XL</b>	517.1	630.00	780.7	69.5	73.0	424.2	155	333.0	39	1134.48	0	710.3
SENSOR 9R PRO / EXPERT / ELITE	<b>M</b>	484.9	577.46	769.1	69.5	74.7	455.0	120	330.0	44	1129.36	30	676.0
	<b>L</b>	507.7	604.10	789.4	69.5	74.6	455.0	140	330.0	44	1155.97	30	702.6
	<b>XL</b>	557.4	630.32	829.1	69.5	74.5	455.0	155	330.0	44	1182.12	30	728.7
KARAKORAM 1.0 / 2.0 / 3.0 / HANS REY	<b>S</b>	420.0	583.63	734.1	70.5	73.5	445.0	110	315.0	45	1087.10	58	648.5
	<b>M</b>	471.0	603.37	772.2	71	73.0	445.0	110	315.0	45	1095.03	58	656.4
	<b>L</b>	507.0	622.54	801.8	71	73.0	445.0	110	315.0	45	1114.51	58	675.8
	<b>XL</b>	545.0	641.53	832.5	71	72.5	445.0	120	315.0	45	1127.98	58	689.2
AVALANCHE 1.0 / 2.0 / 3.0 / HANS REY	<b>S</b>	407.0	540.00	759.3	70.5	73.0	420.0	110	301.0	39	1015.20	35	596.6
	<b>M</b>	445.0	571.00	781.5	70.5	73.0	420.0	120	301.0	39	1046.60	35	628.1
	<b>L</b>	483.0	592.00	803.9	70.5	73.0	420.0	130	301.0	39	1068.10	35	649.5
	<b>XL</b>	521.0	610.00	831.1	70.5	73.0	420.0	150	301.0	39	1087.00	35	668.5





# GEOMETRY

		D	C	G	A	B	E	H	K	J	F		
	SIZE	SEAT TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE°	SEAT ANGLE°	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC
		MM	MM	MM			MM	MM	MM	MM	MM		
<b>MOUNTAIN / TRAIL/XC</b>													
AGGRESSOR AND LAGUNA 26" 1.0 / 2.0 / 3.0	<b>XS</b>	368.0	520.00	673.2	70.5	73.0	420.0	100	302.5	40	984.50	35	567.1
	<b>S</b>	407.0	540.00	707.0	70.5	73.0	420.0	110	302.5	40	1006.40	35	588.9
	<b>M</b>	445.0	571.00	729.9	70.5	73.0	420.0	110	302.5	40	1039.10	35	621.6
	<b>L</b>	483.0	592.00	761.1	70.5	73.0	420.0	130	302.5	40	1061.90	35	644.3
TIMBERLINE 29"	<b>S</b>	420.0	571.00	733.8	71	74.0	445.0	110	305.0	46	1060.70	65	623.8
	<b>M</b>	470.0	605.00	767.4	72	74.0	445.0	110	305.0	46	1105.70	65	652.7
	<b>L</b>	507.0	629.00	798.5	72	73.0	445.0	120	305.0	46	1109.70	65	668.6
	<b>XL</b>	545.0	645.00	828.4	72	73.0	445.0	130	305.0	46	1122.40	65	685.2
ZASKAR 100 CARBON HANS REY	<b>S</b>	420.0	575.00	753.0	69.5	73.5	428.0	112.5	325.0	39	1082.9	-10	655.1
	<b>M</b>	457.0	605.00	777.7	69.5	73.5	428.0	122.5	325.0	39	1113.6	-10	685.8
	<b>L</b>	508.0	630.00	815.2	69.5	73.5	428.0	142.5	325.0	39	1140.1	-10	712.3
	<b>XL</b>	560.0	650.00	851.5	69.5	73.5	428.0	157.5	325.0	39	1161.2	-10	733.4
ZASKAR 100 9R CARBON PRO / EXPERT	<b>M</b>	457.0	578.00	807.7	69.5	73.5	453.0	122.5	327.0	45	1110.03	40	660.02
	<b>L</b>	500.0	603.00	838.8	69.5	73.5	453.0	142.5	327.0	45	1136.49	40	686.43
	<b>XL</b>	550.0	628.00	872.6	69.5	73.5	453.0	157.5	327.0	45	1162.58	40	712.47
ZASKAR CARBON 9R EXPERT / ELITE	<b>S</b>	420.0	571.01	705.3	71	74.5	445.0	110	297.0	43	1073.06	65	636.2
	<b>M</b>	470.0	605.01	755.0	72	73.5	445.0	110	297.0	43	1085.99	65	649.0
	<b>L</b>	507.0	629.00	776.8	72	73.5	445.0	120	297.0	43	1110.17	65	673.1
	<b>XL</b>	545.0	645.00	808.3	72	73.0	445.0	130	297.0	43	1120.77	65	683.6
ZASKAR CARBON AND ALLOY ELITE / COMP	<b>XS</b>	370.0	556.20	704.0	69.5	73.0	419.0	110	300.0	39	1041.00	35	623.4
	<b>S</b>	420.0	576.90	736.0	69.5	73.0	419.0	110	300.0	39	1061.70	35	644.1
	<b>M</b>	460.0	607.40	760.0	69.5	73.0	419.0	110	300.0	39	1092.20	35	674.6
	<b>L</b>	510.0	632.50	798.0	69.5	73.0	419.0	130	300.0	39	1118.50	35	701.0
	<b>XL</b>	560.0	652.40	840.0	69.5	73.0	419.0	160	300.0	39	1140.40	35	722.8
ZASKAR ALLOY 9R ELITE / COMP	<b>S</b>	420.0	571.00	762.3	71	73.0	445.0	110	297.0	39	1073.06	65	636.2
	<b>M</b>	470.0	605.00	792.5	72	73.0	445.0	110	297.0	39	1085.99	65	649.0
	<b>L</b>	507.0	629.00	818.0	72	73.0	445.0	120	297.0	39	1110.17	65	673.1
	<b>XL</b>	545.0	645.00	845.0	72	73.0	445.0	130	297.0	39	1120.77	65	683.6
ZASKAR LE ALLOY 9R	<b>S</b>	420.0	571.00	762.3	71	73.0	445.0	110	297.0	39	1073.06	65	636.2
	<b>M</b>	470.0	605.00	792.5	72	73.0	445.0	110	297.0	39	1085.99	65	649.0
	<b>L</b>	507.0	629.00	818.0	72	73.0	445.0	120	297.0	39	1110.17	65	673.1
	<b>XL</b>	545.0	645.00	845.0	72	73.0	445.0	130	297.0	39	1120.77	65	683.6
XIXANG 29" FRAME	<b>S</b>	420.0	571.00	810.6	70	74.5	445.0	110	307.0	43	1088.00	65	651.0
	<b>M</b>	470.0	605.00	830.6	72	73.0	445.0	110	307.0	43	1081.50	65	644.6
	<b>L</b>	507.0	629.00	850.7	72	73.0	445.0	120	307.0	43	1105.70	65	668.7
	<b>XL</b>	545.0	645.00	875.4	72	73.0	445.0	130	307.0	43	1121.90	65	684.8
KASHMIR 29"	<b>M</b>	470.0	605.00	810.6	70	73.0	445.0	110	307.0	43	1104.00	65	667.0
	<b>L</b>	507.0	629.00	830.6	70	73.0	445.0	120	307.0	43	1128.50	65	691.4
	<b>XL</b>	545.0	645.00	850.7	70	73.0	445.0	130	307.0	43	1145.10	65	707.8









# GEOMETRY

	SIZE	SEAT TUBE LENGTH INCH	ACTUAL TOP TUBE LENGTH INCH	HORIZONTAL TOP TUBE LENGTH INCH	STAND OVER HEIGHT INCH	HEAD ANGLE°	SEAT ANGLE°	CHAIN STAY LENGTH INCH	HEAD TUBE LENGTH INCH	BOTTOM BRACKET HEIGHT INCH	FORK OFFSET (RAKE) INCH	WHEEL BASE INCH	DROP INCH	FC INCH	AXLE TO CROWN INCH
<b>BMX RACE</b>															
INTERCEPTOR 26"	U	12.99	22.26	23.69	27.17	72	70.0	16.69	4.49	11.79	1.50	40.71	1.26	24.10	15.55
SPEED SERIES PRO	U	8.27	20.50	21.53	21.91	74	72.0	14.50	5.00	10.75	1.30	37.16	-1.50	22.79	12.60
SPEED SERIES PRO XL	U	8.27	21.00	22.07	22.48	74	72.0	14.50	5.00	10.75	1.30	37.69	-1.50	23.32	12.60
SPEED SERIES PRO XXL	U	8.27	21.50	21.50	22.49	74	72.0	15.00	5.00	10.75	1.30	38.73	-1.50	23.85	12.60
SPEED SERIES EX 24"	U	9.84	20.50	21.46	25.19	73	71.0	15.24	5.00	10.92	1.30	37.18	0.50	21.96	14.37
SPEED SERIES PRO 24"	U	9.06	21.75	23.01	25.08	73	70.0	15.35	5.00	11.42	1.30	38.66	0.00	23.31	14.37
SPEED SERIES PRO 26"	U	11.02	22.25	22.60	27.47	72	70.0	16.65	5.00	11.74	1.30	39.53	1.25	23.71	15.55
SPEED SERIES JR	U	6.89	18.50	19.62	20.80	73	70.0	14.21	4.49	10.25	1.30	34.64	-1.00	20.48	11.81
SPEED SERIES EX	U	7.28	19.26	20.36	21.62	73	70.0	14.21	5.00	10.25	1.30	35.30	-1.00	21.15	12.60
SPEED SERIES JR 24"	U	9.25	20.50	21.74	24.17	72	70.0	15.12	4.49	10.91	1.30	37.37	0.51	22.27	13.58
PRO SERIES 24	U	10.63	21.75	23.18	24.87	73	70.0	15.51	4.72	11.73	1.30	39.00	0.00	23.49	14.37
PRO SERIES XL	U	9.17	21.00	22.12	22.38	74	72.0	14.80	4.72	11.44	1.30	38.07	-1.50	23.39	12.60
PRO SERIES PRO	U	9.17	20.50	21.59	22.39	74	72.0	14.29	4.72	11.44	1.30	37.03	-1.50	22.83	12.60
PRO SERIES EXPERT	U	9.17	19.26	20.53	21.78	73	70.0	13.46	3.94	11.26	1.30	34.81	-1.00	21.29	12.01
PRO SERIES JR.	U	7.87	18.50	19.74	21.62	73	70.0	13.46	3.94	11.26	1.30	34.02	-1.00	20.61	12.01
PRO SERIES MINI	U	7.87	17.00	18.00	21.26	72	70.0	12.95	3.94	11.00	1.30	32.04	-1.00	19.15	12.01
PRO SERIES MICRO 18"	U	7.87	16.25	17.19	19.69	72	71.0	12.44	3.94	9.87	1.30	31.03	-1.00	18.65	11.02
INTERCEPTOR PRO XL	U	10.00	21.00	22.07	22.48	74	72.0	14.50	5.00	10.75	1.30	37.69	-1.50	23.32	12.60
INTERCEPTOR PRO XXL	U	10.00	21.50	21.50	22.49	74	72.0	15.00	5.00	10.75	1.30	38.73	-1.50	23.85	12.60
INTERCEPTOR PRO 24"	U	10.50	21.79	22.05	24.87	73	70.0	15.35	5.00	11.73	1.30	38.89	0.00	23.49	14.37
<b>BMX STREET</b>															
PERFORMER 26	U	14.43	22.00	23.45	27.53	72	70.0	16.69	3.94	11.79	1.50	40.49	1.26	23.88	15.59
CALAFIA	U	9.29	21.01	22.29	22.75	74.5	71.0	13.66	4.49	11.77	1.50	36.61	-1.77	23.14	12.60
PERFORMER	U	9.29	20.75	21.99	22.75	74.5	71.0	13.66	4.49	11.77	1.50	36.61	-1.77	22.88	12.60
COMPE	U	9.29	20.50	21.73	22.75	74.5	71.0	13.66	4.49	11.77	1.50	36.36	-1.77	22.88	12.60
ZONE	U	9.29	20.50	21.72	21.17	74.5	71.0	13.66	3.94	11.77	1.50	36.36	-1.77	22.36	12.60
SLAMMER	U	9.29	20.00	21.20	22.49	74.5	71.0	13.66	3.94	11.77	1.50	35.83	-1.77	22.36	12.60





# GEOMETRY

		SEAT TUBE LENGTH	ACTUAL TOP TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE°	SEAT ANGLE°	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC	AXLE TO CROWN
	SIZE	INCH	INCH	INCH	INCH			INCH	INCH	INCH	INCH	INCH	INCH	INCH	INCH

## BMX DIRT

FUELER / CAGE	U	9.29	21.25	22.54	22.89	75	71.0	13.70	5.00	11.77	1.38	36.91	-1.77	23.39	12.60
BUMP	U	9.29	21.00	22.25	22.75	74.5	71.0	13.66	4.49	11.77	1.50	36.87	-1.77	23.40	12.60
FLY	U	9.29	20.75	21.99	22.75	74.5	71.0	13.66	4.49	11.77	1.50	36.61	-1.77	23.13	12.60
FLY 18	U	8.00	18.00	18.42	20.59	73.5	70.0	12.40	4.49	10.50	1.50	34.35	-1.50	20.33	11.81
FLY 16	U	8.00	16.50	17.63	19.09	73.5	70.0	11.50	4.49	9.50	1.50	30.16	-1.50	18.82	10.83
RICOCHET	U	9.29	20.50	21.76	22.49	74.5	71.0	13.66	3.94	11.77	1.50	36.36	-1.77	22.88	12.60
AIR	U	9.29	19.50	20.67	21.17	74.5	71.0	13.66	3.94	11.77	1.50	35.31	-1.77	21.83	12.60

## BMX UTILITY

MACH ONE EXPERT	U	9.3	19.02	19.02	18.83	73	71.0	13.98	3.54	10.24	1.30	33.83	33.83	33.83	12.60
-----------------	---	-----	-------	-------	-------	----	------	-------	------	-------	------	-------	-------	-------	-------

		D	C	G	A	B	E	H	K	J
	SIZE	SEAT TUBE ANGLE	HEAD TUBE ANGLE	HEAD TUBE LENGTH	TOPTUBE LENGTH - CENTRE OF H/T TO CENTRE OF S/T	SEAT TUBE LENGTH - TOP OF ST TO BB CENTRE	CHAIN STAY LENGTH	BB DROP - CENTRE OF BB FROM AXLE LINE	HUB AXLE DIAMETER	SEAT POST DIAMETER
		MM	MM	MM			MM	MM	MM	MM

## DYNO BIKES

VERTIGO 20	U	71.5	74.5	100	20.75"	9.5"	13.75"	-45	14MM	25.4
VERTIGO 16 CB	U	70	72.0	75	15.5"	8.25"	11.75"	-35	3/8"	25.4
VERTIGO 12 CB	U	69.0	69.0	75	12"	7"	9.75"	-30	3/8"	25.4

		D	C	G	A	B	E	H	K	J	F		
	SIZE	SEAT TUBE LENGTH	HORIZONTAL TOP TUBE LENGTH	STAND OVER HEIGHT	HEAD ANGLE°	SEAT ANGLE°	CHAIN STAY LENGTH	HEAD TUBE LENGTH	BOTTOM BRACKET HEIGHT	FORK OFFSET (RAKE)	WHEEL BASE	DROP	FC
		MM	MM	MM			MM	MM	MM	MM	MM		


## KIDS

AGGRESSOR 24" BOYS	U	345.0	510.0	600.0	70	73.0	410.0	105	282.0	40	980.88	18	571.6
AGGRESSOR 20" BOYS	U	280.0	485.61	509.0	69.5	71.0	380.0	105	254.0	38	914.63	10	534.9
LAGUNA 24" GIRLS	U	375.0	522.86	516.1	70	73.0	410.0	95	275.0	40	990.31	25	581.6
LAGUNA 20" GIRLS	U	280.0	460.77	500.0	69.5	71.0	380.0	105	254.0	38	889.97	10	510.2
LAGUNA 16" GIRLS	U	218.0	429.94	425.5	72	65.2	310.00	90	206.5	23.4	719.77	0	409.8
LAGUNA 12" GIRLS	U	179.0	338.82	346.1	72	65.5	247.00	90	186.0	23.3	592.90	-30	349.0







# GEOMETRY




**FURY CARBON / ALLOY**




**ROAD ALLOY**




**FORCE ALLOY**



**URBAN**



**ZASKAR / KARAKORAM / AVALANCHE / AGGRESSOR**



**BMX**