

Body height	QX	KRYSTAL	NINE	EDICT NINE	26" Fully	SIX 2-3	SIX 30-95	VERZAe
135 cm							Q20	
137 cm							Q20	
140 cm							Q20	
142 cm							Q24	
145 cm							Q24	
147 cm							Q24	
150 cm	44							
152 cm	44 (44 W)		XS			XS		
155 cm	44 (44 W)		XS			XS		
157 cm	(44 W)		XS	S	S	XS		XS
160 cm	48	12.5	XS; S	S	S	XS; S	13.5	XS
162 cm	48	12.5	XS; S	S	S	XS; S	13.5	XS
165 cm	48 (49 W)	12.5	S	S	S	S	13.5	XS; S
167 cm	(49 W)	12.5; 14.5	S	S	S	S	13.5 – 15.5	XS; S
170 cm	52 (49 W)	14.5	S; M	S; M	S; M	S; M	15.5	S
172 cm	52	14.5; 16.5	M	M	M	M	15.5 – 17.5	S; M
175 cm	52; 55	14.5; 16.5	M	M	M	M	15.5 – 17.5	S; M
177 cm	55	16.5; 18.5	M; L	M; L	M; L	M; L	17.5 – 19.5	M
180 cm	55; 58	16.5; 18.5	L	L	L	L	17.5 – 19.5	M; L
182 cm	58	18.5	L	L	L	L	19.5 – 21.5	M; L
185 cm	58	18.5	L; XL	L; XL	L; XL	L; XL	19.5 – 21.5	L
187 cm	58		L; XL	L; XL	L; XL	L; XL	21.5	L
190 cm			XL	XL	XL	XL	21.5	L
193 cm			XL	XL	XL	XL	21.5	L
195 cm			XL	XL	XL	XL	21.5	

Body height	AR	F	Z	ZW	DA/B2/B12	B16	TK1/TK2	Fixie	Cyclocross
135 cm		F24							
137 cm		F24							
140 cm		F24							
142 cm		F24; F95 Jr							
145 cm		F24; F95 Jr		43	47	48			
147 cm		F24; F95 Jr		43	47	48			
150 cm		F24; F95 Jr		43; 45	47	48			
152 cm		48		43; 45	47; 51	48; 50			47
155 cm		48		43; 45	47; 51	48; 50			47
157 cm		48		43; 45	47; 51	50; 52	51	51	47
160 cm	51	48; 51	51	45; 47	47; 51	50; 52	51	51	47; 50
162 cm	51	48; 51	51	45; 47	51	52	51; 54	51; 54	47; 50
165 cm	51	48; 51	51	45; 47	51; 54	52	51; 54	51; 54	47; 50
167 cm	51	51	51	47; 50	54	52; 54	51; 54	51; 54	50
170 cm	51; 54	51; 54	51; 54	47; 50	54; 56	52; 54	54	54	50; 53
172 cm	51; 54	51; 54	51; 54	47; 50	54; 56	54	54	54	50; 53
175 cm	54; 56	51; 54	54; 56	50	54; 56	54	54; 56	54; 56	53; 55
177 cm	54; 56	51; 54	54; 56	50	56	54; 56	54; 56	54; 56	53; 55
180 cm	56	56	56	50	56; 58	54; 56	56; 58	56; 58	55
182 cm	56; 58	56; 58	56; 58		56; 58	56	56; 58	56; 58	55; 57
185 cm	56; 58	56; 58	56; 58		56; 58	56; 58	56; 58	56; 58	55; 57
187 cm	58; 61	58; 61	58; 61		56; 58	56; 58	58; 61	58; 61	57; 60
190 cm	58; 61	58; 61	58; 61		58; 61	58; 60	58; 61	58; 61	57; 60
193 cm	61	61	61		58; 61	58; 60	61	61	60
195 cm	61	61	61		61	60	61	61	60

This is Felt's general sizing chart. Because anatomy, riding style, experience and a variety of other factors all come into play when selecting the best bicycle or frame size, Felt recommends all final fittings and bike selection take place through a professional Felt dealer.

Die Sizing-Tabelle ist als Richtwert anzusehen. Die für Sie passende Radgröße kann aufgrund verschiedener Faktoren abweichen. Für die genaue Ermittlung Ihrer Radgröße wenden Sie sich bitte an Ihren Felt-Händler. Änderungen, Fehler und Irrtümer vorbehalten!




GEOMETRY

AR Series

AR1, AR2, AR3, AR4, AR5

Size	51	54	56	58	61
HA	72,5	73	73,5	73,5	74
SA	74,5	73,5	73,125	73	73
TT Horiz	530	545	560	575	603
TT C-C	521	542	555	570	596
HT Length	120	140	160	180	200
Seat Tube C-T	510	540	560	580	610
Seat Tube C-C	470	498	518	538	558
BB Drop	70	70	70	70	70
BB Rise	-	-	-	-	-
CS	412	412	415	415	415
Front Center	578	581	584	598	620
Wheelbase	980	983	989	1002	1025
Standover	749	774	794	798	816
Fork Length	365	365	365	365	365
Rake	45	45	43	43	43
Lower HS Stack	1	1	1	1	1
Reach	385	386	389	398	419
Stack	520	541	562	581	602
Seat Post Dia.	Aero	Aero	Aero	Aero	Aero
Seat Post Length	300mm	300mm	300mm	300mm	300mm
Seat Post Clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on
BB-Type (BB30, BSA,...)	English threaded				
BB-Shell Width	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	IS-2	IS-2	IS-2	IS-2	IS-2
Stem Length	90mm	100mm	100mm	110mm	120mm
Handlebar Width C-C	400mm	420mm	420mm	440mm	440mm
Crank Length	170mm	172.5mm	172.5mm	175mm	175mm




F Series

F1, F2, F3, F4, F5, F6

Size	48	51	54	56	58	61
HA	71	72,5	73	73,5	74	74
SA	74,5	74	73,5	73,5	73,5	73
TT Horiz	510	530	545	560	580	605
TT C-C	492	513	532	547	568	592
HT Length	100	110	120	140	160	200
Seat Tube C-T	440	480	520	540	470	610
Seat Tube C-C	392	432	472	492	522	562
BB Drop	72	70	70	70	70	70
BB Rise	-	-	-	-	-	-
CS	403	403	405	405	407	410
Front Center	577	578	580	588	604	622
Wheelbase	969	971	974	983	1000	1022
Standover	681	717	750	770	796	834
Fork Length	370	370	370	370	370	370
Rake	52	50	45	43	43	43
Lower HS Stack	1	1	1	1	1	1
Reach	370	381	389	397	412	419
Stack	500	514	526	548	569	607
Seat Post Dia. (mm)	27.2	27.2	27.2	27.2	27.2	27.2
Seat Post Length (mm)	300	300	300	300	300	300
Seat Post Clamp (mm)	350 (F1, F2)					
double bolt	27.3x30.6	27.3 x 30.6				
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30	BB30	BB30
BB-Shell Width	English threaded*					
O.L.D.	68mm	68mm	68mm	68mm	68mm	68mm
130mm	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42					
IS-2 (F6)	IS-2 (F6)	IS-2 (F6)	IS-2 (F6)	IS-2 (F6)	IS-2 (F6)	IS-2 (F6)
Stem Length	80mm	90mm	100mm	100mm	110mm	120mm
Handlebar Width C-C	380mm	400mm	420mm	420mm	440mm	440mm
Crank Length	165mm	170mm	172.5mm	172.5mm	175mm	175mm

*) F6




F Series

F75, F85, F95

Size	48	51	54	56	58	61
HA	71	72,5	73	73,5	74	74
SA	74,5	74	73,5	73,5	73,5	73
TT Horiz	510	530	545	560	580	605
TT C-C	493	512	531	546	567	592
HT Length	100	120	130	150	170	210
Seat Tube C-T	440	470	520	540	570	610
Seat Tube C-C	391	422	472	492	522	562
BB Drop	72	70	70	70	70	70
BB Rise	-	-	-	-	-	-
CS	405	405	405	405	407	410
Front Center	577	579	580	588	604	622
Wheelbase	971	973	974	983	1000	1022
Standover	681	710	750	770	796	834
Fork Length	370	370	370	370	370	370
Rake	52	50	45	43	43	43
Lower HS Stack	1	1	1	1	1	1
Reach	370	379	386	395	409	417
Stack	500	523	536	557	578	617
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	300mm	300mm	300mm	300mm	300mm	300mm
Seat Post Clamp	30.7 for painted 30.6 frame O.D.					
Front Derailleur Clamp	34.9mm	34.9mm	34.9mm	34.9mm	34.9mm	34.9mm
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30	BB30	BB30
BB-Shell Width	English threaded*					
O.L.D.	68mm	68mm	68mm	68mm	68mm	68mm
RD-hanger Type	130mm	130mm	130mm	130mm	130mm	130mm
Headset (Type)	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Stem Length	No. 42					
Handlebar Width C-C	IS-2 (F95)					
Crank Length	80mm	90mm	100mm	100mm	110mm	120mm
	380mm	400mm	420mm	420mm	440mm	440mm
	165mm	170mm	172.5mm	172.5mm	175mm	175mm


*) F95



F Series

F24, F95 Jr.


Size	40	44
HA	72	71,5
SA	73,5	75,5
TT Horiz	447	483
TT C-C	430	470
HT Length	120	130
Seat Tube C-T	345	400
Seat Tube C-C	290	365
BB Drop	30	49
BB Rise	-	-
CS	360	380
Front Center	493	551
Wheelbase	851	925
Standover	602	665
Fork Length	321	347
Rake	40	41
Lower HS Stack	12	1
Reach	314	358
Stack	448	489
Seat Post Dia.	27.2mm	27.2mm
Seat Post Length	300mm	300mm
Seat Post Clamp (mm)	31.8	30.6 (30.7 for painted frame) 34.9mm
Front Derailleur Clamp BB-Type (BB30, BSA,...)	31.8mm English threaded	English threaded
BB-Shell Width O.L.D.	68mm 130mm	68mm 130mm
RD-hanger Type	Replaceable	Replaceable
Headset (Type)	Threadless 1.125"	IS-2
Stem Length	80mm	80mm
Handlebar Width C-C	360mm	360mm
Crank Length	155mm	160mm



Z Series

Z1, Z2, Z3, Z4, Z5, Z6

Size	51	54	56	58	61
HA	72	72,5	72,5	72,5	72,5
SA	74,5	74	73,5	73	73
TT Horiz	525	545	560	575	595
TT C-C	507	524	538	551	571
HT Length	140	160	180	200	220
Seat Tube C-T	470	500	520	540	570
Seat Tube C-C	415	425	445	465	495
BB Drop	70	70	70	70	70
BB Rise	-	-	-	-	-
CS	417	417	417	417	417
Front Center	583	595	605	615	635
Wheelbase	990	1002	1012	122	1042
Standover	698	727	747	767	795
Fork Length	370	370	370	370	370
Rake	50	50	50	50	50
Lower HS Stack	1	1	1	1	1
Reach	373	384	388	392	406
Stack	541	561	580	600	619
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	330mm	330mm	330mm	330mm	330mm
Seat Post Clamp	350mm (Z1,Z2)				
Front Derailleur Clamp	30.6mm	30.6mm	30.6mm	30.6mm	30.6mm
BB-Type (BB30, BSA,...)	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on
BB02 (Z1)	BB02 (Z1)	BB02 (Z1)	BB02 (Z1)	BB02 (Z1)	BB02 (Z1)
English threaded (Z6)	English threaded (Z6)	English threaded (Z6)	English threaded (Z6)	English threaded (Z6)	English threaded (Z6)
BB30	BB30	BB30	BB30	BB30	BB30
68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42				
Stem Length	80mm	90mm	100mm	110mm	110mm
Handlebar Width C-C	400mm	420mm	420mm	440mm	440mm
Crank Length	170mm	172.5mm	172.5mm	175mm	175mm




Z Series**Z85**

Size	51	54	56	58	61
HA	72	72,5	72,5	72,5	72,5
SA	74,5	74	73,5	73	73
TT Horiz	525	545	560	575	595
TT C-C	507	526	540	553	574
HT Length	140	160	180	200	220
Seat Tube C-T	470	500	520	540	570
Seat Tube C-C	425	445	465	485	515
BB Drop	70	70	70	70	70
BB Rise	-	-	-	-	-
CS	417	417	417	417	417
Front Center	584	595	605	615	635
Wheelbase	990	1002	1012	1022	1042
Standover	713	726	746	765	792
Fork Length	370	370	370	370	370
Rake	50	50	50	50	50
Lower HS Stack	1	1	1	1	1
Reach	374	384	388	392	406
Stack	541	561	580	600	619
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	330mm	330mm	330mm	330mm	330mm
Seat Post Clamp	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
BB-Type (BB30, BSA,...)	English threaded				
BB-Shell Width	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42				
Stem Length	80mm	90mm	100mm	110mm	110mm
Handlebar Width C-C	400mm	420mm	420mm	440mm	440mm
Crank Length	170mm	172.5mm	172.5mm	175mm	175mm

Z Series

Z95, Z100


Size	51	54	56	58	61
HA	72	72,5	72,5	72,5	72,5
SA	74,5	74	73,5	73	73
TT Horiz	525	545	560	575	595
TT C-C	507	526	540	553	574
HT Length	140	160	180	200	220
Seat Tube C-T	470	500	520	540	570
Seat Tube C-C	425	445	465	485	515
BB Drop	70	70	70	70	70
BB Rise	-	-	-	-	-
CS	417	417	417	417	417
Front Center	584	595	605	615	635
Wheelbase	990	1002	1012	1022	1042
Standover	713	726	746	765	792
Fork Length	370	370	370	370	370
Rake	50	50	50	50	50
Lower HS Stack	1	1	1	1	1
Reach	374	384	388	392	406
Stack	541	561	580	600	619
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	330mm	330mm	330mm	330mm	330mm
Seat Post Clamp	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
BB-Type (BB30, BSA,...)	English threaded				
BB-Shell Width	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	IS-2	IS-2	IS-2	IS-2	IS-2
Stem Length	80mm	90mm	100mm	110mm	110mm
Handlebar Width C-C	400mm	420mm	420mm	440mm	440mm
Crank Length	170mm	172.5mm	172.5mm	175mm	175mm



ZW Series

ZW2, ZW3, ZW4, ZW5


Size	Petite	Small	Medium	Tall
HA	70,25	71,25	72	72,5
SA	75,25	74,5	74,5	74
TT Horiz	495	512	525	545
TT C-C	479	494	507	524
HT Length	120	130	140	160
Seat Tube C-T	430	450	470	500
Seat Tube C-C	375	395	415	425
BB Drop	72	72	70	70
BB Rise	-	-	-	-
CS	410	410	417	417
Front Center	576	578	583	595
Wheelbase	974	977	990	1002
Standover	-	-	-	-
Fork Length	370	370	370	370
Rake	52	52	50	50
Lower HS Stack	1	1	1	1
Reach	357	363	373	384
Stack	517	530	541	561
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	300mm	300mm	300mm	300mm
Seat Post Clamp	30,6	30,6	30,6	30,6
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on
BB-Type (BB30, BSA,...)	BB30	BB30	BB30	BB30
BB-Shell Width	English threaded (ZW5) 68mm	English threaded (ZW5) 68mm	English threaded (ZW5) 68mm	English threaded (ZW5) 68mm
O.I.D.	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42	No. 42	No. 42	No. 42
Stem Length	60mm	70mm	80mm	90mm
Handlebar Width C-C	380mm	380mm	380mm	400mm
Crank Length	165mm	165mm	170mm	172.5mm



ZW Series

ZW75, ZW95


Size	Petite	Small	Medium	Tall
HA	70,25	71,5	72	72,5
SA	75,25	74,5	74,5	74
TT Horiz	495	514	525	545
TT C-C	479	496	507	526
HT Length	110	125	140	160
Seat Tube C-T	430	450	470	500
Seat Tube C-C	385	405	425	445
BB Drop	72	72	70	70
BB Rise	-	-	-	-
CS	410	410	417	417
Front Center	575	578	584	595
Wheelbase	974	977	990	1002
Standover	675	694	713	726
Fork Length	370	370	370	370
Rake	52	52	50	50
Lower HS Stack	1	1	1	1
Reach	359	367	374	384
Stack	507	526	541	561
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	300mm	300mm	300mm	300mm
Seat Post Clamp	31.8mm	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	31.8mm	31.8mm	31.8mm	31.8mm
BB-Type (BB30, BSA,...)	English threaded	English threaded	English threaded	English threaded
BB-Shell Width	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	IS-2	IS-2	IS-2	IS-2
Stem Length	60mm	70mm	80mm	90mm
Handlebar Width C-C	380mm	380mm	380mm	400mm
Crank Length	165mm (ZW75) 165mm	170mm (ZW75) 165mm	170mm (ZW75) 170mm	172.5mm (ZW75) 172.5mm



TRACK Series

TK2, TK3


Size	48	51	54	56	58	61
HA	71.5	74	75	75	75	75
SA	76	74	74	74	74	74
TT Horiz	475	515	540	560	580	607
TT C-C	466	504	532	551	571	597
HT Length	90	110	120	140	160	195
Seat Tube C-T	430	510	540	560	580	610
Seat Tube C-C	369	441	471	491	511	541
BB Drop	33	55	55	55	55	55
BB Rise	-	-	-	-	-	-
CS	374	395	395	395	395	395
Front Center	543	547	550	569	589	615
Wheelbase	914	935	938	958	978	1004
Standover	-	-	-	-	-	-
Fork Length	345	365	365	365	365	365
Rake	41	43	30	30	30	30
Lower HS Stack	1	1	1	1	1	1
Reach	365	372	392	406	421	438
Stack	433	501	517	536	555	589
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	300mm	300mm	300mm	300mm	300mm	300mm
Seat Post Clamp	30.6mm	30.6mm	30.6mm	30.6mm	30.6mm	30.6mm
Front Derailleur Clamp	N/A	N/A	N/A	N/A	N/A	N/A
BB-Type (BB30, BSA,...)	English threaded					
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	120mm	120mm	120mm	120mm	120mm	120mm
RD-hanger Type	N/A	N/A	N/A	N/A	N/A	N/A
Headset (Type)	IS-2	IS-2	IS-2	IS-2	IS-2	IS-2
Stem Length	TK2	60mm	60mm	70mm	70mm	80mm
Handlebar Width C-C	80mm	90mm	100mm	100mm	110mm	120mm
Handlebar Width C-T	TK2	40cm	40cm	40cm	40cm	40cm
Handlebar Length	360mm	40cm	40cm	42cm	42cm	44cm
Crank Length	155mm	165mm	165mm	167.5mm	170mm	170mm



TRI/TT Series

DA1, DA2, DA3, DA3W, DA4, DAW4

Size	47	51	54	56	58
HA	71	72,5	73	73	73
SA	76.5-78.8	76-78.1	76-78	76-78	76-78
TT Horiz	471-490	500-520	521-540	541-560	561-580
TT C-C	490	520	540	560	580
HT Length	78	80	88	108	128
Seat Tube C-T	470	510	540	560	580
Seat Tube C-C	455	495	525	545	565
BB Drop	45	70	70	70	70
BB Rise	-	-	-	-	-
CS	375	395	395	395	395
Front Center	565	577	593	614	635
Wheelbase	935	962	978	999	1020
Standover	724	770	794	813	833
Fork Length	345	370	370	370	370
Rake	40	40	40	40	40
Lower HS Stack	1	1	1	1	1
Reach	387	399	416	432	447
Stack	433	488	497	516	536
Seat Post Dia.	Felt Aero	Felt Aero	Felt Aero	Felt Aero	Felt Aero
Seat Post Length	350mm	350mm	350mm	350mm	350mm
Seat Post Clamp	Felt integrated aero clamp	Felt integrated aero clamp	Felt integrated aero clamp	Felt integrated aero clamp	Felt integrated aero clamp
Front Derailleur Clamp BB-Type (BB30, BSA,...)	Braze-on BB30	Braze-on BB30	Braze-on BB30	Braze-on BB30	Braze-on BB30
BB-Shell Width	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Integrated	Integrated	Integrated	Integrated	Integrated
Headset (Type)	19mm OD, integrated	19mm OD, integrated	19mm OD, integrated	19mm OD, integrated	19mm OD, integrated
Stem Length	Bayonet type Rise: 30mm x Ext: 70mm 390mm 165mm	Bayonet type Rise: 30mm x Ext: 70mm 390mm 170mm	Bayonet type Rise: 30mm x Ext: 70mm 390mm 172.5mm	Bayonet type Rise: 60mm x Ext: 100mm 420mm 175mm	Bayonet type Rise: 60mm x Ext: 100mm 420mm 175mm
Handlebar Width C-C					
Crank Length					




TRI/TT Series

650c: B2, B12, B14, B16, B16W (Size 47) | 700c: B2, B12, B14, B16, B16W

Size	47	51	54	56	58	61
HA	71	72,5	73	73	73	73
SA	76,5	76	76	76	76	76
TT Horiz	490	518	539	614	579	594
TT C-C	-	515	540	560	580	594
HT Length	115	115	127	147	167	198
Seat Tube C-T	470	510	540	560	580	510
Seat Tube C-C	-	-	-	-	-	-
BB Drop	45	70	71	72	73	74
BB Rise	-	-	-	-	-	-
CS	375	395	395	395	395	395
Front Center	565	577	593	614	635	652
Wheelbase	935	961	678	999	1020	1037
Standover	-	-	-	-	-	-
Fork Length	345	370	370	370	370	370
Rake	40	40	40	40	40	40
Lower HS Stack	1	1	1	1	1	1
Reach	375	388	405	420	435	443
Stack	468	521	536	556	576	606
Seat Post Dia.	Felt Aero	Felt Aero	Felt Aero	Felt Aero	Felt Aero	Felt Aero
Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm
Seat Post Clamp	300mm (B16)	300mm*	300mm*	300mm*	300mm*	300mm*
Front Derailleur Clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp	Felt aero clamp
BB-Type (BB30, BSA,...)	Braze-on BB30	Braze-on BB30	Braze-on BB30	Braze-on BB30	Braze-on BB30	Braze-on BB30
BB-Shell Width	English threaded (B16)	English threaded*				
O.L.D.	68mm	68mm	68mm	68mm	68mm	68mm
RD-hanger Type	130mm	130mm	130mm	130mm	130mm	130mm
Headset (Type)	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Stem Length	IS-2	IS-2	IS-2	IS-2	IS-2	IS-2
Handlebar Width C-C	80mm	80mm	90mm	90mm	100mm	110mm
Crank Length	60mm	60mm (B16W)	80mm (B16W)	90mm	100mm	110mm
	390mm	390mm	390mm	420mm	420mm	420mm
	165mm	170mm	172.5mm	175mm	175mm	175mm

*) B16, B16W



TRI/TT Series


650c: S32 (Size 47) | 700c: S32

Size	47	51	54	56	58	61
HA	71	72	72,5	72,5	72,5	72,5
SA	78,8	78	78	78	78	78
TT Horiz	466	496	518	538	558	570
TT C-C	-	-	-	-	-	-
HT Length	120	120	130	150	170	190
Seat Tube C-T	470	510	540	560	580	610
Seat Tube C-C	410	450	480	500	520	550
BB Drop	45	70	70	70	70	70
BB Rise	-	-	-	-	-	-
CS	375	395	395	395	395	395
Front Center	565	582	599	621	643	657
Wheelbase	935	967	984	1006	1028	1042
Standover	-	-	-	-	-	-
Fork Length	345	370	370	370	370	370
Rake	41	43	43	43	43	43
Lower HS Stack	1	1	1	1	1	1
Reach	373	385	403	419	435	444
Stack	472	524	535	554	573	592
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	300mm	300mm	300mm	300mm	300mm	300mm
Seat Post Clamp	30.7mm	30.7mm	30.7mm	30.7mm	30.7mm	30.7mm
Front Derailleur Clamp	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on	Braze-on
BB-Type (BB30, BSA,...)	English threaded					
BB-Shell Width	68mm	68mm	68mm	68mm	68mm	68mm
O.L.D.	130mm	130mm	130mm	130mm	130mm	130mm
RD-hanger Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Headset (Type)	IS-2	IS-2	IS-2	IS-2	IS-2	IS-2
Stem Length	60mm	80mm	90mm	90mm	100mm	110mm
Handlebar Width C-C	390mm	390mm	390mm	420mm	420mm	420mm
Crank Length	165mm	170mm	172.5mm	175mm	175mm	175mm

FX Series

F1X, F2X, F3X, F4X, F55X, F65X, F75X


Size	47	50	53	55	57	60	63 (carbon only)
HA	71	71.5	72	72	72	72	72
SA	75	74.5	73.5	73.8	73	73	73
TT Horiz	510	525	540	560	580	605	615
TT C-C	495	510	525	543	583	590	603
HT Length	110	120	130	150	170	195	200
Seat Tube C-T	470	500	530	550	570	600	630
Seat Tube C-C	410	440	470	490	510	540	570
BB Drop	65	65	65	65	65	65	65
BB Rise	-	-	-	-	-	-	-
CS	430	430	430	430	430	430	430
Front Center	583	584	585	605	620	646	645
Wheelbase	1005	1005	1007	1027	1042	1068	1067
Standover	726	751	779	796	814	834	864
Fork Length	393	393	393	393	393	393	393
Rake	50	45	45	45	45	45	45
Lower HS Stack	1	1	1	1	1	1	1
Reach	368	375	377	391	400	418	415
Stack	525	538	549	568	587	611	616
Seat Post Dia.	27.2mm						
Seat Post Length	300mm (F1X 350mm)	N/A					
Seat Post Clamp	31.8mm carbon frame/30.6 alloy frame						
Front Derailleur Clamp	31.8mm carbon frame/34.9mm alloy frame						
BB-Type (BB30, BSA,...)	BB30						
BB-Shell Width	68mm						
O.L.D.	135mm						
RD-hanger Type	Replaceable						
Headset (Type)	No. 42						
Stem Length	70mm (F1X) 80mm	80mm (F1X) 90mm	90mm (F1X) 100mm	100mm (F1X) 100mm	110mm (F1X) 110mm	120mm (F1X) 120mm	N/A N/A
Handlebar Width C-C	450mm (F1X) 380mm	450mm (F1X) 400mm	470mm (F1X) 420mm	470mm (F1X) 440mm	470mm (F1X) 440mm	470mm (F1X) 440mm	N/A N/A
Crank Length	165mm	170mm	172.5mm	175mm	175mm	175mm	N/A



Edict Nine Series

Edict Nine 1,2,3

Size	S	M	L	XL
HA	71,5	71,5	71,5	71,5
SA	73	73	73	73
TT Horiz	578	603	628	650
TT C-C	-	-	-	-
HT Length	100	110	120	140
Seat Tube C-T	15,5	18	20	22,5
Seat Tube C-C	-	-	-	-
BB Drop	42	42	42	42
BB Rise	-	-	-	-
CS	450	450	450	450
Front Center	630	655	680	702
Wheelbase	1078	1103	1128	1150
Standover	-	-	-	-
Fork Length	505	505	505	505
Rake	46	46	46	46
Lower HS Stack	1	1	1	1
Reach	393	415	436	452
Stack	602	612	621	640
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42	No. 42	No. 42	No. 42
Stem Length	90mm	90mm	100mm	110mm
Handlebar Width C-C	680mm	680mm	710mm	710mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	100	100	100	100
Rear Travel	100	100	100	100
Shock Length	6.5" (165mm) x 1.5" (38.1mm)			
Motion Ratio	2,62	2,62	2,62	2,62



Edict Nine Series


Edict Nine 50/60

Size	S	M	L	XL
HA	71,5	71,5	71,5	71,5
SA	73	73	73	73
TT Horiz	578	603	628	650
TT C-C	-	-	-	-
HT Length	100	110	120	140
Seat Tube C-T	15,5	18	20	22,5
Seat Tube C-C	-	-	-	-
BB Drop	42	42	42	42
BB Rise	-	-	-	-
CS	450	450	450	450
Front Center	630	655	680	702
Wheelbase	1078	1103	1128	1150
Standover	-	-	-	-
Fork Length	505	505	505	505
Rake	46	46	46	46
Lower HS Stack	1	1	1	1
Reach	393	415	436	452
Stack	602	612	621	640
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42	No. 42	No. 42	No. 42
Stem Length	90mm	90mm	100mm	110mm
Handlebar Width C-C	680mm	680mm	710mm	710mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	100	100	100	100
Rear Travel	100	100	100	100
Shock Length	6.5" (165mm) x 1.5" (38.1mm)			
Motion Ratio	2,62	2,62	2,62	2,62

Nine Series

Nine LTD 1,2,3

Size	14	16	18	20	22
HA	71	71,5	71,5	71,5	71,5
SA	73,5	73	73	73	73
TT Horiz	560	585	605	625	645
TT C-C	564	571	582	598	617
HT Length	90	90	100	110	120
Seat Tube C-T	356	406	457	508	559
Seat Tube C-C	301	351	402	453	504
BB Drop	65	65	65	65	65
BB Rise	-	-	-	-	-
CS	440	440	440	440	440
Front Center	617	632	652	672	695
Wheelbase	1049	1064	1084	1104	1127
Standover	-	-	-	-	-
Fork Length	485	505	505	505	505
Rake	51	46	46	46	46
Lower HS Stack	1	1	1	1	1
Reach	378	396	413	430	450
Stack	593	616	625	635	644
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	350mm	400mm	400mm	400mm	400mm
Seat Post Clamp	31.8mm	31.8mm	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded				
BB-Shell Width	73mm	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42				
Stem Length	80mm	90mm	100mm	110mm	110mm
Handlebar Width C-C	680mm	680mm	680mm	710mm	710mm
Crank Length	170mm	175mm	175mm	175mm	175mm



Nine Series


Nine 20, 30, 50

Size	14	16	18	20	22
HA	71	71	71	71	71
SA	73,5	73	73	73	73
TT Horiz	560	585	605	625	645
TT C-C	542	562	576	593	613
HT Length	90	90	100	110	120
Seat Tube C-T	356	406	457	508	559
Seat Tube C-C	-	-	-	-	-
BB Drop	65	65	65	65	65
BB Rise	-	-	-	-	-
CS	440	445	445	445	445
Front Center	618	638	658	678	698
Wheelbase	1049	1075	1095	1115	1136
Standover	679	714	760	794	823
Fork Length	485	505	505	505	505
Rake	46	46	46	46	46
Lower HS Stack	1	1	1	1	1
Reach	384	397	414	431	448
Stack	595	614	623	632	642
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded				
BB-Shell Width	73mm	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42				
Stem Length	80mm	90mm	90mm	100mm	110mm
Handlebar Width C-C	640mm	680mm	680mm	710mm	710mm
Crank Length	170mm	175mm	175mm	175mm	175mm

Nine Series

Nine 60 INT, 70, 80


Size	14	16	18	20	22
HA	71	71	71	71	71
SA	73,5	73	73	73	73
TT Horiz	560	585	605	625	645
TT C-C	542	562	576	593	613
HT Length	90	90	100	110	120
Seat Tube C-T	356	406	457	508	559
Seat Tube C-C	-	-	-	-	-
BB Drop	65	65	65	65	65
BB Rise	-	-	-	-	-
CS	440	445	445	445	445
Front Center	618	638	658	678	698
Wheelbase	1049	1075	1095	1115	1136
Standover	679	714	760	794	823
Fork Length	485	505	505	505	505
Rake	46	46	46	46	46
Lower HS Stack	1	1	1	1	1
Reach	384	397	414	431	448
Stack	595	614	623	632	642
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded				
BB-Shell Width	73mm	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 10				
Stem Length	80mm	90mm	90mm	100mm	110mm
Handlebar Width C-C	640mm	680mm	680mm	680mm	680mm
Crank Length	170mm	175mm	175mm	175mm	175mm



Edict Six Series

Edict Six LTD, Edict Six 1, Edict Six 2, Edict Six 3


Size	S	M	L	XL
HA	71	71	71	71
SA	73	73	73	73
TT Horiz	580	606	630	655
TT C-C	562	584	606	627
HT Length	110	120	135	160
Seat Tube C-T	390	440	490	540
Seat Tube C-C	-	-	-	-
BB Drop	10	10	10	10
BB Rise	-	-	-	-
CS	425	425	425	425
Front Center	640	666	690	714
Wheelbase	1065	1091	1115	1141
Standover	730	737	751	778
Fork Length	480	480	480	480
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	411	433	453	468
Stack	556	566	580	603
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42	No. 42	No. 42	No. 42
Stem Length	680mm	680mm	680mm	680mm
Handlebar Width C-C	90mm	100mm	110mm	110mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	100	100	100	100
Rear Travel	100	100	100	100
Shock Length	6.5" (165mm) x 1.5" (38.1mm)			
Motion Ratio	2.62	2.62	2.62	2.62



Virtue Series

Virtue 1

Size	S	M	L	XL
HA	69	69	69	69
SA	73,5	73,5	73,5	73,5
TT Horiz	551	576	600	625
TT C-C	527	549	570	593
HT Length	110	120	135	150
Seat Tube C-T	411	445	495	545
Seat Tube C-C	-	-	-	-
BB Rise	10	10	10	10
CS	425	425	425	425
Front Center	652	678	702	728
Wheelbase	1075	1101	1125	1151
Standover	693	703	747	788
Fork Length	490	490	490	490
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	400	423	441	462
Stack	537	546	560	574
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	380mm	380mm	380mm	380mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42	No. 42	No. 42	No. 42
Stem Length	70mm	80mm	90mm	100mm
Handlebar Width C-C	680mm	680mm	710mm	710mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	130	130	130	130
Rear Travel	120/130	120/130	120/130	120/130
Shock Length	7.5" (190.5mm) x 2.0" (50.8mm)			
Motion Ratio	2.36/2.56	2.36/2.56	2.36/2.56	2.36/2.56



Virtue Series


Virtue 2/3/40/50/60

Size	S	M	L	XL
HA	69	69	69	69
SA	73,5	73,5	73,5	73,5
TT Horiz	551	576	600	625
TT C-C	527	549	570	593
HT Length	110	120	135	150
Seat Tube C-T	411	445	495	545
Seat Tube C-C	-	-	-	-
BB Rise	10	10	10	10
CS	425	425	425	425
Front Center	652	678	702	728
Wheelbase	1075	1101	1125	1151
Standover	693	703	747	788
Fork Length	490	490	490	490
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	400	423	441	462
Stack	537	546	560	574
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 42	No. 42	No. 42	No. 42
Stem Length	70mm	80mm	90mm	100mm
Handlebar Width C-C	680mm	680mm	710mm	710mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	130	130	130	130
Rear Travel	120/130	120/130	120/130	120/130
Shock Length	7.5" (190.5mm) x 2.0" (50.8mm)			
Motion Ratio	2.36/2.56	2.36/2.56	2.36/2.56	2.36/2.56

Compulsion Series

Compulsion 1

Size	S	M	L	XL
HA	67,5	67,5	67,5	67,5
SA	73,5	73,5	73,5	73,5
TT Horiz	580	604	627	652
TT C-C	548	572	597	627
HT Length	115	125	135	145
Seat Tube C-T	410	440	490	540
Seat Tube C-C	-	-	-	-
BB Rise	15	15	15	15
CS	432	432	432	432
Front Center	696	722	746	772
Wheelbase	1128	1154	1178	1204
Standover	724	738	767	793
Fork Length	520	520	520	520
Rake	40	40	40	40
Lower HS Stack	1	1	1	1
Reach	415	438	458	480
Stack	557	567	576	585
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	380mm	380mm	380mm	380mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	142 X 12MM	142 X 12MM	142 X 12MM	142 X 12MM
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 57	No. 57	No. 57	No. 57
Stem Length	60mm	70mm	70mm	80mm
Handlebar Width C-C	680mm	680mm	720mm	720mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	150	150	150	150
Rear Travel	150/160	150/160	150/160	150/160
Shock Length	7.875" (200mm) x 2.25" (57.15mm)			
Motion Ratio	2.62/2.80	2.62/2.80	2.62/2.80	2.62/2.80



Compulsion Series


Compulsion 3/50

Size	S	M	L	XL
HA	67,5	67,5	67,5	67,5
SA	73,5	73,5	73,5	73,5
TT Horiz	580	604	627	652
TT C-C	548	572	597	627
HT Length	115	125	135	145
Seat Tube C-T	410	440	490	540
Seat Tube C-C	-	-	-	-
BB Rise	15	15	15	15
CS	432	432	432	432
Front Center	696	722	746	772
Wheelbase	1128	1154	1178	1204
Standover	724	738	767	793
Fork Length	520	520	520	520
Rake	40	40	40	40
Lower HS Stack	1	1	1	1
Reach	415	438	458	480
Stack	557	567	576	585
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	142 X 12MM	142 X 12MM	142 X 12MM	142 X 12MM
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 57	No. 57	No. 57	No. 57
Stem Length	60mm	70mm	70mm	80mm
Handlebar Width C-C	680mm	680mm	720mm	720mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	150	150	150	150
Rear Travel	150/160	150/160	150/160	150/160
Shock Length	7.875" (200mm) x 2.25" (57.15mm)			
Motion Ratio	2.62/2.80	2.62/2.80	2.62/2.80	2.62/2.80

Compulsion LT Series

Compulsion LT1, LT40

Size	S	M	L	XL
HA	67,5	67,5	67,5	67,5
SA	73,5	73,5	73,5	73,5
TT Horiz	580	604	627	652
TT C-C	548	572	597	627
HT Length	115	125	135	145
Seat Tube C-T	410	440	490	540
Seat Tube C-C	-	-	-	-
BB Rise	15	15	15	15
CS	432	432	432	432
Front Center	696	722	746	772
Wheelbase	1128	1154	1178	1204
Standover	724	738	767	793
Fork Length	520	520	520	520
Rake	40	40	40	40
Lower HS Stack	1	1	1	1
Reach	415	438	458	480
Stack	557	567	576	585
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	380mm	380mm	380mm	380mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	142 X 12MM	142 X 12MM	142 X 12MM	142 X 12MM
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 57	No. 57	No. 57	No. 57
Stem Length	60mm	70mm	70mm	80mm
Handlebar Width C-C	680mm	680mm	720mm	720mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	160	160	160	160
Rear Travel	150/160	150/160	150/160	150/160
Shock Length	7.875" (200mm) x 2.25" (57.15mm)			
Motion Ratio	2.62/2.80	2.62/2.80	2.62/2.80	2.62/2.80



Compulsion LT Series


Compulsion LT50

Size	S	M	L	XL
HA	67,5	67,5	67,5	67,5
SA	73,5	73,5	73,5	73,5
TT Horiz	580	604	627	652
TT C-C	548	572	597	627
HT Length	115	125	135	145
Seat Tube C-T	410	440	490	540
Seat Tube C-C	-	-	-	-
BB Rise	15	15	15	15
CS	432	432	432	432
Front Center	696	722	746	772
Wheelbase	1128	1154	1178	1204
Standover	724	738	767	793
Fork Length	520	520	520	520
Rake	40	40	40	40
Lower HS Stack	1	1	1	1
Reach	415	438	458	480
Stack	557	567	576	585
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	142 X 12MM	142 X 12MM	142 X 12MM	142 X 12MM
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 57	No. 57	No. 57	No. 57
Stem Length	60mm	70mm	70mm	80mm
Handlebar Width C-C	680mm	680mm	720mm	720mm
Crank Length	170mm	175mm	175mm	175mm
Front Travel	160	160	160	160
Rear Travel	150/160	150/160	150/160	150/160
Shock Length	7.875" (200mm) x 2.25" (57.15mm)			
Motion Ratio	2.62/2.80	2.62/2.80	2.62/2.80	2.62/2.80

Six Series

Six LTD 2, 3


Size	15,5	17,5	19,5	21,5
HA	71	71	71	71
SA	73	73	73	73,5
TT Horiz	560	590	620	635
TT C-C	542	564	594	608
HT Length	120	120	130	150
Seat Tube C-T	394	445	495	546
Seat Tube C-C	343	393	441	472
BB Drop	40	40	40	40
BB Rise	-	-	-	-
CS	422	422	422	422
Front Center	610	640	670	680
Wheelbase	1029	1059	1089	1100
Standover	716	752	786	812
Fork Length	480	480	480	480
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	376	406	433	437
Stack	596	596	605	624
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	IS-2	IS-2	IS-2	IS-2
Stem Length	90mm	100mm	110mm	110mm
Handlebar Width C-C	680mm	680mm	680mm	680mm
Crank Length	170mm	175mm	175mm	175mm



Six Series

Six 30,50,60,70,75


Size	13,5	15,5	17,5	19,5	21,5
HA	68,5	69	69	69,5	69,5
SA	73,5	73	73	73	73
TT Horiz	530	560	590	615	635
TT C-C	526	542	565	588	609
HT Length	120	130	140	150	170
Seat Tube C-T	343	394	445	495	546
Seat Tube C-C	283	334	385	425	476
BB Drop	35	35	35	35	35
BB Rise	-	-	-	-	-
CS	425	425	425	425	425
Front Center	612	633	663	683	704
Wheelbase	1035	1056	1086	1106	1127
Standover	672	708	742	768	804
Fork Length	480	480	480	480	480
Rake	39	39	39	39	39
Lower HS Stack	1	1	1	1	1
Reach	354	377	403	425	439
Stack	580	591	601	612	631
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	350mm	400mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded				
BB-Shell Width	73mm	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 10				
Stem length	80mm	90mm	100mm	110mm	110mm
Handlebar Width C-C	640mm	680mm	680mm	680mm	680mm
Crank Length	170mm	175mm	175mm	175mm	175mm



Six Series

Six 80,85,90,95


Size	13,5	16,5	19	21,5
HA	68,5	69	69	69,5
SA	73,5	73	73	73
TT Horiz	530	565	600	635
TT C-C	523	543	575	614
HT Length	120	135	150	170
Seat Tube C-T	353	421	488	556
Seat Tube C-C	283	361	428	496
BB Drop	35	35	35	35
BB Rise	-	-	-	-
CS	425	425	425	425
Front Center	612	638	674	705
Wheelbase	1035	1060	1097	1128
Standover	649	714	769	825
Fork Length	480	480	480	480
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	354	380	411	440
Stack	580	596	610	631
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	350mm	400mm	400mm	400mm
Seat Post Clamp	31.8mm	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 10	No. 10	No. 10	No. 10
Stem Length	70mm	90mm	90mm	105mm
Handlebar Width C-C	600mm	620mm	640mm	640mm
Crank Length	170mm	170mm	175mm	175mm



Krystal Series

Krystal 50, 60, 70


Size	12,5	14,5	16,5	18,5
HA	70	70,5	70,5	70,5
SA	74	73,5	73,5	73
TT Horiz	512	533	553	573
TT C-C	516	527	537	550
HT Length	110	110	120	130
Seat Tube C-T	330	381	432	483
Seat Tube C-C	262	311	347	400
BB Drop	35	35	35	35
BB Rise	-	-	-	-
CS	425	425	425	425
Front Center	586	596	617	632
Wheelbase	1008	1019	1039	1054
Standover	645	673	719	763
Fork Length	480	480	480	480
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	346	361	379	390
Stack	577	579	589	598
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	350mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 10	No. 10	No. 10	No. 10
Stem length	70mm	80mm	90mm	110mm
Handlebar Width C-C	600mm	620mm	640mm	640mm
Crank Length	170mm	170mm	175mm	175mm



Krystal Series

Krystal 85


Size	12,5	14,5	16,5	18,5
HA	70	70,5	70,5	70,5
SA	74	73,5	73,5	73
TT Horiz	512	533	553	573
TT C-C	516	527	537	550
HT Length	110	110	120	130
Seat Tube C-T	330	381	432	483
Seat Tube C-C	262	311	347	400
BB Drop	35	35	35	35
BB Rise	-	-	-	-
CS	425	425	425	425
Front Center	586	596	617	632
Wheelbase	1008	1019	1039	1054
Standover	645	673	719	763
Fork Length	480	480	480	480
Rake	39	39	39	39
Lower HS Stack	1	1	1	1
Reach	346	361	379	390
Stack	577	579	589	598
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	350mm	350mm	400mm	400mm
Seat Post Clamp	35mm	35mm	35mm	35mm
Front Derailleur Clamp	35mm	35mm	35mm	35mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded	English Threaded
BB-Shell Width	73mm	73mm	73mm	73mm
O.L.D.	135mm	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable	Replaceable
Headset (Type)	No. 10	No. 10	No. 10	No. 10
Stem Length	70mm	70mm	90mm	105mm
Handlebar Width C-C	600mm	620mm	640mm	640mm
Crank Length	170mm	170mm	175mm	175mm



MTB Kids

Q-Series

Size	Q20S	Q20R	Q24
HA	69	69	69
SA	70	70	70
TT Horiz	440	436	525
TT C-C	420	414	504
HT Length	104	104	110
Seat Tube C-T	250	235	285
Seat Tube C-C	204	179	239
BB Drop	-8	-8	23
BB Rise	8	8	-
CS	390	390	410
Front Center	484	484	559
Wheelbase	874	874	968
Standover	529	498	580
Fork Length	460	460	460
Rake	30	35	30
Lower HS Stack	12	12	12
Reach	250	245	322
Stack	519	517	556
Seat Post Dia.	27.2mm	27.2mm	27.2mm
Seat Post Length	250mm	250mm	300mm
Seat Post Clamp	31.8mm	31.8mm	31.8mm
Front Derailleur Clamp	31.8mm	31.8mm	31.8mm
BB-Type (BB30, BSA,...)	English Threaded	English Threaded	English Threaded
BB-Shell Width	68mm	68mm	68mm
O.L.D.	135mm	135mm	135mm
RD-hanger Type	Replaceable	Replaceable	Replaceable
Headset (Type)	Threadless 1.125"	Threadless 1.125"	Threadless 1.125"
Stem length	60mm	60mm	60mm
Handlebar Width C-C	520mm	520mm	560mm
Crank Length	140mm	140mm	152mm




E-Bike

Verza-E-Series

Size	X-Small	Small	Medium	Large
HA	71	71	71	71
SA	75	75	74	74
TT Horiz	542	553	565	583
TT C-C	-	-	-	-
HT Length	115	115	115	115
Seat Tube C-T	440	480	520	560
Seat Tube C-C	390	430	470	510
BB Drop	67	67	67	67
BB Rise	-	-	-	-
CS	470	470	470	470
Front Center	626	641	644	659
Wheelbase	1087	1102	1106	1121
Standover	721	753	784	814
Fork Length	467	467	467	467
Rake	41,7	41,7	41,7	41,7
Lower HS Stack	1	1	1	1
Reach	393	408	411	426
Stack	605	605	605	605
Seat Post Dia.	30.9mm	30.9mm	30.9mm	30.9mm
Seat Post Length	30.9mm x 350mm	30.9mm x 350mm	30.9mm x 350mm	30.9mm x 350mm
Seat Post Clamp	34.9mm x 11mm	34.9mm x 11mm	34.9mm x 11mm	34.9mm x 11mm
Front Derailleur Clamp	N/A	N/A	N/A	N/A
BB-Type (BB30, BSA,...)	BOSCH ISIS TYPE SPINDLE			
BB-Shell Width	N/A	N/A	N/A	N/A
O.L.D.	135 mm	135 mm	135 mm	135 mm
RD-hanger Type	VERZAe SPECIFIC			
Headset (Type)	FSA NO. 42 - ORBIT C-40-ACB			
Stem Length	75 mm	90 mm	110 mm	120 mm
Handlebar Width C-C	600 mm			
Crank Length	170	170	172,5	175

Size	QX Suspension						
	44	44L	48	49L	52	55	58
HA	70	70,5	70,5	70,5	71	71,5	72
SA	74,5	72,5	73	72,5	72,75	72,5	72
TT Horiz	541	558	568	573	578	589	605
TT C-C	523	569	545	584	553	563	580
HT Length	110	140	130	160	130	150	170
Seat Tube C-T	440	440	480	490	520	550	580
Seat Tube C-C	375	240	415	290	455	485	515
BB Drop	55	55	55	55	55	55	55
BB Rise	-	-	-	-	-	-	-
CS	445	445	445	445	445	445	445
Front Center	616	606	621	622	623	626	630
Wheelbase	1055	1045	1060	1061	1062	1065	1069
Standover	730	619	767	670	801	828	855
Fork Length	476	476	476	476	476	476	476
Rake	38	38	38	38	38	38	38
Lower HS Stack	1	1	1	1	1	1	1
Reach	377	362	380	371	387	389	392
Stack	594	624	614	643	617	638	659
Seat Post Dia.	27,2mm	27,2mm	27,2mm	27,2mm	27,2mm	27,2mm	27,2 mm
Seat Post Length	27,2 x 300mm	27,2 x 300mm	27,2 x 300mm	27,2 x 300mm	27,2 x 300 mm	27,2 x 300mm	27,2 x 300mm
Seat Post Clamp	34,9 x 11 mm						
Front Derailleur Clamp	34,9 mm x 63-66 degree						
BB-Type (BB30, BSA,...)	BSA						
BB-Shell Width	73 mm						
O.L.D.	135 mm						
RD-hanger Type	QX SPECIFIC						
Headset (Type)	No.10						
Stem Length	70mm	70mm	70/ 80* mm	90mm	90mm	105mm	105/ 110* mm
Handlebar Width C-C	620 mm	620 mm	620 mm	620 mm	640 mm	640 mm	640 mm
Crank Length	170 mm	175 mm	175 mm				

*) stem length QX80/90/100




Allround

QX Rigid

Size	44	44L	48	49L	52	55	58
HA	70	70,5	70,5	70,5	71	71,5	72
SA	74,5	72,5	73	72,5	72,75	72,5	72
TT Horiz	541	558	568	573	578	589	605
TT C-C	525	569	545	578	556	567	584
HT Length	150	180	160	200	170	190	210
Seat Tube C-T	440	440	480	490	520	550	580
Seat Tube C-C	375	240	415	250	455	485	515
BB Drop	55	55	55	55	55	55	55
BB Rise	-	-	-	-	-	-	-
CS	445	445	445	445	445	445	445
Front Center	612	605	619	620	622	625	629
Wheelbase	1052	1044	1058	1059	1061	1064	1069
Standover	720	610	754	621	788	842	855
Fork Length	393	393	393	393	393	393	393
Rake	38	38	38	38	38	38	38
Lower HS Stack	1	1	1	1	1	1	1
Reach	388	375	396	383	400	401	404
Stack	553	583	565	602	576	597	618
Seat Post Dia.	27,2mm						
Seat Post Length	27,2 x 300mm	27,2 x 300mm	27,2 x 300 mm				
Seat Post Clamp	34,9 x 11 mm						
Front Derailleur Clamp	34,9 mm x 63-66 degree						
BB-Type (BB30, BSA,...)	BSA						
BB-Shell Width	73mm						
O.L.D.	135mm						
RD-hanger Type	QX SPECIFIC						
Headset (Type)	No.10						
Stem Length	70mm	70mm	70/ 80* mm	90mm	90mm	105mm	105/ 110* mm
Handlebar Width C-C	600mm						
Crank Length	170mm	170mm	170mm	170mm	170mm	175mm	175mm

*) stem length QX85/95




Trekking

QX Equipped

Size	44	44L	48	49L	52	55	58
HA	70	70,5	70,5	70,5	71	71,5	72
SA	74,5	72,5	73	72,5	72,75	72,5	72
TT Horiz	541	558	568	573	578	589	605
TT C-C	525	569	545	578	556	567	584
HT Length	150	180	160	200	170	190	210
Seat Tube C-T	440	440	480	490	520	550	580
Seat Tube C-C	375	240	415	250	455	485	515
BB Drop	55	55	55	55	55	55	55
BB Rise	-	-	-	-	-	-	-
CS	445	445	445	445	445	445	445
Front Center	612	605	619	620	622	625	629
Wheelbase	1052	1044	1058	1059	1061	1064	1069
Standover	720	610	754	621	788	842	855
Fork Length	393	393	393	393	393	393	393
Rake	38	38	38	38	38	38	38
Lower HS Stack	1	1	1	1	1	1	1
Reach	388	375	396	383	400	401	404
Stack	553	583	565	602	576	597	618
Seat Post Dia.	27,2mm						
Seat Post Length	27,2 x 300mm						
Seat Post Clamp	34,9 x 11 mm						
Front Derailleur Clamp	34,9 mm x 63-66 degree						
BB-Type (BB30, BSA,...)	BSA						
BB-Shell Width	73 mm						
O.I.D.	135 mm						
RD-hanger Type	QX SPECIFIC						
Headset (Type)	No.10						
Stem Length	70mm	70mm	70/ 80* mm	90mm	90mm	105mm	105/ 110* mm
Handlebar Width C-C	620 mm	620 mm	620 mm	620 mm	640 mm	640 mm	640 mm
Crank Length	170 mm	175 mm	175 mm				

*) stem length QX80-/QX90-EQ



Lifestyle

Fixie Series | Brougham

Size	51	54	56	58	61
HA	73	73	73,5	74	74
SA	75,5	74	74	74	74
TT Horiz	523	540	560	580	598
TT C-C	514	531	551	570	588
HT Length	110	130	150	170	200
Seat Tube C-T	495	525	545	565	595
Seat Tube C-C	448	478	498	518	548
BB Drop	55	56	57	58	59
BB Rise	-	-	-	-	-
CS	402	403	404	405	406
Front Center	576	580	596	611	629
Wheelbase	972	976	992	1007	1025
Standover	746	771	791	811	840
Fork Length	367	367	367	367	367
Rake	43	43	43	43	43
Lower HS Stack	11,5	11,5	11,5	11,5	11,5
Reach	389	387	402	416	425
Stack	510	530	552	573	603
Seat Post Dia.	27.2mm	27.2mm	27.2mm	27.2mm	27.2mm
Seat Post Length	300mm	300mm	300mm	300mm	300mm
Seat Post Clamp	29.8mm	29.8mm	29.8mm	29.8mm	29.8mm
Front Derailleur Clamp	N/A	N/A	N/A	N/A	N/A
BB-Type (BB30, BSA,...)	European	European	European	European	European
BB-Shell Width	68mm	68mm	68mm	68mm	68mm
O.L.D.	120mm	120mm	120mm	120mm	120mm
RD-hanger Type	N/A	N/A	N/A	N/A	N/A
Headset (Type)	Threadless 1.125"				
Stem Length	90mm	110mm	110mm	110mm	110mm
Handlebar Width C-C	540mm	540mm	540mm	540mm	540mm
Crank Length	165mm	165mm	170mm	170mm	170mm

