Lineal

Components for clear presentations

Editable examples. A small, clear API.

Components 2

Code 9

Layouts 13

Components

Code
Layouts

Components

Callouts
Metrics
Steps
Data tables
Comparisons
Quotes and repositories

A decision needs a little context
Put the important qualification beside the point it explains.

Ready for review
The draft includes the agenda, supporting data and next steps.

One dependency remains
Confirm the venue before sending the invitation.

Set `title`, choose a `tone`, then write ordinary Typst content.

Give the value a clear label and enough context to interpret it.

Workshops planned

24

Across six locations

Places reserved

86%

+12 percentage points

Compared with last month

Until launch

4 weeks

Planning window

> These figures are fictional examples, not measured results.

1. **Prepare**
   Collect the source material and agree the audience.
2. **Review**
   Check the claims, examples and reading order.
3. **Share**
   Publish the PDF and keep the editable source.

For a detailed handover

A vertical list leaves room for longer descriptions. Start numbering from any positive integer.

4. **Run the rehearsal**
   Check the timing and links.
5. **Send the materials**
   Include the source and final PDF.

Session	Places	Reserved	Status
Getting started	30	24	Open
Working with data	24	24	Full
Practical workshop	20	17	Open
Questions and feedback	40	28	Open

Keep the useful structure

Numeric columns align to the right. A highlighted row draws attention without adding a second legend.

Stay editable

Cells accept text, numbers and rich content. Headers repeat automatically in longer documents.

Fictional workshop schedule.

Option A

Independent sessions

People choose the topic that fits their work.

- Flexible attendance
- More scheduling choices
- Each session stands alone

Option B

A guided programme

A cohort follows the same sequence together.

- Shared starting point
- Time for practice between sessions
- Easier follow-up

Choose the labels, column widths and content. Both panels can hold prose, lists, figures or code.


> Give the audience one clear point to carry into the next conversation.

Editorial guideline

Connect the slides to the source

Repository links keep examples and implementation close together. Language bars accept any positive weights.

ellsphillips/lineal



- Typst 100%

Components
Code
Layouts

Code

Syntax in light and dark
Compact code comparisons
File labels and custom colours

2.1 Syntax in light and dark

components/**counter.svelte** Svelte

```svelte
<script lang="ts">
  let count = $state(0);
  const label = $derived(`Count: ${count}`);
</script>

<button onclick={() => count++}>
  {label}
</button>
```

state/**counter.svelte.ts** Svelte TS

```ts
export class Counter {
  value = $state(0);

  label = $derived(
    `Count: ${this.value}`
  );
}
```

Selectable source, filename-aware syntax and emphasis on the lines that matter.

An explicit transformation

```
const names = people
  .filter(person => person.active)
  .map(person => person.name);
```

A reusable helper

```
const names = activeNames(people);
```

description.ts TypeScript

```
const description = "Long descriptions wrap at natural text breakpoints while keeping the original source line number.";
```

One logical line keeps one number, even when it wraps.

2.3 File labels and custom colours

components/**counter.svelte**

state/**counter.svelte.ts**

components/**counter.tsx**

lib/**format-date.ts**

content/**workshop.typ**

scripts/**export.py**

settings.ts — TypeScript

```ts
export const ready = true;
export const title = "Workshop notes";
```

Set a surface palette, inherit the document font and add a custom syntax theme when needed.

Components
Code
Layouts

Layouts
Columns with useful proportions
Panels and measured frames
A complete team update

Keep the main point in view

A wider column carries the explanation. A narrower column holds the supporting detail.

Change `widths` to fit the content rather than shortening every sentence to fit equal cards.

The next decision
Which example will help this audience understand the idea fastest?

Equal columns

Omit `widths` for a balanced split.

Independent content

Use any Typst component in either column.

A natural-height panel

A surface groups related content. It grows with its text and inherits the surrounding typography.

Change the fill, stroke, inset or radius at the call site.

A fixed frame

1. Draft
2. Review
3. Publish

Catch layout mistakes while compiling
A frame reports vertical overflow. It does not crop the content or make the text smaller.

3.3 A complete team update

Sessions ready

6

Fictional programme update

On track

Materials are ready. The final review focuses on accessibility and timing.

Next steps

1. **Rehearse**
   Check timing with the facilitators.
2. **Publish**
   Send the slides and source files.

Review	Owner
Accessibility	Morgan
Timing	Sam
Publishing	Alex