Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 Oversized CURVED HEM BF 000679797 Adopted	Tuesday, July 1, 2025 at 1:19:41 AM Coordinated Universal Time

Design Image

Tech Pack	D4762 Oversized CURVED HEM BF 000679797 Adopted
Design Season	Spring 2026
Design Brand/Division	OLD NAVY - WOMENS
Design Department	WOMENS WOVEN TOPS
Design Collection	WOMENS WOVEN TOPS
Tech Pack BOM Design BOM	MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005,751832,559321

Tech Pack BOM BOM Number	000679797
Tech Pack BOM Category	WOVEN
Tech Pack BOM Sub-Category	WOVEN SHIRTS
Tech Pack BOM Legacy Style Numbers	559321, 615005, 751832
Tech Pack BOM Status	Adopted
Tech Pack BOM Flow	February

Tech Pack BOM Vendor	MAKALOT INDUSTRIAL CO LTD
Created	7/1/2025, 1:17 AM
Modified	7/1/2025, 1:18 AM

Disclaimer Text

This Gap Inc. style must be produced and tested in compliance with all Product Safety Standards and Procedures as outlined in the Product Safety & Regulations Manual (Apparel & Apparel Accessories), PSR Protocols, SOPs, and current Technical Bulletins. This information can be found on the Gap Source Library on The Thread (Category Standards & Testing). Each vendor is responsible for ensuring that all products made for Gap Inc. are in compliance with all applicable laws, rules, guidelines, and regulations.

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 Oversized CURVED HEM BF 000679797 Adopted	Tuesday, July 1, 2025 at 1:19:41 AM Coordinated Universal Time

Components

Component	Type	Status	Created	Modified	BOMColorMatrix			
					CC Name	CC Status	BOM CC Number	Product Sustainability Attribute
MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005, 751832, 559321	Design BOM	Adopted	7/1/2025, 1:18 AM	7/1/2025, 1:18 AM	CALLA LILY	Adopted	000002738977	
					2-1 YD VS PRINTED - BLUE GREEN STRIPE - SP26 00098AWNST CC009	Concept	000003163430	
					2-1 YD VS PRINTED AND STRIPE CC - PURPLE AND WHITE STRIPE - SP26 00098AWNST CC011	Concept	000003163429	
					2-1 YD VS PRINTED AND STRIPE CC - PURPLE STRIPE - SP26 00098AWNST CC010	Concept	000003163431	

Displaying 1 result

Documents

Document	File	Created	Modified	Delete Document	Owner	Owner Type
RD280646 - MINDY Twill Piece Dye - Solid.zfab	RD280646 - MINDY Twill Piece Dye - Solid.zfab	12/15/2023, 3:14 AM	12/15/2023, 3:14 AM		280646	Material
RD280646-MINDY Twill Piece Dye - Solid.zfab	RD280646-MINDY Twill Piece Dye - Solid.zfab	8/10/2022, 9:33 PM	6/20/2023, 2:59 AM	✓	280646	Material
RD280646-MINDY Twill Piece Dye - Solid.zfab	RD280646-MINDY Twill Piece Dye - Solid.zfab	6/20/2023, 2:59 AM	12/15/2023, 3:15 AM	✓	280646	Material
SP26 00098AWNST CC009.TIF	SP26 00098AWNST CC009.TIF	6/25/2025, 9:01 PM	6/25/2025, 9:01 PM		SP26 00098AWNST CC009	Color/Print/Graphic

Displaying 4 results

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005, 751832, 559321	IN WORK-Sample 7/1/2025, 1:18 AM

Design Number	D4762
Description	CURVED HEM BF
BOM Number	000679797
Design BOM	MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005,751832,559321
Status	Adopted
BOM Version	MINDY POPLIN PD
BOM Primary RD Number	280646
Supplier [Allocate]	280646:MAKALOT INDUSTRIAL CO. LTD.
Supplier [Allocate] Material Supplier Status	Material Approved
Primary RD Comment	
Carryover	✓
Season Planning Season	Spring 2026
Brand/Division	OLD NAVY - WOMENS
Department	WOMENS WOVEN TOPS
Collection	WOMENS WOVEN TOPS
Design Concept	HARBOR CLUB

Flow	February
Category	WOVEN
Sub-Category	WOVEN SHIRTS
Item Type	LONG SLEEVE SHIRTS
Design Type	Shirt
Design Sub-Type	Button Front Shirt
Fit Camp	Oversized
Element	
Vendor	MAKALOT INDUSTRIAL CO LTD
GIS Office	Hong Kong
Legacy Style Numbers	559321, 615005, 751832
Booking Track	
Good/Better/Best	Better
Priority	
Hard Tag Indicator	✓
Hang/Fold Instructions	Tops- Hang
BOM Comments New	2:1 PRINTED VS. YD STRIPES
Revision Modified	7/1/2025, 1:18 AM
Development Track	

Costing Information

Last Send to Costing Date	6/30/2025, 5:39 PM
Last Send to Costing Status	Quote HQ1768680,HQ1768676 is successfully posted to TradeStone.

Send to Costing Status	pass
Send to Costing Validation	
Send to Costing	

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005, 751832, 559321	IN WORK-Sample 7/1/2025, 1:18 AM

BOM Details

Product	Material Name	Supplier Article Number	Gauge/Ends	Stitch	Common Size	Common Qty	Usage	Image	Primary RD	Quality Details	Supplier [Allocate]	Only for Product Colors	CALLA LILY - 000002738977	2-1 YD VS PRINTED - BLUE GREEN STRIPE - SP26 00098AWNST CC009 - 000003163430	2-1 YD VS PRINTED AND STRIPE CC - PURPLE AND WHITE STRIPE - SP26 00098AWNST CC011 - 000003163429	2-1 YD VS PRINTED AND STRIPE CC - PURPLE STRIPE - SP26 00098AWNST CC010 - 000003163431	Comment
Fabric (1)																	
280646	MINDY Twill Piece Dye - Solid	ST-15984				0	ALL BODY		✓	100% Cotton Better Cotton (BCI) / 54.0 in / 3.33 oz/sq yd BW / 3.45 oz/sq yd AW / 167 x 111 / C60s / C60s / Piece Dye - Solid	280646:MAKALOT INDUSTRIAL CO. LTD.		Calla Lily 451	SP26 00098AWNST CC009	SP26 00098AWNST CC011	SP26 00098AWNST CC010	
Trim (4)																	
45768	Poly Spun Thread				TEX 30	0	ALL BODY SEWING				45768:Vendor Sourced		DTM GROUND	2:1 FLOAT YOUR BOAT VS. EMERALD PIGMENT	2:1 DRAGONFRUIT VS. CALLA LILY	2:1 DRAGONFRUIT VS. WILD ASTER	
190586	soft non woven interlining (CHARGEURS)					0	DOUBLE LAYER COLLAR STAND, COLLAR, CF PLACKET, & CUFF				190586:Vendor Sourced		WHITE	WHITE	WHITE	WHITE	
45768	Poly Spun Thread				TEX 30	0	BUTTON ATTACHMENT THREAD				45768:Vendor Sourced		DTM BUTTON	DTM BUTTON	DTM BUTTON	DTM BUTTON	
1037382	FAUX SHELL 4H BUTTON	A-13849			16L	9	@ CF PLACKET AND CUFF				1037382:BRIGHT CONCEPT ENTERPRISES LIMITED		MATTE CALLA LILY	WHITE	WHITE	WHITE	SEMI SHINE FINISH

Displaying 1 - 5 of 17 results

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005, 751832, 559321	IN WORK-Sample 7/1/2025, 1:18 AM

BOM Details

Product	Material Name	Supplier Article Number	Gauge/Ends	Stitch	Common Size	Common Qty	Usage	Image	Primary RD	Quality Details	Supplier [Allocate]	Only for Product Colors	CALLA LILY - 000002738977	2-1 YD VS PRINTED - BLUE GREEN STRIPE - SP26 00098AWNST CC009 - 000003163430	2-1 YD VS PRINTED AND STRIPE CC - PURPLE AND WHITE STRIPE - SP26 00098AWNST CC011 - 000003163429	2-1 YD VS PRINTED AND STRIPE CC - PURPLE STRIPE - SP26 00098AWNST CC010 - 000003163431	Comment
Wash (1)																	
1008525	30 MIN SOFTENER WASH WITH SILICONE					0	30 MIN SOFTENER WASH WITH SILICONE						30 MIN SOFTENER WASH WITH SILICONE	30 MIN SOFTENER WASH WITH SILICONE	30 MIN SOFTENER WASH WITH SILICONE	30 MIN SOFTENER WASH WITH SILICONE	
Packaging and Labels (11)																	
291964	Old Navy Main Label					0				Main Label / /							
293467	Old Navy Universal COO Label					0				COO Label / /							
269032	Old Navy Price Ticket					0				Price Ticket / /							
149232	Old Navy Traceability Label/Joker Tag					0				Traceability Label/Joker Tag / /							
43841	Old Navy Sensor Tag USA/CA					0				Sensor Tag / /							
1036902	Old Navy Universal 19" Top Black Hanger					0	SIZES 3X-4X			Hanger / /							
1036901	Old Navy Universal 17" Top Black Hanger					0	SIZES XS-2X			Hanger / /							

Displaying 6 - 13 of 17 results

Centric 8 Production(7.9.2)	**D4762-Oversized CURVED HEM BF**	**MINDY POPLIN PD Oversized CURVED HEM BF 000679797 615005, 751832, 559321**	**IN WORK-Sample 7/1/2025, 1:18 AM**

BOM Details

Product	Material Name	Supplier Article Number	Gauge/Ends	Stitch	Common Size	Common Qty	Usage	Image	Primary RD	Quality Details	Supplier [Allocate]	Only for Product Colors	CALLA LILY - 000002738977	2-1 YD VS PRINTED - BLUE GREEN STRIPE - SP26 00098AWNST CC009 - 000003163430	2-1 YD VS PRINTED AND STRIPE CC - PURPLE AND WHITE STRIPE - SP26 00098AWNST CC011 - 000003163429	2-1 YD VS PRINTED AND STRIPE CC - PURPLE STRIPE - SP26 00098AWNST CC010 - 000003163431	Comment
1036920	Old Navy Universal Smaller Side Sizer Black Hanger					0				Hanger / /							
191460	Old Navy Universal Care/Content Label					0				Care/Content Label / /							
1047792	Old Navy Universal RFID Sew In Satin Label Normal Wash US Retail					0				/ /							
1048996	Old Navy Universal Apparel RFID Indicator Price Ticket US Retail					0				Price Ticket / /							

Displaying 14 - 17 of 17 results

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Image

Season	Spring 2026
Brand/Division	OLD NAVY - WOMENS
Department	WOMENS WOVEN TOPS
Collection	WOMENS WOVEN TOPS
Measurement Chart	D4762 MC Oversized CURVED HEM BF - EXT - MK Development
Milestone	Development

Size Range	ALPHA
Selected Sizes	2X-4X
Base Size	2X
Grade Rule	Old Navy Womens Plus Alpha
Size Chart Tier	Adult Alpha
Status	In-Work
Sample Request Sizes	2X

Tolerance Changed	✓
Tolerance Message	
Brand MC Comments	
Created	5/22/2025, 10:24 AM
Created By	Michelle Adamson
Modified	6/13/2025, 2:18 AM
Modified By	Ariel Chang

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	2X	3X	4X
B11	Collar Stand Height at Center Back			-1/8	1/8			1	0	0
B25	Neck Width		✓	-1/4	1/4			6 3/4	1/4	1/8
↳ seam to seam										
B26	Front Neck Drop			-1/8	1/8			4 1/2	1/4	1/8

Displaying 1 - 3 of 43 results Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	2X	3X	4X
B29	Back Neck Drop			-1/8	1/8			1 1/4	1/4	1/8
B3	Collar Length at Outer Edge			-1/4	1/4			19 3/4	1	1/2
B35	Placket Width			-0.0	0.0			1	0	0
↳ at CF										
B35	Placket Width			-0.0	0.0			3/4	0	0
↳ at sleeve										
B5	Collar Height at Center Back		✓	-1/8	1/8			2 1/4	0	0
B7	Collar Point			-1/8	1/8			2 1/4	0	0
C3	Shoulder Slope			-1/8	1/8			2 3/4	0	0
C6	Shoulder Seam Forward at Armhole			-1/8	1/8			1	0	0
C7	Shoulder Seam Forward at Neckline			-1/8	1/8			3/4	0	0
D13.1	Armhole Straight - 2 Point Measurement	set-in	✓	-1/4	1/4			11 5/8	1/2	5/8
E1.5	Sleeve Length from Center Back	Long	✓	-1/2	1/2			33	5/8	5/8
E16.3	Sleeve Cuff Opening with Buttons	Long	✓	-1/8	1/8			5 1/8	3/8	1/4
E18	Sleeve Placket Length			-1/8	1/8			4 1/2	0	0
E19	Sleeve Placket Opening			-1/8	1/8			3 1/4	0	0
E22	Sleeve Pleat Depth			-1/8	1/8			3/4	0	0
E25	Sleeve Cuff Height			-1/8	1/8			2 1/2	0	0

Displaying 4 - 19 of 43 results Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	2X	3X	4X
E9	Bicep 1" below Armhole			-1/4	1/4			11 5/8	3/4	7/8
F10	Chest 1" Below Armhole		✓	-1/2	1/2			32	2 3/8	2 1/2
↳ w/Back pleat open										
F4	High Chest Position from High Point Shoulder			-0.0	0.0			6 5/8	3/8	3/8
G7	Back Yoke from High Point of Shoulder			-1/8	1/8			5 7/8	3/8	3/8
↳ IMAGINARY LINE @ CB										
I11.1	Shirt Tail Height	Front		-1/8	1/8			3 1/2	0	0
↳ *vendor advise										
I11.2	Shirt Tail Height	Back		-1/8	1/8			3 3/4	0	0
I5	Bottom Opening - Relaxed		✓	-1/2	1/2			32 1/4	2 3/8	2 1/2
↳ straight, with back pleat open at top of vent										
J10	CB Body Length from the Imaginary Line at the HPS to the Bottom Edge		✓	-1/2	1/2			32 3/4	1 3/8	1 3/8
J9	CF Body Length from the Imaginary Line at the HPS to the Bottom Edge		✓	-1/2	1/2			33	1 3/8	1 3/8
P38	Pocket Hem Height at Center			-0.0	0.0			1	0	0
P48	Chest/Top Pocket/Pocket Flap Placement Vertical from_			-1/8	1/8			9 7/8	3/8	3/8
↳ from HPS										
P49	Chest/Top Pocket/Pocket Flap Position Horizontal from_			-1/8	1/8			2 3/4	1/4	1/4
↳ from CF										

Displaying 20 - 31 of 43 results Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	2X	3X	4X
P5.1	Pocket Height at Center	Chest / Top Pocket		-1/8	1/8			5 3/4	1/2	1/2
P6	Pocket Height at Side			-1/8	1/8			5	1/2	1/2
P7.1	Pocket Width at Top	Chest / Top Pocket		-1/8	1/8			5	1/2	1/2
Q13	Locker Loop Width			-0.0	0.0			1/4	0	0
Q14	Locker Loop Length			-1/8	1/8			2	0	0
R5	Pleat/Tuck Depth			-0.0	0.0			2	0	0
↳ inverted pleat closed @CB										
S16	Last Button/Snap Placement from Bottom Edge			-1/8	1/8			3	0	0
S8.1	Button/Snap Placement from_	High Point Shoulder to Bust Apex		-0.0	0.0			12 5/8	3/4	3/4
↳ to middle of button- 3rd button from HPS										
T10.2	Hem Height	Bottom		-0.0	0.0			1/4	0	0
C1.11	Shoulder Width	Back - Seam to Seam	✓	-1/4	1/4			25 1/4	3/4	3/4
F6.9	High Chest	Seam to Seam		-1/4	1/4			23 1/4	3/4	3/4
F9.11	High Back	Seam to Seam		-1/4	1/4			24 1/2	3/4	3/4

Displaying 32 - 43 of 43 results Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Image

Season	Spring 2026
Brand/Division	OLD NAVY - WOMENS
Department	WOMENS WOVEN TOPS
Collection	WOMENS WOVEN TOPS
Measurement Chart	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development
Milestone	Development

Size Range	ALPHA
Selected Sizes	XXS-XXL
Base Size	M
Grade Rule	Old Navy Womens Alpha
Size Chart Tier	Adult Alpha
Status	In-Work
Sample Request Sizes	M

Tolerance Changed	✓
Tolerance Message	
Brand MC Comments	
Created	5/22/2025, 10:24 AM
Created By	Michelle Adamson
Modified	6/13/2025, 2:11 AM
Modified By	Ariel Chang

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	XXS	XS	S	M	L	XL	XXL
B11	Collar Stand Height at Center Back			-1/8	1/8			0	0	0	3/4	0	0	0
B35	Placket Width			-0.0	0.0			0	0	0	1	0	0	0
↳ at CF														

Displaying 1 - 2 of 43 results Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	XXS	XS	S	M	L	XL	XXL
B35	Placket Width			-0.0	0.0			0	0	0	3/4	0	0	0
↳ at sleeve														
B5	Collar Height at Center Back		✓	-1/8	1/8			0	0	0	2 1/4	0	0	0
B7	Collar Point			-1/8	1/8			0	0	0	2 1/2	0	0	0
C3	Shoulder Slope			-1/8	1/8			0	-1/8	0	2 3/8	1/8	1/8	1/8
C6	Shoulder Seam Forward at Armhole			-1/8	1/8			0	0	0	1	0	0	0
C7	Shoulder Seam Forward at Neckline			-1/8	1/8			0	0	0	3/4	0	0	0
D13.1	Armhole Straight - 2 Point Measurement	set-in	✓	-1/4	1/4			-1/8	-1/4	-1/4	10	1/2	5/8	5/8
E1.5	Sleeve Length from Center Back	Long	✓	-1/2	1/2			-3/8	-3/4	-3/4	32	1/2	1/2	1/2
E16.3	Sleeve Cuff Opening with Buttons	Long	✓	-1/8	1/8			-1/8	-1/4	-1/4	4 5/8	1/4	1/4	1/4
E18	Sleeve Placket Length			-1/8	1/8			0	0	-1/4	4 1/2	0	0	0
E19	Sleeve Placket Opening			-1/8	1/8			0	0	-1/4	3 1/4	0	0	0
E22	Sleeve Pleat Depth			-1/8	1/8			0	0	0	3/4	0	0	0
E25	Sleeve Cuff Height			-1/8	1/8			0	0	0	2 1/2	0	0	0
E9	Bicep 1" below Armhole			-1/4	1/4			-1/8	-3/8	-3/8	9 3/4	5/8	7/8	7/8
F10	Chest 1" Below Armhole		✓	-1/2	1/2			-1/2	-1	-1	25 1/4	1 3/4	2 1/4	2 1/2
↳ w/Back pleat open														

Displaying 3 - 17 of 43 results

Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	XXS	XS	S	M	L	XL	XXL
F4	High Chest Position from High Point Shoulder			-0.0	0.0			0	-1/4	-1/4	5 1/2	3/8	3/8	3/8
G7	Back Yoke from High Point of Shoulder			-1/8	1/8			0	-1/4	-1/4	5 1/4	3/8	3/8	3/8
↳ IMAGINARY LINE @ CB														
I11.1	Shirt Tail Height	Front		-1/8	1/8			0	0	-1/4	3	1/4	0	1/4
I11.2	Shirt Tail Height	Back		-1/8	1/8			0	0	-1/4	3 1/2	1/4	0	1/4
I5	Bottom Opening - Relaxed		✓	-1/2	1/2			-1/2	-1	-1	25 1/4	1 3/4	2 1/4	2 1/2
↳ straight, with back pleat open. at top of vent														
J10	CB Body Length from the Imaginary Line at the HPS to the Bottom Edge		✓	-1/2	1/2			-3/8	-5/8	-5/8	30 1/2	7/8	7/8	7/8
J9	CF Body Length from the Imaginary Line at the HPS to the Bottom Edge		✓	-1/2	1/2			-3/8	-5/8	-5/8	30	7/8	7/8	7/8
P38	Pocket Hem Height at Center			-0.0	0.0			0	0	0	1	0	0	0
P5.1	Pocket Height at Center	Chest / Top Pocket		-1/8	1/8			0	0	-1/4	5 1/2	0	1/4	0
P6	Pocket Height at Side			-1/8	1/8			0	0	-1/4	4 3/4	0	1/4	0
↳ *vendor grade														
P7.1	Pocket Width at Top	Chest / Top Pocket		-1/8	1/8			0	0	-1/4	4 3/4	0	1/4	0
Q13	Locker Loop Width			-0.0	0.0			0	0	0	1/4	0	0	0
Q14	Locker Loop Length			-1/8	1/8			0	0	0	2	0	0	0
R5	Pleat/Tuck Depth			-0.0	0.0			0	0	0	1 1/4	0	0	0
↳ inverted pleat closed @CB														

Displaying 18 - 31 of 43 results

Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	QC	Tol Fraction (-)	Tol Fraction (+)	Tolerance Message	Grading Override Message	XXS	XS	S	M	L	XL	XXL
S8.1	Button/Snap Placement from_	High Point Shoulder to Bust Apex		-0.0	0.0			0	-1/4	-1/4	11 1/2	3/8	3/8	3/8
↳ to middle of button- 3rd button from HPS														
T10.2	Hem Height	Bottom		-0.0	0.0			0	0	0	1/4	0	0	0
S16	Last Button/Snap Placement from Bottom Edge			-1/8	1/8			0	0	0	3	0	0	0
C1.11	Shoulder Width	Back - Seam to Seam	✓	-1/4	1/4			-1/4	-1/2	-1/2	23	3/4	3/4	3/4
F6.9	High Chest	Seam to Seam		-1/4	1/4			-1/4	-1/2	-1/2	20 3/4	3/4	3/4	3/4
F9.11	High Back	Seam to Seam		-1/4	1/4			-1/4	-1/2	-1/2	22 1/4	3/4	3/4	3/4
P50	Chest/Top Pocket/Pocket Flap Placement Vertical from High Point Shoulder			-1/8	1/8			0	-1/4	-1/4	9	3/8	3/8	3/8
P54	Chest/Top Pocket/ Pocket Flap Placement Horizontal from CF			-1/8	1/8			0	-1/8	0	2 1/4	1/4	0	1/4
B25	Neck Width		✓	-1/4	1/4			0	-1/4	-1/4	6	1/4	1/4	1/4
B29.6	Back Neck Drop	Imaginary Line to Seam		-1/8	1/8			0	-1/8	-1/8	1/2	1/8	1/8	1/8
B26.30	Front Neck Drop	Imaginary Line to Seam </= 4.5"		-0.0	0.0			0	-1/8	-1/8	3 7/8	1/8	1/8	1/8
B3	Collar Length at Outer Edge			-1/4	1/4			0	-5/8	-5/8	17 1/2	3/4	3/4	3/4

Displaying 32 - 43 of 43 results

Units: Fractions of inches Grade Rule Display: Increment

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Image

Season	Spring 2026
Brand/Division	OLD NAVY - WOMENS
Department	WOMENS WOVEN TOPS
Collection	WOMENS WOVEN TOPS
Measurement Chart	D4762 MC Oversized CURVED HEM BF - EXT - MK Development
Milestone	Development

Size Range	ALPHA
Selected Sizes	2X-4X
Base Size	2X
Grade Rule	Old Navy Womens Plus Alpha
Size Chart Tier	Adult Alpha
Status	In-Work
Sample Request Sizes	2X

Tolerance Changed	✓
Tolerance Message	
Brand MC Comments	
Created	5/22/2025, 10:24 AM
Created By	Michelle Adamson
Modified	6/13/2025, 2:18 AM
Modified By	Ariel Chang

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	2X	3X	4X
B11	Collar Stand Height at Center Back		-1/8	1/8	1	1	1
B25	Neck Width		-1/4	1/4	6 3/4	7	7 1/8
↳ seam to seam							
B26	Front Neck Drop		-1/8	1/8	4 1/2	4 3/4	4 7/8

Displaying 1 - 3 of 43 results Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	2X	3X	4X
B29	Back Neck Drop		-1/8	1/8	1 1/4	1 1/2	1 5/8
B3	Collar Length at Outer Edge		-1/4	1/4	19 3/4	20 3/4	21 1/4
B35	Placket Width		-0.0	0.0	1	1	1
↳ at CF							
B35	Placket Width		-0.0	0.0	3/4	3/4	3/4
↳ at sleeve							
B5	Collar Height at Center Back		-1/8	1/8	2 1/4	2 1/4	2 1/4
B7	Collar Point		-1/8	1/8	2 1/4	2 1/4	2 1/4
C3	Shoulder Slope		-1/8	1/8	2 3/4	2 3/4	2 3/4
C6	Shoulder Seam Forward at Armhole		-1/8	1/8	1	1	1
C7	Shoulder Seam Forward at Neckline		-1/8	1/8	3/4	3/4	3/4
D13.1	Armhole Straight - 2 Point Measurement	set-in	-1/4	1/4	11 5/8	12 1/8	12 3/4
E1.5	Sleeve Length from Center Back	Long	-1/2	1/2	33	33 5/8	34 1/4
E16.3	Sleeve Cuff Opening with Buttons	Long	-1/8	1/8	5 1/8	5 1/2	5 3/4
E18	Sleeve Placket Length		-1/8	1/8	4 1/2	4 1/2	4 1/2
E19	Sleeve Placket Opening		-1/8	1/8	3 1/4	3 1/4	3 1/4
E22	Sleeve Pleat Depth		-1/8	1/8	3/4	3/4	3/4
E25	Sleeve Cuff Height		-1/8	1/8	2 1/2	2 1/2	2 1/2
E9	Bicep 1" below Armhole		-1/4	1/4	11 5/8	12 3/8	13 1/4

Displaying 4 - 20 of 43 results Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	2X	3X	4X
F10	Chest 1" Below Armhole		-1/2	1/2	32	34 3/8	36 7/8
↳ w/Back pleat open							
F4	High Chest Position from High Point Shoulder		-0.0	0.0	6 5/8	7	7 3/8
G7	Back Yoke from High Point of Shoulder		-1/8	1/8	5 7/8	6 1/4	6 5/8
↳ IMAGINARY LINE @ CB							
I11.1	Shirt Tail Height	Front	-1/8	1/8	3 1/2	3 1/2	3 1/2
↳ *vendor advise							
I11.2	Shirt Tail Height	Back	-1/8	1/8	3 3/4	3 3/4	3 3/4
I5	Bottom Opening - Relaxed		-1/2	1/2	32 1/4	34 5/8	37 1/8
↳ straight, with back pleat open at top of vent							
J10	CB Body Length from the Imaginary Line at the HPS to the Bottom Edge		-1/2	1/2	32 3/4	34 1/8	35 1/2
J9	CF Body Length from the Imaginary Line at the HPS to the Bottom Edge		-1/2	1/2	33	34 3/8	35 3/4
P38	Pocket Hem Height at Center		-0.0	0.0	1	1	1
P48	Chest/Top Pocket/Pocket Flap Placement Vertical from_		-1/8	1/8	9 7/8	10 1/4	10 5/8
↳ from HPS							
P49	Chest/Top Pocket/Pocket Flap Position Horizontal from_		-1/8	1/8	2 3/4	3	3 1/4
↳ from CF							
P5.1	Pocket Height at Center	Chest / Top Pocket	-1/8	1/8	5 3/4	6 1/4	6 3/4
P6	Pocket Height at Side		-1/8	1/8	5	5 1/2	6
P7.1	Pocket Width at Top	Chest / Top Pocket	-1/8	1/8	5	5 1/2	6

Displaying 21 - 34 of 43 results Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - EXT - MK Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	2X	3X	4X
Q13	Locker Loop Width		-0.0	0.0	1/4	1/4	1/4
Q14	Locker Loop Length		-1/8	1/8	2	2	2
R5	Pleat/Tuck Depth		-0.0	0.0	2	2	2
↳ inverted pleat closed @CB							
S16	Last Button/Snap Placement from Bottom Edge		-1/8	1/8	3	3	3
S8.1	Button/Snap Placement from_	High Point Shoulder to Bust Apex	-0.0	0.0	12 5/8	13 3/8	14 1/8
↳ to middle of button- 3rd button from HPS							
T10.2	Hem Height	Bottom	-0.0	0.0	1/4	1/4	1/4
C1.11	Shoulder Width	Back - Seam to Seam	-1/4	1/4	25 1/4	26	26 3/4
F6.9	High Chest	Seam to Seam	-1/4	1/4	23 1/4	24	24 3/4
F9.11	High Back	Seam to Seam	-1/4	1/4	24 1/2	25 1/4	26

Displaying 35 - 43 of 43 results Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Image

Season	Spring 2026
Brand/Division	OLD NAVY - WOMENS
Department	WOMENS WOVEN TOPS
Collection	WOMENS WOVEN TOPS
Measurement Chart	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development
Milestone	Development

Size Range	ALPHA
Selected Sizes	XXS-XXL
Base Size	M
Grade Rule	Old Navy Womens Alpha
Size Chart Tier	Adult Alpha
Status	In-Work
Sample Request Sizes	M

Tolerance Changed	✓
Tolerance Message	
Brand MC Comments	
Created	5/22/2025, 10:24 AM
Created By	Michelle Adamson
Modified	6/13/2025, 2:11 AM
Modified By	Ariel Chang

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	XXS	XS	S	M	L	XL	XXL
B11	Collar Stand Height at Center Back		-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4
B35	Placket Width		-0.0	0.0	1	1	1	1	1	1	1
↳ at CF											

Displaying 1 - 2 of 43 results Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	XXS	XS	S	M	L	XL	XXL
B35	Placket Width		-0.0	0.0	3/4	3/4	3/4	3/4	3/4	3/4	3/4
↳ at sleeve											
B5	Collar Height at Center Back		-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4
B7	Collar Point		-1/8	1/8	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
C3	Shoulder Slope		-1/8	1/8	2 1/4	2 1/4	2 3/8	2 3/8	2 1/2	2 5/8	2 3/4
C6	Shoulder Seam Forward at Armhole		-1/8	1/8	1	1	1	1	1	1	1
C7	Shoulder Seam Forward at Neckline		-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4
D13.1	Armhole Straight - 2 Point Measurement	set-in	-1/4	1/4	9 3/8	9 1/2	9 3/4	10	10 1/2	11 1/8	11 3/4
E1.5	Sleeve Length from Center Back	Long	-1/2	1/2	30 1/8	30 1/2	31 1/4	32	32 1/2	33	33 1/2
E16.3	Sleeve Cuff Opening with Buttons	Long	-1/8	1/8	4	4 1/8	4 3/8	4 5/8	4 7/8	5 1/8	5 3/8
E18	Sleeve Placket Length		-1/8	1/8	4 1/4	4 1/4	4 1/4	4 1/2	4 1/2	4 1/2	4 1/2
E19	Sleeve Placket Opening		-1/8	1/8	3	3	3	3 1/4	3 1/4	3 1/4	3 1/4
E22	Sleeve Pleat Depth		-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4
E25	Sleeve Cuff Height		-1/8	1/8	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2	2 1/2
E9	Bicep 1" below Armhole		-1/4	1/4	8 7/8	9	9 3/8	9 3/4	10 3/8	11 1/4	12 1/8
F10	Chest 1" Below Armhole		-1/2	1/2	22 3/4	23 1/4	24 1/4	25 1/4	27	29 1/4	31 3/4
↳ w/Back pleat open											

Displaying 3 - 17 of 43 results

Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	XXS	XS	S	M	L	XL	XXL
F4	High Chest Position from High Point Shoulder		-0.0	0.0	5	5	5 1/4	5 1/2	5 7/8	6 1/4	6 5/8
G7	Back Yoke from High Point of Shoulder		-1/8	1/8	4 3/4	4 3/4	5	5 1/4	5 5/8	6	6 3/8
↳ IMAGINARY LINE @ CB											
I11.1	Shirt Tail Height	Front	-1/8	1/8	2 3/4	2 3/4	2 3/4	3	3 1/4	3 1/4	3 1/2
I11.2	Shirt Tail Height	Back	-1/8	1/8	3 1/4	3 1/4	3 1/4	3 1/2	3 3/4	3 3/4	4
I5	Bottom Opening - Relaxed		-1/2	1/2	22 3/4	23 1/4	24 1/4	25 1/4	27	29 1/4	31 3/4
↳ straight, with back pleat open. at top of vent											
J10	CB Body Length from the Imaginary Line at the HPS to the Bottom Edge		-1/2	1/2	28 7/8	29 1/4	29 7/8	30 1/2	31 3/8	32 1/4	33 1/8
J9	CF Body Length from the Imaginary Line at the HPS to the Bottom Edge		-1/2	1/2	28 3/8	28 3/4	29 3/8	30	30 7/8	31 3/4	32 5/8
P38	Pocket Hem Height at Center		-0.0	0.0	1	1	1	1	1	1	1
P5.1	Pocket Height at Center	Chest / Top Pocket	-1/8	1/8	5 1/4	5 1/4	5 1/4	5 1/2	5 1/2	5 3/4	5 3/4
P6	Pocket Height at Side		-1/8	1/8	4 1/2	4 1/2	4 1/2	4 3/4	4 3/4	5	5
↳ *vendor grade											
P7.1	Pocket Width at Top	Chest / Top Pocket	-1/8	1/8	4 1/2	4 1/2	4 1/2	4 3/4	4 3/4	5	5
Q13	Locker Loop Width		-0.0	0.0	1/4	1/4	1/4	1/4	1/4	1/4	1/4
Q14	Locker Loop Length		-1/8	1/8	2	2	2	2	2	2	2
R5	Pleat/Tuck Depth		-0.0	0.0	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
↳ inverted pleat closed @CB											

Displaying 18 - 31 of 43 results Units: Fractions of inches Grade Rule Display: Absolute

Centric 8 Production(7.9.2)	D4762-Oversized CURVED HEM BF	D4762 MC Oversized CURVED HEM BF - REG - MK PD Development	Submitted-Sample 7/1/2025, 1:18 AM

Measurement Chart

POM Name	Description	POM Variation	Tol Fraction (-)	Tol Fraction (+)	XXS	XS	S	M	L	XL	XXL
S8.1	Button/Snap Placement from_	High Point Shoulder to Bust Apex	-0.0	0.0	11	11	11 1/4	11 1/2	11 7/8	12 1/4	12 5/8
↳ to middle of button- 3rd button from HPS											
T10.2	Hem Height	Bottom	-0.0	0.0	1/4	1/4	1/4	1/4	1/4	1/4	1/4
S16	Last Button/Snap Placement from Bottom Edge		-1/8	1/8	3	3	3	3	3	3	3
C1.11	Shoulder Width	Back - Seam to Seam	-1/4	1/4	21 3/4	22	22 1/2	23	23 3/4	24 1/2	25 1/4
F6.9	High Chest	Seam to Seam	-1/4	1/4	19 1/2	19 3/4	20 1/4	20 3/4	21 1/2	22 1/4	23
F9.11	High Back	Seam to Seam	-1/4	1/4	21	21 1/4	21 3/4	22 1/4	23	23 3/4	24 1/2
P50	Chest/Top Pocket/Pocket Flap Placement Vertical from High Point Shoulder		-1/8	1/8	8 1/2	8 1/2	8 3/4	9	9 3/8	9 3/4	10 1/8
P54	Chest/Top Pocket/ Pocket Flap Placement Horizontal from CF		-1/8	1/8	2 1/8	2 1/8	2 1/4	2 1/4	2 1/2	2 1/2	2 3/4
B25	Neck Width		-1/4	1/4	5 1/2	5 1/2	5 3/4	6	6 1/4	6 1/2	6 3/4
B29.6	Back Neck Drop	Imaginary Line to Seam	-1/8	1/8	1/4	1/4	3/8	1/2	5/8	3/4	7/8
B26.30	Front Neck Drop	Imaginary Line to Seam </= 4.5"	-0.0	0.0	3 5/8	3 5/8	3 3/4	3 7/8	4	4 1/8	4 1/4
B3	Collar Length at Outer Edge		-1/4	1/4	16 1/4	16 1/4	16 7/8	17 1/2	18 1/4	19	19 3/4

Displaying 32 - 43 of 43 results Units: Fractions of inches Grade Rule Display: Absolute