
Magic Book Setup –

1. Installation:

Ouvrir le fichier Php.ini dans Xampp/Wamp



Supprimez-le ";" dans les trois cas.

```
php
      Edit
                                                                                                                          ($3
; The ldap extension must be before curl if OpenSSL 1.0.2 and OpenLDAP is used
; otherwise it results in segfault when unloading after using SASL.
; See https://github.com/php/php-src/issues/8620 for more info.
;extension=ldap
extension=curl
;extension=f
;excension=ftp
extension=fileinfo
extension=gd
extension=gettext
;extension=g...p
;extension=intl
;extension=imap
extension=mbstring
extension=exif
                     ; Must be after mbstring as it depends on it
```

- Exécuter la commande "Composer update" sur le fichier de projet

```
Microsoft Windows [Version 10.0.22621.2215]
(c) Microsoft Corporation. All rights reserved.

C:\Users\mahou\OneDrive\Bureau\Pi_Dev>composer update
Loading composer repositories with package information
Info from https://peop.packagist.org: #StandWithUkraine
Restricting packages listed in "symfony/symfony" to "5.4.*"
Updating dependencies
Nothing to modify in lock file
Installing dependencies from lock file (including require-dev)
Nothing to install, update or remove
Package sensio/framework-extra-bundle is abandoned, you should avoid using it. Use Symfony instead.
Generating optimized autoload files
Ilq packages you are using are looking for funding.
Use the 'composer fund' command to find out more!

Run composer recipes at any time to see the status of your Symfony recipes.

Executing script cache:clear
```

Exécuter la commande "Symfony server:start"

```
If you installed the Symfony CLI via a package manager, updates are going to be automatic.

If not, upgrade by downloading the new version at https://github.com/symfony-cli/symfony-cli/releases
And replace the current binary (symfony.exe) by the new one.

Following PMP-CGI log file (C:\Users\mahou\.symfony5\log\38fa4ld5a593d2e012bc230c1d7183a725afc5d6\79ca75f9e90b4126a5955a
33ea6a4lec5e854698.log)

Following Web Server log file (C:\Users\mahou\.symfony5\log\38fa4ld5a593d2e012bc230c1d7183a725afc5d6.log)

[WARNING] The local web server is optimized for local development and MUST never be used in a production setup.

[OK] Web server listening
The Web server is using PHP CGI 8.2.4

https://127.0.0.1:8000

[Application] Sep 4 14:15:50 | DEBUG | DOCTRI Executing statement: SELECT m.* FROM messenger_messages m WHERE (m.delive red_at is null OR m.delivered_at <?) AND (m.available_at <=?) AND (m.queue_name =?) ORDER BY available_at ASC LIMIT 1
FOR UPDATE (parameters: arrayf"1":"2023-09-04 13:15:50", "2":"2023-09-04 14:15:50", "3":"default"}, types: arrayf"1":2, "2
"2", "3":2) params=f"1":"2023-09-04 13:15:50", "2":"2023-09-04 14:15:50", "3":"default"} sqf=*SELECT m.* FROM messenger_messages m WHERE (m.delivered_at is null OR m.delivered_at <?) AND (m.available_at <=?) AND (m.queue_name =?) ORDER BY available_at ASC LINIT 1 FOR UPDATE (poppers=f"1":2,"2":"2033-09-04 14:15:50") BEBUG | DOCTRI Executing statement: DELETE FROM messenger_messages WHERE delivered_at = ? (parameters: arrayf"1":"999-12-31 23:59:59"), types: arrayf"1":"2}) params=f"1":"999-12-31 23:59:59"} sql="DELETE FROM messenger_messages WHERE delivered_at = ? (parameters: arrayf"1":"999-12-31 23:59:59") syl=secuting statement: DELETE FROM messenger_messages WHERE delivered_at = ? (parameters: arrayf"1":"999-12-31 23:59:59"), types: arrayf"1":"2}) params=f"1":"999-12-31 23:59:59") sql="DELETE FROM messenger_messages WHERE delivered_at = ? " types=f"1":"2}


Application] Sep 4 14:15:51 | DEBUG | DOCTRI Executing statement: SELECT m.* FROM messenger_messages m
```

2. Changements:

- Interface << Afficher matières >>



Interface << Ajouter matières >>



Interface << Afficher cours >>

Bienvenue dans votre espace des cours!




fond

- Interface << Ajouter cours >>




fond


Interface << Afficher elève >>




- Interface << Afficher cours élevé >>



- Interface << Afficher matières (back) >>




- Interface << Ajouter matières (back) >>




- Interface << Afficher cours (back) >>



-Barre de recherche basée sur le Nom
-Bouton de tri basé sur le Nom
-Bouton de génération d'un fichier Excel (chaque matière avec ses propres cours)



- Interface << Afficher cours >>



-Barre de recherche basée sur le titre

-Bouton de tri basé sur le titre

(IMPORTANT) « php bin/console messenger:consume async »

UTILISEZ CETTE COMMANDE POUR RECEVOIR DES COURRIELS LORSQUE VOUS AJOUTEZ/MODIFIEZ DE NOUVEAUX MATÉRIAUX AU FICHIER OU LORSQUE VOUS SUPPRIMEZ DES MATÉRIAUX DE LA FAÇADE (dans une autre instance de la console)


```
C:\Users\mahou\OneDrive\Bureau\Pi_Dev>php bin/console messenger:consume async

[OK] Consuming messages from transport "async".

// The worker will automatically exit once it has received a stop signal via the messenger:stop-workers command.

// Quit the worker with CONTROL-C.

// Re-run the command with a -vv option to see logs about consumed messages.
```



Changez votre email en:

- Controller/MatiereController.php: fonctions remove Matiere

Controller/MatiereController.php: Mise à jour/Ajouter des fonctions Matiere

```
ereController.php M

☆ CoursController.php M

√ backaffichage.html.twig U

                      MatierebackController.php U x
ontroller > 💝 MatierebackCont
         $em->remove($Categorie);
         $em->flush();
         return $this->redirectToRoute('app_affback');
     #[Route('/AjouterMatiereback', name: 'AjouterMatiereback')]
     public function AjouterMatiere(ManagerRegistry $doctrine, Request $request, MailerInterface $mailer): Response
         $Categorie = new Matiere();
         $form = $this->createForm(MatiereType::class, $Categorie);
         $form->handleRequest($request);
         if ($form->isSubmitted()) {
              $em = $doctrine->getManager();
              $em->persist($Categorie);
             $em->flush();
              $email = new Email();
              $email = (new Email())
                  ->from('magicbook.pi@gmail.com')
                  ->to('mahourabensalem@gmail.com')
->subject('Matiere Added')
                  ->html($this->renderView('email/matiere_added_email.html.twig', ['matiere' => $Categorie]));
              $mailer->send($email);
              return $this->redirectToRoute("app_affback");
         return $this->renderForm("matiere/AjouterbackM.html.twig", array("AjouterMatiere" => $form));
   #[Route('/AjouterMatiereback', name: 'AjouterMatiereback')]
   public function AjouterMatiere(ManagerRegistry $doctrine, Request $request, MailerInterface $mailer): Response
       $Categorie = new Matiere();
       $form = $this->createForm(MatiereType::class, $Categorie);
       $form->handleRequest($request);
       if ($form->isSubmitted()) {
           $em = $doctrine->getManager();
           $em->persist($Categorie);
           $em->flush();
           $email = new Email();
           $email = (new Email())
               ->from('magicbook.pi@gmail.com')
               ->to('mahourabensalem@gmail.com')
               ->subject('Matiere Added')
               ->html($this->renderView('email/matiere_added_email.html.twig', ['matiere' => $Categorie]));
           $mailer->send($email);
           return $this->redirectToRoute("app_affback");
       return $this->renderForm("matiere/AjouterbackM.html.twig", array("AjouterMatiere" => $form));
   #[Route('/UpdateMatiereback/{id}', name: 'app updateback')]
```

Résumé :

- API : EMAIL (use MAILER)
- Bundle : générer un fichier Excel (use phpspreadsheet)
- Mise à jour des interfaces (toutes)
- Tri de tableaux et recherche dans les applications frontales et dorsales