

# Flex-Box

By: Ahmed Mahdy

# Contents

1. Introduction
2. What Is Flex-Box ?
3. Flex-Box Architecture
4. Flex-Box Container

# Introduction


...

Before the invention of CSS Flexbox, web designers were limited in their ability to control the position and size of elements on a page.


They had to use a combination of:

- `float`s,
- `position`ing,
- and other hacks to create the layouts they wanted.

But then, in 2017, a new technology was introduced to the world of web design - **CSS Flexbox**.



## FLEX BOX



# FLEX BOX

## Introduction

...

With Flexbox, designers were finally able to easily control the alignment, direction, and distribution of elements within a container. They could create flexible and responsive designs with ease, and make their websites look great on any device.

*"And so, Flexbox became a game changer in the web design industry, and is now an essential tool for any modern web designer."*

# What is Flex-Box ?

The main idea behind the flex layout is to give the container the ability to alter its items' width/height (and order) to best fill the available space (mostly to accommodate to all kind of display devices and screen sizes). A flex container expands items to fill available free space or shrinks them to prevent overflow.

Most importantly, the flexbox layout is direction-agnostic as opposed to the regular layouts (block which is vertically-based and inline which is horizontally-based). While those work well for pages, they lack flexibility to support large or complex applications (especially when it comes to orientation changing, resizing, stretching, shrinking, etc.).

Note: Flexbox layout is most appropriate to the components of an application, and small-scale layouts, while the Grid layout is intended for larger scale layouts.

# Flex-Box Architecture


The structure of a flexible layout is based on dividing elements to:

- containers (parent elements)
- and items (child elements).

# Flex-Box Architecture

The structure of a flexible layout is based on dividing elements to:


- **containers (parent elements)**
- and items (child elements).



# Flex-Box Architecture

The structure of a flexible layout is based on dividing elements to:

- containers (parent elements)
- and **items (child elements)**.



# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
  display: flex; /* or inline-flex */  
}
```

# Flex-Box Container


To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
  display: flex; /* or inline-flex */  
}
```

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.


```
.flex-container{  
  display: flex; /* or inline-flex */  
}
```



# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
  display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized
- The Justification of items and space in between

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized
- The Justification of items and space in between
- The vertical alignment of items

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized
- The Justification of items and space in between
- The vertical alignment of items
- The alignment of lines of items

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized
- The Justification of items and space in between
- The vertical alignment of items
- The alignment of lines of items
- The order of items in a line

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```




**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized
- The Justification of items and space in between
- The vertical alignment of items
- The alignment of lines of items
- The order of items in a line
- The items' ability to grow or shrink when the window resizes

# Flex-Box Container

To define a flex container for element that has class `flex-container` ; inline or block depending on the given value. It enables a flex context for all its direct children.

```
.flex-container{  
    display: flex; /* or inline-flex */  
}
```





**The CSS flexbox can control the following aspects of the layout:**

- The direction to which the items are displayed
- The wrapping of items when the window is resized
- The Justification of items and space in between
- The vertical alignment of items
- The alignment of lines of items
- The order of items in a line
- The items' ability to grow or shrink when the window resizes
- The alignment of an individual item

# Flex-Direction

This property establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.



```
.container {  
  display: flex;  
  flex-direction: row;  
}
```



# Flex-Direction

This property establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {  
  display: flex;  
  flex-direction: row;  
}
```





# Flex-Direction

This property establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {  
  display: flex;  
  flex-direction: row;  
}
```

- `row` (default): left to right in ltr; right to left in rtl





# Flex-Direction

This property establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {  
  display: flex;  
  flex-direction: row;  
}
```

- `row` (default): left to right in ltr; right to left in rtl
- `row-reverse`: right to left in ltr; left to right in rtl





# Flex-Direction

This property establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {  
  display: flex;  
  flex-direction: row;  
}
```

- `row` (default): left to right in ltr; right to left in rtl
- `row-reverse`: right to left in ltr; left to right in rtl
- `column`: same as row but top to bottom






# Flex-Direction

This property establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {  
  display: flex;  
  flex-direction: row;  
}
```

- `row` (default): left to right in ltr; right to left in rtl
- `row-reverse`: right to left in ltr; left to right in rtl
- `column`: same as row but top to bottom
- `column`-reverse: same as row-reverse but



# Flex-Direction

## Real life Examples

If we want to create responsive navigation bar we can use:

# Flex-Direction

## Real life Examples

If we want to create responsive navigation bar we can use:

- `flex-direction: row;` in desktop case:

Desktop


Home   About   Services   Contacts

# Flex-Direction

## Real life Examples

If we want to create responsive navigation bar we can use:

- `flex-direction: row;` in desktop case:
- `flex-direction: column;` in mobile case:




# Flex-Direction

## Real life Examples

If we want to create responsive navigation bar we can use:

- `flex-direction: row;` in desktop case:
- `flex-direction: column;` in mobile case:




# Flex-Direction


## Real life Examples

If we want to create responsive navigation bar we can use:

- `flex-direction: row;` in desktop case:
- `flex-direction: column;` in mobile case:




# Flex-Wrap



By default, flex items will all try to fit onto one line. You can change that and allow the items to wrap as needed with this property.

```
.container {  
  display: flex;  
  flex-wrap: nowrap;  
}
```


# Flex-Wrap



By default, flex items will all try to fit onto one line. You can change that and allow the items to wrap as needed with this property.

```
.container {  
  display: flex;  
  flex-wrap: nowrap;  
}
```

# Flex-Wrap




By default, flex items will all try to fit onto one line. You can change that and allow the items to wrap as needed with this property.

```
.container {  
  display: flex;  
  flex-wrap: nowrap;  
}
```

- nowrap (default): all flex items will be on one line

# Flex-Wrap




By default, flex items will all try to fit onto one line. You can change that and allow the items to wrap as needed with this property.

```
.container {  
  display: flex;  
  flex-wrap: nowrap;  
}
```

- nowrap (default): all flex items will be on one line
- wrap: flex items will wrap onto multiple lines, from top to bottom.

# Flex-Wrap



By default, flex items will all try to fit onto one line. You can change that and allow the items to wrap as needed with this property.

```
.container {  
  display: flex;  
  flex-wrap: nowrap;  
}
```

- nowrap (default): all flex items will be on one line
- wrap: flex items will wrap onto multiple lines, from top to bottom.
- wrap-reverse: flex items will wrap onto multiple lines from bottom to top.

# Flex-Flow

This is a shorthand for the `flex-direction` and `flex-wrap` properties, which together define the flex container's main and cross axes. The default value is `row nowrap`.

```
.container {  
  display: flex;  
  flex-flow: column wrap;  
}
```


this will equals:

```
.container {  
  display: flex;  
  flex-direction: column;  
  flex-wrap: wrap;  
}
```

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.


flex-start



flex-end




center




space-between



space-around



space-evenly



# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `flex-start` (default): items are packed toward the start of the flex-direction.

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `flex-start` (default): items are packed toward the start of the flex-direction.
- `flex-end`: items are packed toward the end of the flex-direction.

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `flex-start` (default): items are packed toward the start of the flex-direction.
- `flex-end`: items are packed toward the end of the flex-direction.
- `center`: items are centered along the line

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `space-between` : items are evenly distributed in the line; first item is on the start line, last item on the end line

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `space-between` : items are evenly distributed in the line; first item is on the start line, last item on the end line
- `space-around` : items are evenly distributed in the line with equal space around them. Note that visually the spaces aren't equal, since all the items have equal space on both sides. The first item will have one unit of space against the container edge, but two units of space between the next item because that next item has its own spacing that applies.

# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `space-between` : items are evenly distributed in the line; first item is on the start line, last item on the end line
- `space-around` : items are evenly distributed in the line with equal space around them. Note that visually the spaces aren't equal, since all the items have equal space on both sides. The first item will have one unit of space against the container edge, but two units of space between the next item because that next item has its own spacing that applies.
- `space-evenly` : items are distributed so that the spacing between any two items (and the space to the edges) is equal.






# Justify-Content

This defines the alignment along the main axis. It helps distribute extra free space leftover when either all the flex items on a line are inflexible, or are flexible but have reached their maximum size. It also exerts some control over the alignment of items when they overflow the line.

```
.container {  
  display: flex;  
  justify-content: center;  
}
```

- `space-between` : items are evenly distributed in the line; first item is on the start line, last item on the end line
- `space-around` : items are evenly distributed in the line with equal space around them. Note that visually the spaces aren't equal, since all the items have equal space on both sides. The first item will have one unit of space against the container edge, but two units of space between the next item because that next item has its own spacing that applies.
- `space-evenly` : items are distributed so that the spacing between any two items (and the space to the edges) is equal.






# Align-Items



This defines the default behavior for how flex items are laid out along the cross axis on the current line. Think of it as the justify-content version for the cross-axis (perpendicular to the main-axis).






```
.container {  
  display: flex;  
  align-items: stretch;  
}
```

# Align-Items



```
.container {  
  display: flex;  
  align-items: stretch;  
}
```






# Align-Items



```
.container {  
  display: flex;  
  align-items: stretch;  
}
```

- stretch (default): stretch to fill the container (still respect min-width/max-width)






# Align-Items



```
.container {  
  display: flex;  
  align-items: stretch;  
}
```

- stretch (default): stretch to fill the container (still respect min-width/max-width)
- flex-start / start / self-start: items are placed at the start of the cross axis. The difference between these is subtle, and is about respecting the flex-direction rules or the writing-mode rules.






# Align-Items



```
.container {  
  display: flex;  
  align-items: stretch;  
}
```






- stretch (default): stretch to fill the container (still respect min-width/max-width)
- flex-start / start / self-start: items are placed at the start of the cross axis. The difference between these is subtle, and is about respecting the flex-direction rules or the writing-mode rules.
- flex-end / end / self-end: items are placed at the end of the cross axis. The difference again is subtle and is about respecting flex-direction rules vs. writing-mode rules.

# Align-Items



```
.container {  
  display: flex;  
  align-items: stretch;  
}
```

# Align-Items




```
.container {  
  display: flex;  
  align-items: stretch;  
}
```

- center: items are centered in the cross-axis
- baseline: items are aligned such as their baselines align


# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.


flex-start




flex-end




center




stretch



space-between




space-around



# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.


*Note: This property only takes effect on multi-line flexible containers, where flex-wrap is set to either wrap or wrap-reverse). A single-line flexible container (i.e. where flex-wrap is set to its default value, no-wrap) will not reflect align-content.*



# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```

- normal (default): items are packed in their default position as if no value was set.




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```


- normal (default): items are packed in their default position as if no value was set.
- flex-start / start: items packed to the start of the container. The (more supported) flex-start honors the flex-direction while start honors the writing-mode direction.



# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```

- flex-end / end: items packed to the end of the container. The (more support) flex-end honors the flex-direction while end honors the writing-mode direction.




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```


- flex-end / end: items packed to the end of the container. The (more support) flex-end honors the flex-direction while end honors the writing-mode direction.
- center: items centered in the container



# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```

- space-between: items evenly distributed; the first line is at the start of the container while the last one is at the end




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```

- space-between: items evenly distributed; the first line is at the start of the container while the last one is at the end
- space-around: items evenly distributed with equal space around each line




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```


- space-between: items evenly distributed; the first line is at the start of the container while the last one is at the end
- space-around: items evenly distributed with equal space around each line
- space-evenly: items are evenly distributed with equal space around them



# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```




# Align-Content

This aligns a flex container's lines within when there is extra space in the cross-axis, similar to how justify-content aligns individual items within the main-axis.

```
.container {  
  display: flex;  
  align-content: normal;  
}
```

- stretch: lines stretch to take up the remaining space



Questions Time =D