DRAFT

Cerebro · Wireframe PRD Blueprint

v0.2 · Rasma (art direction) with MADAR (motion) · 18 Oct 2026, Cairo (UTC+3)
7 frames: portrait home, showreel, SEVEN brief · horizontal dashboard, orbital sphere, ambassador (placeholder)
Brand: Cerebro sub-brand (draft, PR #4 spec) · NASAQ tokens v0.1 PROPOSED, NOT FROZEN · Template: none approved
Reviewers: NASAQ (brand match) → Fakir (idea & craft) · Downstream: Grandy

v0.1 → v0.2 changes

NASAQ brand pass (REFINE) + MADAR motion spec v0.1 + Nojj / NABR / WEB_DESIGNER notes relayed by Grandy. v0.1 kept unchanged.

1. Fonts: IBM Plex Sans, Plex Mono and Plex Sans Arabic only, embedded (Inter, Geist and Noto removed)
2. Colours: canvas #101D27, text #F2F6F8 / #BDCBD3, glass #142632 at 88 %, cobalt #4C8DFF with #101D27 labels; cyan, amber, green and the old grounds removed
3. Status redone with cobalt, text tints and dimming, always with a shape icon and a text label
4. Control outlines white 40 %, 1 px: 3.77:1 canvas / 3.68:1 glass (measured 3.77 / 3.68)
5. Arabic 15 px, line-height 1.65, .ar on Bismillah cells (text unchanged)
6. Logo slot 176×44, 40 px from top-left, on every frame incl. 06 and 07; '[Cerebro wordmark pending]'
7. Focus ring #65ACFF; reduced-transparency fallback to solid #142632
8. Mapping note: nav + dock → 5 stations, orb → 8 states; 06 error in MADAR red #FF5666
9. Index thumbnail tags under 13 px hidden; coordinates relabelled screenshot-based
10. MADAR motion spec v0.1 section R applied: CP1 tags corrected, values from MADAR, IDs on every row
11. No fake motion: waveforms flat + 'Offline' while KAST is offline; pending assets, tiles and dots static
12. 06 camera touch / drag / pinch indicators (Nojj call); glass blur suspended while the camera moves (WEB_DESIGNER/Developer)
13. SEVEN pager shows 8 dots; home A date shown as TBD


Mapping note (v0.2)

Nav + dock → 5 stations: `Projects` `People` `Files` `Media` `Tasks` (NASAQ GlassPanels v0_2 (CRO_CLD))

Source nav: Agents · Projects · Media · Memory · Gallery · Settings; source dock: Media strip · Gallery · Slides · Memory · Give me / Take control. Name matches: Projects, Media. Item-by-item mapping for the rest: TBD (open question for Nojj).

Orb → 8 voice / orb states: `01 Idle` `02 Connecting` `03 Listening` `04 Thinking` `05 Speaking` `06 Muted` `07 Interrupted` `08 Error / Ended` (MADAR OrbStates v0_3 = NABR VoiceOrbStates v0_3 (CRO_CLD), matched 1:1; UI labels are Katib placeholders)

Error state 08 uses MADAR's red rim **#FF5666** with an icon and a label, never colour alone. Waveforms stay flat and show "Offline" while KAST is offline.



01 · Portrait home

Daily landing: see the agents, pick a project, read its status, talk to KAST. Merged A+B; B's honest wording is used wherever data is not real.

● BUILD (CP1) ◆ PROPOSED (MADAR) ◌ NOT CHECKED / TBD

RT real time on iPad cobalt dashed = ghost keyframe

◌ dashed + PENDING = dimmed placeholder ○ Offline flat waveform, no fake level

01 · PRD

#	Component	Screen text (copied from source)	Size (logical px)
1	Bismillah header	بسم الله الرحمن الرحيم	367×61
2	Logo slot (brand lockup)	[Cerebro wordmark pending] · empty slot 176×44, 40 px from top-left	176×44
3	Clock Cairo / UTC	18:20 CAIRO | 15:20 UTC	373×81
4	Coordinates + locate	24.456 N / 32.739 E	340×42
5	Agents grid (8 tiles, 4×2)	AGENTS · Bilal Katib Musa Grandy Fakir Rasma NASAQ KAST	527×349
6	3D view	3D VIEW · Character asset pending	416×326
7	Projects list	PROJECTS · Young & Human · SEVEN · Al-Ahram	393×307
8	Inspector	Status: Illustrative plan · Last update: Not linked	375×326
9	Agent constellation	AGENT CONSTELLATION · KAST centre	432×432
10	Now playing	NOW PLAYING · Focus Flow · Lo-fi Brief	424×215
11	Confirm dialog	Open project note? · Open note / Cancel	732×403
12	KAST voice bar	KAST · mic · more	732×109
13	Design preview tag	DESIGN PREVIEW	216×33

STATES

Loading	grey boxes, no shimmer > 1.5 s
Empty	'No projects yet' [COPY - Katib]
Pending	3D: 'Character asset pending', DIMMED placeholder, dashed outline + PENDING label (Nojj call, 18 Oct), never hidden
Not connected	Inspector: 'Illustrative plan / Not linked'
Error	inline strip on the panel, retry 44 px

DATA SOURCE


Agents	real roster (repo)
Projects	names real, status Illustrative plan / Not linked
Inspector	synthetic
Now playing	synthetic, no source linked
Clock, coords	screenshot-based
Last update (home A)	TBD (home A shows a date that reads as real data; home B: 'Not linked')

INTERACTIONS

- All controls: white 40 %, 1 px on every control: 3.77:1 on canvas, 3.68:1 on glass (NASAQ); measured 3.77:1 / 3.68:1; focus ring #65ACFF
- Tap agent tile (≥ 88×88 px) → agent focus
- Tap project row (≥ 44 px tall) → Inspector updates
- Dialog: Open note / Cancel, both ≥ 44 px, Cancel = Esc
- Mic button 44×44, never auto-starts

OPEN QUESTIONS

- Keep the 'Open project note?' dialog in the home default state, or only on demand?
- Now Playing: a real audio source, or remove until linked?



03 · Portrait showreel

Play and inspect portfolio films; ask KAST about the selected media.

● BUILD (CP1) ◆ PROPOSED (MADAR) ◌ NOT CHECKED / TBD

RT real time on iPad cobalt dashed = ghost keyframe

◌ dashed + PENDING = dimmed placeholder ○ Offline flat waveform, no fake level

03 · PRD

#	Component	Screen text (copied from source)	Size (logical px)
1	Bismillah header	بسم الله الرحمن الرحيم	367×61
2	Logo slot (brand lockup)	[Cerebro wordmark pending] · empty slot 176×44, 40 px from top-left	176×44
3	Clock Cairo / UTC	18:20 CAIRO | 15:20 UTC	383×77
4	Coordinates + locate	24.456 N / 32.739 E	335×38
5	Showreel panel + film tabs	Portfolio / Showreel · Illustrative portfolio preview · Film 01 / Film 02	950×653
6	Thumbnail strip	5 thumbs + next	902×96
7	3D character	3D CHARACTER · Character asset pending	468×428
8	Inspector + User control	Type Video · Duration 02:59 · Resolution Asset / Pending	468×428
9	KAST panel + input	Portfolio ready to explore. · Ask KAST about this showreel…	950×309
10	Agent dock (8)	Bilal … KAST	950×159
11	Design preview tag	DESIGN PREVIEW	216×33

STATES

Loading	poster grey box + spinner-free progress bar
Empty	'No films linked' [COPY - Katib]
Pending	Resolution: 'Asset / Pending'
Not connected	Location: 'Source / To be linked'
Error	'Can't play this film' [COPY - Katib] + retry

DATA SOURCE


Films	synthetic (illustrative portfolio preview)
Duration 02:59	synthetic
Agents	real roster
KAST replies	not connected

INTERACTIONS

- All controls: white 40 %, 1 px on every control: 3.77:1 on canvas, 3.68:1 on glass (NASAQ); measured 3.77:1 / 3.68:1; focus ring #65ACFF
- Play / scrub / mute / fullscreen ≥ 44 px
- Film 01 / 02 tabs ≥ 44 px tall
- Swipe thumbs; next arrow 44×44
- USER CONTROL toggle hands control to the viewer

OPEN QUESTIONS

- Which real films replace the illustrative frames, and who clears rights?
- USER CONTROL here: same control model as dashboard 'Give me control'?



04 · Portrait SEVEN brief

Present a project brief deck (SEVEN), page through slides, inspect metadata, ask KAST.

● BUILD (CP1) ◆ PROPOSED (MADAR) ◌ NOT CHECKED / TBD

RT real time on iPad cobalt dashed = ghost keyframe

◌ dashed + PENDING = dimmed placeholder ○ Offline flat waveform, no fake level

04 · PRD

#	Component	Screen text (copied from source)	Size (logical px)
1	Bismillah header	بسم الله الرحمن الرحيم	367×61
2	Logo slot (brand lockup)	[Cerebro wordmark pending] · empty slot 176×44, 40 px from top-left	176×44
3	Clock Cairo / UTC	18:20 CAIRO | 15:20 UTC	346×77
4	Coordinates + locate	24.456 N / 32.739 E	302×38
5	Brief header + pager dots	SEVEN / Working brief · Illustrative plan · pager 8 dots (source showed 6 vs 01 / 08: corrected, flagged)	998×88
6	Slide stage	SEVEN Working brief · Scope · Next step	756×599
7	Slide thumbnail rail	5 visible of 08	178×609
8	Deck toolbar	Fit to width · ‹ 01 / 08 › · Fullscreen	945×75
9	Character asset	Character asset pending	494×547
10	Inspector	Presentation / Slide 01 · Pages 8 · Status Illustrative plan	482×547
11	KAST assistant bar	KAST Assistant · Idle · Ask a question or give an instruction…	998×169
12	Design preview tag	DESIGN PREVIEW	216×33

STATES

Loading	slide grey box, rail skeleton
Empty	'No deck attached' [COPY - Katib]
Pending	Status: Illustrative plan
Not connected	KAST: Idle, input disabled until linked
Error	'Deck didn't load' [COPY - Katib]

DATA SOURCE

Deck	synthetic (illustrative working brief, 8 pages)
Inspector	synthetic
KAST	not connected

INTERACTIONS


- All controls: white 40 %, 1 px on every control: 3.77:1 on canvas, 3.68:1 on glass (NASAQ); measured 3.77:1 / 3.68:1; focus ring #65ACFF
- ‹ › 44×44, swipe on stage
- Rail thumbs ≥ 44 px tall
- Fit to width dropdown; Fullscreen ≥ 44 px
- Attach + mic 44×44

OPEN QUESTIONS

- Is the SEVEN deck a real file to link (Drive), or illustrative only?
- Should Fullscreen hide KAST, or keep the assistant bar docked?

05 · Horizontal dashboard

Wide control room: agents, constellation, project tracker, KAST chat and inspector, with a media dock and control hand-off.



● BUILD (CP1) ◆ PROPOSED (MADAR)

◌ NOT CHECKED / TBD RT real time on iPad

cobalt dashed = ghost keyframe

◌ dashed + PENDING = dimmed placeholder

○ Offline flat waveform, no fake level

05 · PRD

#	Component	Screen text (copied from source)	Size (logical px)
1	Logo slot (brand lockup)	[Cerebro wordmark pending] · empty slot 176×44, 40 px from top-left	176×44
2	Clock + coords	18:20 CAIRO | 15:20 UTC · 24.456 N / 32.739 E	338×78
3	Bismillah header	بسم الله الرحمن الرحيم	384×45
4	Orientation toggle	Auto · Portrait · Horizontal	422×52
5	Agents column	AGENTS (8, 2×4)	294×529
6	Character asset	Character asset pending	294×265
7	Agent constellation	AGENT CONSTELLATION	973×410
8	Project tracker (3 × 2 cards)	Young & Human · SEVEN · Al-Ahram · Illustrative plans	973×387
9	KAST chat	How can I help you today? · 4 suggestions · Live captions	486×475
10	Inspector (Context / Media / Details)	Location · Scene · View · Lighting	486×338
11	Media dock + control hand-off	MEDIA · Gallery · Slides · Memory · Give me control · Take control	1824×89

STATES

Loading	skeleton boxes per panel
Empty	tracker: 'No projects' [COPY - Katib]
Pending	Character asset pending
Not connected	KAST chat disabled + banner
Error	per-panel strip + retry

DATA SOURCE

Agents	real roster
Tracker cards	synthetic 'Illustrative plans'
Inspector location	coords screenshot-based; scene/lighting synthetic
Chat	not connected

INTERACTIONS


- All controls: white 40 %, 1 px on every control: 3.77:1 on canvas, 3.68:1 on glass (NASAQ); measured 3.77:1 / 3.68:1; focus ring #65ACFF
- Agent tiles ≥ 88 px
- Tracker cards: tap → Inspector; chevrons 44×44
- Suggestion chips ≥ 44 px tall
- Give me control / Take control ≥ 44 px, confirm state shown

OPEN QUESTIONS

- Orientation toggle: user-facing, or a dev/review switch only?
- Give me control vs Take control: what does each hand over, and to whom?

06 · Horizontal orbital sphere

Spatial overview: agents and projects as nodes on a turning sphere; the camera flies to a node, then panels unfold.



● BUILD (CP1) ◆ PROPOSED (MADAR)

◌ NOT CHECKED / TBD RT real time on iPad

cobalt dashed = ghost keyframe

◌ dashed + PENDING = dimmed placeholder

○ Offline flat waveform, no fake level

!	**Orb state 08 · Error / Ended**	Lost connection · Retry	red rim #FF5666 (MADAR OrbStates v0_3) · label is a Katib placeholder · stays until Retry

Camera + glass (feasibility note, WEB_DESIGNER/Developer): glass blur is suspended while the camera moves; panels fall back to solid #142632 at ≥ 85 % during motion and the blur restores at rest. Swap timing TBD. **Camera indicators (Nojj call):** touch point, orbit / tilt drag arcs and pinch markers appear on the sphere while a finger is down; durations not in MADAR's spec stay TBD.

06 · PRD

#	Component	Screen text (copied from source)	Size (logical px)
1	Logo slot (brand lockup)	[Cerebro wordmark pending] · empty slot 176×44, 40 px from top-left	176×44
2	Synthetic-data banner	SYNTHETIC DATA - review build. Projects, films, progress and clocks-on-screens are illustrative.	1536×32
3	Mode chips	Auto · Portrait · Horizontal · LIST · STATUS	591×45
4	Agents list + character controls	AGENTS · Select / Orbit / Reset	449×643
5	Orbital sphere	KAST core · 8 agents · 3 projects	774×529
6	KAST panel	KAST · not connected · Start conversation · Live captions · Memory	457×554
7	Showreel card	PORTFOLIO / SHOWREEL - Film 01 · DEMO · SYNTHETIC SLATE NOT A FILM	634×221
8	Key projects	Young & Human · SEVEN · Al-Ahram · Open	445×207
9	Bottom nav + centre orb	Agents · Projects · Media · Memory · Gallery · Settings	785×86
10	Top bar (bismillah · clock · coords)	Cairo 06:40 · UTC 03:40	1501×59

STATES

Loading	sphere wire only, nodes fade in
Empty	no projects: agent ring only
Pending	pending stations DIMMED: dashed outline + PENDING label, never hidden (Nojj call, 18 Oct)
Not connected	KAST: 'not connected' chip + 503 note (orb state 01 Idle)
Error	orb state 08 Error / Ended: red rim #FF5666 (MADAR OrbStates v0_3) + error icon + label 'Lost connection · Retry' (placeholder label, Katib); colour never the only signal

DATA SOURCE

Banner	states synthetic explicitly
Agents	real roster
Projects/films	synthetic
KAST	not connected (session endpoint 503)
Memory	synthetic store

INTERACTIONS


- All controls: white 40 %, 1 px on every control: 3.77:1 on canvas, 3.68:1 on glass (NASAQ); measured 3.77:1 / 3.68:1; focus ring #65ACFF
- Tap node (hit area ≥ 44 px even if node is smaller)
- Touch / drag / pinch on the sphere shows on-screen camera indicators (Nojj call); Reset 44 px
- Nav items ≥ 44×44
- Start conversation never auto-starts mic

OPEN QUESTIONS

- LIST / STATUS chips: separate views, or filters on the sphere?
- Dock centre orb: KAST orb (states 01–08) or a Home / reset button? (MADAR O18, NOT CHECKED)

07 · Ambassador horizontal dashboard

PLACEHOLDER. Named by Nojj; no screenshot yet. Content is deliberately not invented. Motion: NOT CHECKED.



● BUILD (CP1) ◆ PROPOSED (MADAR)

◌ NOT CHECKED / TBD RT real time on iPad

cobalt dashed = ghost keyframe

◌ dashed + PENDING = dimmed placeholder

○ Offline flat waveform, no fake level

07 · PRD

#	Component	Screen text (copied from source)	Size (logical px)
1	Frame slot A	AWAITING REFERENCE FROM NOJJ	538×400
2	Frame slot B	AWAITING REFERENCE FROM NOJJ	1190×400
3	Frame slot C	AWAITING REFERENCE FROM NOJJ	1766×454
4	Logo slot (brand lockup)	[Cerebro wordmark pending] · empty slot 176×44, 40 px from top-left	176×44

STATES

All	TBD after reference

DATA SOURCE

All	unknown

INTERACTIONS

- All controls: white 40 %, 1 px on every control: 3.77:1 on canvas, 3.68:1 on glass (NASAQ); measured 3.77:1 / 3.68:1; focus ring #65ACFF
- TBD

OPEN QUESTIONS

- Please send the ambassador dashboard screenshot. Who is the ambassador, and what data does it show?

Motion spec · screens 01

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
01	2	Logo slot · O19	—	static (no logo until approved)	—	static	static	◆ PROPOSED (MADAR)
01	1	Bismillah header · G4	—	—	—	never animates	same	◆ PROPOSED (MADAR)
01	3	Clocks Cairo / UTC · G5	minute change	200 ms digit cross-fade	ease.out	once per change	instant swap	◆ PROPOSED (MADAR)
01	4	Coordinates + locate · G6	value change / tap locate	200 ms cross-fade; press 120 ms scale .96	ease.out	once	instant swap	◆ PROPOSED (MADAR) / NOT CHECKED
01	–	All panels enter · G1	app ready / screen switch	320 ms each, 60 ms stagger	ease.out (.22,1,.36,1)	once	200 ms opacity, together	◆ PROPOSED (MADAR)
01	5	Agent tile press · G7	touch down / up	down 120 ms scale .98; up 200 ms	ease.out	once	highlight opacity only	◆ PROPOSED (MADAR)
01	5	Selected tile rim (KAST) · G8 / A2	selection change	200 ms glow cross-fade, no pulse	ease.out	once	instant	◆ PROPOSED (MADAR)
01	6	3D View wireframe (pending) · A4 / G14 / G15	— / drag	static; follows finger 1:1 under drag, inertia damping 0.92	—	static	static, no inertia	◆ PROPOSED (MADAR)
01	6	3D View buttons (cube / layers / expand) · A5	tap	expand 450 ms unfold; close 350 ms; 'layers' purpose not in source	ease.out / ease.in	once	200 ms fade	◆ PROPOSED (MADAR) / NOT CHECKED
01	7	Project row select · A6	tap row	selected background slides 250 ms; chevron press 120 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
01	8	Inspector content · G12	project change	out 160 ms / in 200 ms + translateY 6→0	ease.in / ease.out	once	200 ms opacity	◆ PROPOSED (MADAR)
01	8	Inspector status dot · A8	—	—	—	static	static	◆ PROPOSED (MADAR)
01	9	Constellation node select · A9	agent select / hover	lift 250 ms; spoke brightens 250 ms; others dim to 25 % over 300 ms; neighbours +50 ms	ease.out	once, no idle drift	brightness 200 ms, no lift	◆ PROPOSED (MADAR)
01	9	Constellation centre orb (KAST) · A10 / V1	idle, no session	6 s breathe, scale 1.00⇔1.03	sine	loop	still + 'Tap to talk' label	◆ PROPOSED (MADAR)
01	10	Now Playing progress + waveform · B5	real playback only	progress tied to playback time; waveform is a pre-rendered static shape	linear (real time)	while playing	same	◆ PROPOSED (MADAR) / NOT CHECKED
01	11	Confirm dialog · G10 / B1	open note requested	scrim 200 ms + card 280 ms in; 200 ms out	in ease.out / out ease.in	once	200 ms opacity	◆ PROPOSED (MADAR)

Motion spec · screens 01 + 03

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
01	11	Open note / Cancel · B2	tap	press 120 ms; Open → card folds 350 ms into note panel	ease.out / ease.in	once	200 ms cross-fade	◆ PROPOSED (MADAR)
01	12	KAST voice bar waveform · V10 RT	real mic / output level only	bar scaleY per frame, smoothing 120 / 300 ms; flat, still line + 'Offline' while KAST is offline; moves only with real mic / voice level (NABR v0_3)	linear map	loop while real level	single brightness strip	◆ PROPOSED (MADAR)
01	12	Mic button · B8	tap only (never auto-starts)	press 120 ms → V2 Connecting	ease.out	once	instant	◆ PROPOSED (MADAR)
01	12	Thinking · V4	end of user turn, only if gap > 250 ms	caustic 6 s / turn	linear rotate	loop	still + 'Thinking' label	● BUILD value / PROPOSED wiring
03	2	Logo slot · O19	—	static (no logo until approved)	—	static	static	◆ PROPOSED (MADAR)
03	1	Bismillah header · G4	—	—	—	never animates	same	◆ PROPOSED (MADAR)
03	3	Clocks Cairo / UTC · G5	minute change	200 ms digit cross-fade	ease.out	once per change	instant swap	◆ PROPOSED (MADAR)
03	4	Coordinates + locate · G6	value change / tap locate	200 ms cross-fade; press 120 ms scale .96	ease.out	once	instant swap	◆ PROPOSED (MADAR) / NOT CHECKED
03	–	All panels enter · G1	app ready / screen switch	320 ms each, 60 ms stagger	ease.out (.22,1,.36,1)	once	200 ms opacity, together	◆ PROPOSED (MADAR)
03	5	Screen enter · S1 / G11	from home (tap media / voice)	player unfolds 450 ms from the tapped source; others G1 stagger	ease.out	once	200 ms cross-fade	◆ PROPOSED (MADAR)
03	5	Film 01 / 02 pills · S2 / G9	tap / voice	pill 250 ms; poster cross-fade 200 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
03	5	Play button · S3	tap / voice 'play'	scale .9 + fade 160 ms; poster → video 200 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
03	5	Player controls bar · S4	idle 3 s / touch	hide 300 ms, show 200 ms	ease.in / ease.out	once per change	instant show / hide	◆ PROPOSED (MADAR)
03	5	Scrub bar · S5	real playback	scaleX tied to time; 'skip 30 s' 200 ms glide	linear / ease.out	while playing	jumps instantly	◆ PROPOSED (MADAR)
03	6	Thumb strip + next · S7	swipe / arrow	native momentum; arrow pages 400 ms; ring 200 ms	ease.out	once	arrow jumps instantly	◆ PROPOSED (MADAR)
03	7	3D Character (pending) · S8 / G14	— / tap expand	static; expand 450 ms / exit 350 ms	ease.out / ease.in	static	static	◆ PROPOSED (MADAR)

Motion spec · screens 03 + 04

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
03	8	USER CONTROL badge · S9	control handover	cross-fade 200 ms + one-shot glow 600 ms fade-out	ease.out	once, never loops	instant swap	◆ PROPOSED (MADAR)
03	8	Inspector rows · S10 · G12	film change	out 160 ms / in 200 ms + translateY 6→0	ease.in / ease.out	once	200 ms opacity	◆ PROPOSED (MADAR)
03	9	KAST card message · S11	new reply	240 ms opacity + translateY 8→0; replaced line fades up 240 ms	ease.out	once per message	instant	◆ PROPOSED (MADAR)
03	9	KAST level · V10 RT	real mic / output level only	bar scaleY per frame, smoothing 120 / 300 ms; flat, still line + 'Offline' while KAST is offline; moves only with real mic / voice level (NABR v0_3)	linear map	loop while real level	single brightness strip	◆ PROPOSED (MADAR)
03	9	Thinking · V4	end of user turn, only if gap > 250 ms	caustic 6 s / turn	linear rotate	loop	still + 'Thinking' label	● BUILD value / PROPOSED wiring
03	9	Ask field + mic + send · S12	focus / tap	focus ring 200 ms; send press 120 ms; mic → V2	ease.out	once	instant	◆ PROPOSED (MADAR)
03	10	Agent dock · S13	tap tile	press 120 ms; selection 200 ms; tile → G11 screen switch	ease.out	once	instant / 200 ms fade	◆ PROPOSED (MADAR)
03	5	Film content · S14	—	—	—	—	—	◌ NOT CHECKED

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
04	2	Logo slot · O19	—	static (no logo until approved)	—	static	static	◆ PROPOSED (MADAR)
04	1	Bismillah header · G4	—	—	—	never animates	same	◆ PROPOSED (MADAR)
04	3	Clocks Cairo / UTC · G5	minute change	200 ms digit cross-fade	ease.out	once per change	instant swap	◆ PROPOSED (MADAR)
04	4	Coordinates + locate · G6	value change / tap locate	200 ms cross-fade; press 120 ms scale .96	ease.out	once	instant swap	◆ PROPOSED (MADAR) / NOT CHECKED
04	–	All panels enter · G1	app ready / screen switch	320 ms each, 60 ms stagger	ease.out (.22,1,.36,1)	once	200 ms opacity, together	◆ PROPOSED (MADAR)
04	6	Slide change · D1	‹ › / swipe / rail tap / voice	out 200 ms + in 300 ms from 100 ms (400 ms total); mirrored for RTL	out ease.in / in ease.out	once	200 ms cross-fade	◆ PROPOSED (MADAR)
04	6	Swipe on slide · D2	drag	follows finger 1:1; snaps 300 ms	ease.out	once	instant page change on release	◆ PROPOSED (MADAR)
04	5	Page dots (8) · D3	slide change	active dot 250 ms	ease.out	once	instant	◆ PROPOSED (MADAR)

Motion spec · screens 04 + 05

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
04	8	Counter 01 / 08 · D4	slide change	digit cross-fade 150 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
04	7	Thumbnail rail · D5	slide change	selected ring 200 ms; rail scroll 300 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
04	8	Fit to width menu · D6	tap	menu in 200 ms / out 150 ms; rescale 300 ms	ease.out / ease.in	once	instant	◆ PROPOSED (MADAR)
04	8	Fullscreen · D7	tap	450 ms unfold / 350 ms fold	ease.out / ease.in	once	200 ms fade	◆ PROPOSED (MADAR)
04	9	Character asset (pending) · D8 / G14	— / drag	static; follows finger under drag (G15)	—	static	static	◆ PROPOSED (MADAR)
04	10	Inspector rows · D9 · G12	slide change	out 160 ms / in 200 ms + translateY 6→0	ease.in / ease.out	once	200 ms opacity	◆ PROPOSED (MADAR)
04	11	KAST 'Idle' dot + label · D10	orb state change	label + dot cross-fade 200 ms; never pulses	ease.out	once	instant	◆ PROPOSED (MADAR)
04	11	KAST level · V10 RT	real mic / output level only	bar scaleY per frame, smoothing 120 / 300 ms; flat, still line + 'Offline' while KAST is offline; moves only with real mic / voice level (NABR v0_3)	linear map	loop while real level	single brightness strip	◆ PROPOSED (MADAR)
04	11	Thinking · V4	end of user turn, only if gap > 250 ms	caustic 6 s / turn	linear rotate	loop	still + 'Thinking' label	● BUILD value / PROPOSED wiring
04	11	Ask / attach / mic · D11	focus / tap	as S12; mic → V2	ease.out	once	instant	◆ PROPOSED (MADAR)

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
05	1	Logo slot · O19	—	static (no logo until approved)	—	static	static	◆ PROPOSED (MADAR)
05	3	Bismillah header · G4	—	—	—	never animates	same	◆ PROPOSED (MADAR)
05	2	Clocks Cairo / UTC · G5	minute change	200 ms digit cross-fade	ease.out	once per change	instant swap	◆ PROPOSED (MADAR)
05	2	Coordinates + locate · G6	value change / tap locate	200 ms cross-fade; press 120 ms scale .96	ease.out	once	instant swap	◆ PROPOSED (MADAR) / NOT CHECKED
05	–	All panels enter · G1	app ready / screen switch	320 ms each, 60 ms stagger	ease.out (.22,1,.36,1)	once	200 ms opacity, together	◆ PROPOSED (MADAR)
05	4	Layout toggle Auto / Portrait / Horizontal · H1	tap / rotation	pill 250 ms; panels FLIP 450 ms, 40 ms stagger	ease.out	once	200 ms cross-fade	◆ PROPOSED (MADAR)

Motion spec · screens 05

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
05	5	Agents sort · H2	tap sort	tiles reorder FLIP 300 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
05	5	Selected tile rim · G8	selection change	200 ms, no pulse	ease.out	once	instant	◆ PROPOSED (MADAR)
05	6	Character asset (pending) · G14	—	—	—	static	static	◆ PROPOSED (MADAR)
05	7	Constellation select · H3 / A9	select / hover	lift 250 ms; dim others 300 ms; no idle drift	ease.out	once	brightness 200 ms	◆ PROPOSED (MADAR)
05	7	Constellation centre orb · V1	idle, no session	6 s breathe, 1.00↔1.03	sine	loop	still + label	◆ PROPOSED (MADAR)
05	8	Tracker cards · H4	enter / tap	enter 60 ms stagger; tap → unfolds 450 ms	ease.out	once	200 ms fade	◆ PROPOSED (MADAR)
05	9	Greeting + suggestion chips · H5	panel open	greeting 240 ms; chips 60 ms stagger, 240 ms each	ease.out	once	together, 200 ms opacity	◆ PROPOSED (MADAR)
05	9	Tapped chip · H6	tap	chip FLIPs into message 300 ms; others fade 200 ms	ease.out / ease.in	once	instant	◆ PROPOSED (MADAR)
05	9	Live captions · H8 / V12	new caption line	new line 120 ms; older fades up 240 ms; max 2 lines	ease.out	once per line	instant replace	◆ PROPOSED (MADAR)
05	9	Caption level glyph · V10 RT	real mic / output level only	bar scaleY per frame, smoothing 120 / 300 ms; flat, still line + 'Offline' while KAST is offline; moves only with real mic / voice level (NABR v0_3)	linear map	loop while real level	single brightness strip	◆ PROPOSED (MADAR)
05	9	Thinking · V4	end of user turn, only if gap > 250 ms	caustic 6 s / turn	linear rotate	loop	still + 'Thinking' label	● BUILD value / PROPOSED wiring
05	9	KAST expand · H10 / V13	tap	450 ms transform (build: 500 ms left/top)	ease.out, no overshoot	once	instant	● BUILD / PROPOSED
05	10	Inspector tabs · H11	tap	pill 250 ms; content out 160 / in 200 ms	ease.out	once	instant / 200 ms	◆ PROPOSED (MADAR)
05	10	Copy icons · H12 / G13	tap	check in 120 ms, hold 1.2 s, out 200 ms	ease.out	once	instant, same hold	◆ PROPOSED (MADAR)
05	11	Media strip · H13	arrow / swipe / tap	page 400 ms; ring 200 ms	ease.out	once	instant	◆ PROPOSED (MADAR)
05	11	Gallery / Slides / Memory · H14	tap	unfold 450 ms from the button	ease.out	once	200 ms fade	◆ PROPOSED (MADAR)

Motion spec · screens 05 + 06

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
05	11	Give me / Take control · H15	tap / agent request	pill 250 ms; one-shot glow 600 ms; static 'Agent control' indicator	ease.out	once	instant swap	◆ PROPOSED (MADAR)

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
06	1	Logo slot · O19	—	static	—	static	static	◆ PROPOSED (MADAR)
06	10	Bismillah · clocks · coords · G4 / G5 / G6	minute / value change	Bismillah never animates; digits 200 ms cross-fade	ease.out	once per change	instant swap	◆ PROPOSED (MADAR)
06	2	SYNTHETIC DATA banner · O10	—	present at first frame	—	static, never auto-hides	static	◆ PROPOSED (MADAR)
06	3	Mode pills · O9	tap	pill 250 ms; LIST / STATUS swap 200 ms + G1 stagger	ease.out	once	200 ms cross-fade	◆ PROPOSED (MADAR)
06	4	Agents rows ↔ nodes · O8	hover / tap row	O4 timings; tap → C1 flight, then C9 panel	ease.out	once	brightness / cross-fade	◆ PROPOSED (MADAR)
06	5	Sphere idle rotation · O1 RT	always	240 s / turn; pause / resume 600 ms ease	linear	loop	off	● BUILD / PROPOSED
06	5	KAST core breathing · O2 RT	always	8 s, scale ±0.3 %	sine	loop	off (build doesn't gate it yet)	● BUILD / PROPOSED
06	5	Particles · O3 RT	always	0.02 rad/s (≈314 s / turn)	linear	loop	off	● BUILD (CP1)
06	5	Node hover / select · O4 RT	hover / pinch / tap	lift 250 ms; others dim to 25 % over 300 ms; neighbours +50 ms	ease.out	once	brightness 200 ms, no lift	● BUILD / PROPOSED
06	5	Selected node ring · O5	select	ring .8→1 + opacity 250 ms, then C1	ease.out	once	instant ring, cross-fade view	◆ PROPOSED (MADAR)
06	5	Go-to / focus / reset · C1 RT	voice, tap node, Open, Reset	1.2 s, reset on shortest arc (build 3.2 s)	ease.out (.22,1,.36,1)	once	200 ms cross-fade	◆ PROPOSED (MADAR)
06	5	Orbit / pan / tilt / dolly · C2 RT	voice camera_move, buttons	0.6 s (build 1.44 s)	ease.out	once	200 ms cross-fade	◆ PROPOSED (MADAR)
06	5	Zoom · C3 RT	voice, pinch	0.6 s (build 1.6 s)	ease.out	once	instant FOV change	◆ PROPOSED (MADAR)
06	5	Cinematic presets · C4 RT	voice preset	3.2 s, presets only	ease.cine (.65,0,.35,1)	once	200 ms cross-fade	● BUILD (kept, scoped)
06	5	Speed modifiers · C5	'slower' / 'faster'	×1.6 / ×0.55	—	—	n/a	● BUILD (CP1)

Motion spec · screens 06

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
06	5	Auto-orbit · C6 RT	voice / Orbit button	40 s / turn (PRD ~20 s, Nojj call); start ramp 600 ms	linear; ramp ease.in	loop until stop	refused ('Motion is reduced')	● BUILD / decision
06	5	Stop · C7 RT	'stop'	600 ms velocity → 0 (build: instant cut)	ease.out, no bounce	once	instant	◆ PROPOSED (MADAR)
06	5	Mid-flight new command · C8 RT	voice during flight	blends from current pose	ease.out	once	cross-fade	◌ NOT CHECKED
06	5	Camera touch point indicator (Nojj call) RT	touch down on the sphere	follows finger 1:1 (G15); appear / fade timing TBD	TBD	while touching	static marker, fade TBD	◌ TBD (not in MADAR spec)
06	5	Camera drag indicator: orbit / tilt arcs (Nojj call) RT	drag	tracks drag 1:1; release inertia damping 0.92 (G15, not checked in code); indicator fade TBD	TBD	while dragging	no inertia; indicator static	◌ TBD (not in MADAR spec)
06	5	Camera pinch indicator: zoom (Nojj call) RT	pinch	tracks pinch 1:1; settle C3 0.6 s; indicator fade TBD	TBD	while pinching	instant FOV; indicator static	◌ TBD (not in MADAR spec)
06	5	Glass while the camera moves (WEB_DESIGNER/Developer) RT	camera motion starts / comes to rest	blur suspended; glass is solid #142632 at ≥ 85 % while moving; blur restores at rest; swap timing TBD	TBD	per camera move	solid glass throughout	◌ feasibility note (WEB_DESIGNER) · timing TBD
06	6	Panel after flight · C9	flight lands	unfold 450 ms after landing; fold 350 ms before flying away	ease.out / ease.in	once	200 ms fade, no scale	◆ PROPOSED (MADAR)
06	6	KAST status + waveform · O11 / V10	connection state	badge cross-fade 200 ms; flat, still line + 'Offline' while KAST is offline; moves only with real mic / voice level (NABR v0_3)	ease.out	once	instant	◆ PROPOSED (MADAR)
06	6	Start conversation · O12	tap only	press 120 ms → V2 Connecting	ease.out	once	static label	◆ PROPOSED (MADAR)
06	6	User / Agent / control · O13	tap	as H15; disabled Take control never animates	ease.out	once	instant	◆ PROPOSED (MADAR)
06	6	Memory + Save context · O14	tap	G13 confirmation; SYNTHETIC STORE badge static	ease.out	once	instant	◆ PROPOSED (MADAR)
06	6	Orb error, state 08 · V8	onError	red rim #FF5666 in 200 ms, stays until Retry	ease.out	once	instant	◆ PROPOSED (MADAR)
06	7	Portfolio mini player · O15	tap	as S2–S6; DEMO badge static	—	—	—	◆ PROPOSED (MADAR)
06	8	Key Projects 'Open' · O16	tap	press 120 ms → C1 flight → C9 unfold	ease.out	once	cross-fade	◆ PROPOSED (MADAR)
06	9	Bottom nav dock · O17	tap tab	pill 250 ms; station switch → C1 flight	ease.out	once	instant / cross-fade	◆ PROPOSED (MADAR)

Motion spec · screens 06 + 07

Values from MADAR MOTION_SPEC v0.1 (section R applied). BUILD = Checkpoint 1 code value · PROPOSED = MADAR, needs Nojj · TBD = not in MADAR's spec. Reduced motion: 200 ms cross-fade or instant, auto-orbit refused.

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
06	9	Dock centre orb · O18	unclear	—	—	—	—	◌ NOT CHECKED

Scr	#	Element · MADAR ID	Trigger	Duration	Easing	Loop	Reduced motion	Status
07	–	All elements	—	NOT CHECKED (no reference)	—	—	—	◌ NOT CHECKED (MADAR Screen 07)

Checks

MEASURED CONTRAST (WCAG 2.2, SRC/CONTRAST.PY)

Glass = #142632 at 88 % over canvas #101D27 = #142531. Outline: NASAQ 3.77:1 canvas / 3.68:1 glass; measured 3.77:1 / 3.68:1.

Pair	Colours	Ratio	Need	Result
Primary text #F2F6F8 on canvas	#F2F6F8 / #101D27	15.74:1	≥ 4.5:1	● pass
Primary text #F2F6F8 on glass	#F2F6F8 / #142531	14.43:1	≥ 4.5:1	● pass
Secondary text #BDCBD3 on canvas	#BDCBD3 / #101D27	10.31:1	≥ 4.5:1	● pass
Secondary text #BDCBD3 on glass	#BDCBD3 / #142531	9.45:1	≥ 4.5:1	● pass
Cobalt #4C8DFF tag text on canvas	#4C8DFF / #101D27	5.35:1	≥ 4.5:1	● pass
Cobalt #4C8DFF tag text on glass	#4C8DFF / #142531	4.9:1	≥ 4.5:1	● pass
Badge / DRAFT text #101D27 on cobalt #4C8DFF	#101D27 / #4C8DFF	5.35:1	≥ 4.5:1	● pass
Control outline white 40 % on canvas	#70777D / #101D27	3.77:1	≥ 3:1	● pass
Control outline white 40 % on glass (88 %)	#727C83 / #142531	3.68:1	≥ 3:1	● pass
Control outline white 40 % on solid glass #142632 (reduced transparency)	#727D84 / #142632	3.68:1	≥ 3:1	● pass
Focus ring #65ACFF on canvas	#65ACFF / #101D27	7.25:1	≥ 3:1	● pass
Focus ring #65ACFF on glass	#65ACFF / #142531	6.65:1	≥ 3:1	● pass
Error rim #FF5666 on canvas (MADAR)	#FF5666 / #101D27	5.52:1	≥ 3:1	● pass
Error rim #FF5666 on glass (MADAR)	#FF5666 / #142531	5.06:1	≥ 3:1	● pass
Wireframe art line #F2F6F8 @62 % on glass	#9EA7AC / #142531	6.41:1	≥ 3:1	● pass
Dimmed pending art (62 % × 0.6) on glass	#67737B / #142531	3.22:1	≥ 3:1	● pass
Control outline white 40 % on glass	#727C83 / #142531	3.68:1	≥ 3:1	● pass

GUIDE CHECKS (UI VS UX · SCIENCE OF COLOR V1.1 · D&AD 2026)

Check	Evidence	Result
Hick	≤ 8 choices per group (agents 8, nav 6, mode chips 5); suggestions capped at 4	● pass
Gestalt	glass panels grouped by proximity + common region; numbered callouts follow reading order	● pass
Fitts	all tap targets ≥ 44 px; primary actions largest and near the thumb zone	● pass, verify in build
Jakob	player, pager, chat input, pinch / drag camera use familiar patterns	● pass
Cognitive load	home shows 10+ panels at once plus a modal: heavy for a landing view	◌ MAJOR – open question for Nojj
WCAG 1.4.3 text 4.5:1	text on canvas and glass: primary 15.74 / 14.43, secondary 10.31 / 9.45, cobalt 5.35 / 4.9, badge 5.35	● pass
WCAG 1.4.11 UI 3:1	outline 3.77:1 canvas / 3.68:1 glass; focus 7.25 / 6.65; error rim 5.52 / 5.06; dimmed art 3.22	● pass
Colour not the only signal	status = shape icon + text; pending = dashed + PENDING; error = icon + label + red rim; offline = flat line + 'Offline'	● pass
60-30-10	rule of thumb only: canvas / glass / cobalt accent	◌ n/a (heuristic)
Reduced transparency	prefers-reduced-transparency → solid #142632; 'Solid glass' toggle in header	● pass (emulated via Chrome DevTools media feature)
Reduced motion	prefers-reduced-motion stops all loops; flights → 200 ms cross-fade; auto-orbit refused; toggle in header	● pass (headless Chrome)
No fake motion	waveforms flat + 'Offline' while KAST is offline; no playback progress; pending assets static; no pulses on tiles	● pass
Arabic	IBM Plex Sans Arabic 15 px, line-height 1.65, dir=rtl, lang=ar, incl. Bismillah cells (text unchanged)	● pass
D&AD 2026 · 6101 User Experiences / 6107 Digital Products	interaction flows, usability, accessibility (6101); UI, navigation, layout (6107) documented per screen	◌ in progress (wireframe stage)
Copy	only screenshot text, MADAR / NABR placeholder labels or [COPY - Katib]	● pass
Brand	Cerebro sub-brand draft; NASAQ tokens proposed, not frozen; empty logo slot, '[Cerebro wordmark pending]'	◌ flag – final wordmark open

Open questions for Nojj

- Final wordmark: the source lockup used a real agency name we don't own, so every frame now shows an empty 176×44 logo slot marked '[Cerebro wordmark pending]'. Please confirm the final Cerebro wordmark.
- Endorsement: 'by NOJARA', or Cerebro standalone? (NASAQ's open call)
- Nav + dock to stations: the screenshots show 6 nav labels and a 6-item media dock, but Cerebro has 5 stations (Projects · People · Files · Media · Tasks). Only Projects and Media match by name; the item-by-item mapping is TBD.
- Freeze the NASAQ tokens? Canvas, text, glass, cobalt, outline, focus ring and Arabic 15 px are NASAQ proposals v0.1, not frozen.
- Easing family: ease-out (.22,1,.36,1) for UI and flights, (.65,0,.35,1) for cinematic presets only? (MADAR)
- Overshoot: PRD asks ~4 % on widget moves; NJR rules say no bounce. MADAR has specced none. (MADAR)
- Auto-orbit: 40 s per turn (code / Brief) or ~20 s (PRD §12A.8)? (MADAR)
- Naming: every source screen says KAST; the build and PRD say Cerebro. Which name? Nothing renamed in v0.2.
- **01 Portrait home:** Keep the 'Open project note?' dialog in the home default state, or only on demand? · Now Playing: a real audio source, or remove until linked?
- **03 Portrait showreel:** Which real films replace the illustrative frames, and who clears rights? · USER CONTROL here: same control model as dashboard 'Give me control'?
- **04 Portrait SEVEN brief:** Is the SEVEN deck a real file to link (Drive), or illustrative only? · Should Fullscreen hide KAST, or keep the assistant bar docked?
- **05 Horizontal dashboard:** Orientation toggle: user-facing, or a dev/review switch only? · Give me control vs Take control: what does each hand over, and to whom?
- **06 Horizontal orbital sphere:** LIST / STATUS chips: separate views, or filters on the sphere? · Dock centre orb: KAST orb (states 01–08) or a Home / reset button? (MADAR O18, NOT CHECKED)
- **07 Ambassador horizontal dashboard:** Please send the ambassador dashboard screenshot. Who is the ambassador, and what data does it show?
- Decided 18 Oct (applied): pending stations DIMMED (dashed + PENDING), never hidden · Arabic in IBM Plex Sans Arabic at 1.125× (15 px) · camera is a full camera system with touch / drag indicators.