02 / Assets, media and backgrounds

A practical Lovart production contract: independent scene layers, verified footage slots, exact deliverable IDs and implementation sidecars.

STATUS REQUESTED OUTPUTS; NOT DELIVERED

Source: njr39/Cerebro-core at 1f78a1295d4dd36a11320995c1e14bf17788ac25. Earlier film-derived Lovart material is a separate reference. The PDFs are production instructions, not an asset approval or tested render.

What actually exists

The pinned source manifest indexes 38 procedural Three.js assets. It is not evidence that approved portfolio videos, Tarek portrait, NOJARA logo source files, final GLBs or finished Lovart renders are present. The earlier Lovart brief says 38 requested outputs, but its actual CSV contains 29 unique requested IDs. This PDF indexes those 29 records without inventing the other nine.

FIELD	SOURCE-BOUND VALUE
Source asset manifest	38 procedural asset records
Earlier Lovart output contract	29 actual IDs in CSV; brief says 38 in error
Production media	Unverified; no usable source paths supplied in this package
Physical 3D	Separate meshes/materials, one shared sphere origin and scale
Transparent outputs	GLB has no background; RGBA PNG/EXR renders carry alpha; glass needs real scene reflections
Pixel mapping	Do not inherit 512×910 film coordinates as 4K placement without a measured transform

Required package structure

- 01_SOURCE / editable BLEND, GLB, shaders, textures, vector and live type.
- 02_RUNTIME / optimized GLB, KTX2 or approved maps, media encoding, responsive atlas and masks.
- 03_INSPECTION / contact sheets, alpha composites, still keyframes, preview clips and pass comparisons.
- Each file: CEREBRO_{ID}_{slug}_{viewOrState}_{resolution}_{version}.{ext}, sibling .asset.json and top-level delivery_manifest.json.

Media apertures and video fitting

- Build a recessed source media surface behind the correct physical rim and aperture mask; the footage is not a flat card over the sphere.
- Deliver round, 16:9, 9:16 and 1:1 holders. Include UV charts, mask SVG or alpha image, surface normal and a bounding box.
- Default to contain until a particular crop is approved. If cover is chosen, record normalized crop rectangle and focal point in the sidecar.
- Never stretch the video, crop a face without approval, bake glass over source frames, or present a synthetic portfolio clip as real.

• Choose poster frames from the verified video, inspect at phone preview size, check subject legibility and preserve a separate always-visible NOJARA mark.

Unresolved media slots

SLOT	ROLE	STATUS	NEEDED
tarek.portrait	Founder identity	BLOCKED	Source path, SHA, rights, ratio, poster
nojara.showreel	Verified moving portfolio footage	BLOCKED	Source path, SHA, rights, ratio, poster
young_human.cairo_tower.video	Young & Human verified project footage	BLOCKED	Source path, SHA, rights, ratio, poster
portfolio.verified.video.1	Verified portfolio moving footage	BLOCKED	Source path, SHA, rights, ratio, poster
portfolio.verified.video.2	Second verified portfolio clip	BLOCKED	Source path, SHA, rights, ratio, poster

Earlier Lovart output ID contract

The following 29 IDs are retained from the prior film-derived production brief for traceability. Gold and bloom terms in that brief conflict with the pinned application design rules; keep such layers as isolated film-reference variants pending approval.

Backgrounds / depth layers / 10

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
BG-001	Full-frame dark navy spatial foundation	shader | 16-bit EXR/PNG fallback	2160x3840
BG-002	Peripheral shaping	RGBA PNG/EXR | scalar shader	2160x3840
BG-003	Far/near volumetric haze	VDB/3D volume or multilayer EXR	2160x3840 preview + world volume
BG-004	Soft elliptical glow and contact cue	EXR RGBA | PNG RGBA	4096x2048
BG-005	Fine elliptical trajectories	editable 3D curves | EXR RGBA	4096x4096
BG-006	Sparse gold and ice light points	GLB point positions | RGBA sprite atlas	2048x2048 atlas
BG-007	Depth environment reached through sphere iris	GLB scene | HDRI/EXR layers	4096 cube faces + 2160x3840 previews
BG-008	Recessed video environment behind aperture	editable 3D scene | separate EXR passes	2160x3840 preview
BG-009	Refracted seam/portal glint	RGBA EXR sequence or procedural shader	2160x3840; 180-frame loop at 30fps
BG-010	Opening world evolved at ending	shader state | EXR/PNG fallback	2160x3840

Sphere / core meshes / 5

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
SC-001	Separate shell/core/rails, one shared origin	BLEND | GLB | EXR/PNG RGBA views	4096x4096 each view
SC-002	Optical cover	BLEND | GLB | EXR specular/refraction/transmission	4096x4096
SC-003	Brushed inner metallic sphere	BLEND | GLB | PBR maps	2048 maps; 4096 beauty
SC-004	Equator and two meridians	BLEND | GLB | EXR emission/reflection	4096x4096
SC-005	Warm/cool attention points	GLB | RGBA atlas | positions JSON	2048 atlas

Media holders / 5

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
MD-001	Circular recessed media holder	BLEND | GLB | mask SVG | UV PNG | EXR passes	2048 UV; 4096 render
MD-002	16:9 holder and fitted footage	BLEND | GLB | masks | UV chart	3840x2160 aperture reference
MD-003	9:16 holder and fitted footage	BLEND | GLB | masks | UV chart	2160x3840 aperture reference
MD-004	1:1 holder and fitted footage	BLEND | GLB | masks | UV chart	2048x2048 aperture reference
MD-005	Portrait optical frame	BLEND | GLB | EXR/PNG RGBA	4096x4096

Brand / 2

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
BR-001	Exact official brand mark	approved vector source SVG/PDF | PNG RGBA	4096w + 1x/2x/3x
BR-002	Film title and product name	approved SVG | outline variant after font verification	4096w + screen variants

Editable interface / 5

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
UI-001	Listening/manual CTA	Figma/HTML CSS | SVG | RGBA preview	390x56 layout; 2x/3x raster
UI-002	Selected target glass panel	Figma/HTML CSS | SVG | RGBA preview	342x118 master
UI-003	Overview/Explore panel	Figma/HTML CSS | SVG | RGBA preview	342x162 master
UI-004	Chapter text treatments	source font | SVG outlines/JSON animation	390 and 1080 layouts
UI-005	Target halo, leader, label	SVG | PNG RGBA | JSON anchors	44px hit at phone scale

Finishing / 1

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
FX-001	Unified media treatment	LUT/CUBE | GLSL shader | source-neutral before/after	33-cube LUT + GLSL

Audio / 1

ID	DESIGN ROLE	REQUESTED FORMAT	TARGET
AU-001	VO, music, FX design and final mix reference	24-bit/48kHz WAV stems | cue JSON | master	180s at final FPS

Pinned procedural source assets

Source assets are listed here to prevent naming collisions and false claims of origin. Lovart final files must cite their input or explicitly state that a new source was authored.

SOURCE ID	CATEGORY	FORMAT	GENERATOR FILE
identity.monogram	Cerebro identity	procedural three.js group	experience/assets-a.js
identity.nucleus	Cerebro identity	procedural three.js group	experience/assets-a.js
identity.wordmark	Cerebro identity	procedural canvas texture	experience/assets-a.js
sphere.shell	Sphere	procedural three.js group	experience/assets-a.js
sphere.network	Sphere	procedural three.js group	experience/assets-a.js
station.core	Stations	procedural three.js group	experience/assets-a.js
station.projects	Stations	procedural three.js group	experience/assets-a.js
station.drive	Stations	procedural three.js group	experience/assets-a.js
station.media	Stations	procedural three.js group	experience/assets-a.js
station.tasks	Stations	procedural three.js group	experience/assets-a.js
station.people	Stations	procedural three.js group	experience/assets-a.js
file.image	Files	procedural three.js group	experience/assets-a.js
file.video	Files	procedural three.js group	experience/assets-a.js
file.pdf	Files	procedural three.js group	experience/assets-a.js
file.document	Files	procedural three.js group	experience/assets-a.js
file.audio	Files	procedural three.js group	experience/assets-a.js
project.cover	Projects	procedural three.js group	experience/assets-a.js
project.cluster	Projects	procedural three.js group	experience/assets-a.js
project.collapsed	Projects	procedural three.js group	experience/assets-a.js
folder.hub	Folders	procedural three.js group	experience/assets-a.js
folder.expanded	Folders	procedural three.js group	experience/assets-a.js
folder.plusn	Folders	procedural three.js group	experience/assets-a.js
dashboard.panel	Dashboard	procedural three.js group	experience/assets-a.js
nav.routes	Navigation	procedural three.js group	experience/assets-a.js
nav.bead	Navigation	procedural three.js group	experience/assets-a.js
nav.tether	Navigation	procedural three.js group	experience/assets-a.js
nav.event	Navigation	procedural three.js group	experience/assets-a.js
assistant.orb	Assistant	procedural three.js group	experience/assets-b.js
assistant.widget	Assistant	procedural three.js group	experience/assets-b.js
hand.skeleton	Hand	procedural three.js group	experience/assets-b.js
hand.reticle	Hand	procedural three.js group	experience/assets-b.js
avatar.person	Avatars	procedural three.js group	experience/assets-b.js
avatar.crew.1	Avatars	procedural three.js group	experience/assets-b.js
avatar.crew.2	Avatars	procedural three.js group	experience/assets-b.js

SOURCE ID	CATEGORY	FORMAT	GENERATOR FILE
avatar.crew.3	Avatars	procedural three.js group	experience/assets-b.js
avatar.crew.4	Avatars	procedural three.js group	experience/assets-b.js
avatar.crew.5	Avatars	procedural three.js group	experience/assets-b.js
avatar.crew.6	Avatars	procedural three.js group	experience/assets-b.js

Per-file metadata sidecar

- ID, role, authoritative source path and SHA-256, generated derivative path, software/version, creation status and review status.
- Pixel dimensions, aspect, alpha mode, bit depth, ICC or color space, safe bounds, optical bounds, mask/UV, and texture channel semantics.
- For GLB: named mesh/material nodes, root transform, world scale, pivot, triangle count, AABB, UV sets, normal orientation and transmission requirements.
- For footage: native width/height/fps, trim in/out, fit mode, crop/focal point, poster time, license, model/people approvals and implementer usage.
- For each preview: exact target frame, camera pose, text and logo safe zones, render pass IDs, source media visible region and verification evidence.