## e-Saklama

### **Execution Environment**

Host name DELL - DESKTOP-QBVMTUG

OS Windows 10 64bit

Katalon version 8.0.5.208

Browser Chrome 95.0.4638.69

Summary

ID

Description

Total 1
Passed 0
Error 0

Start 2021-11-12 11:18:30

Elapsed 50,233s

Failed 1 Incomplete 0

End 2021-11-12 11:19:20

| # | ID   | Description | Status |
|---|--|-------------|--------|
| 1 | Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Sil |             | FAILED |

### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Sil

Description

Tag

Start 2021-11-12 11:18:30 End 2021-11-12 11:19:20

Elapsed 49,826s Status FAILED

#### **Details**

| # | Description                                   | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestSuite | 6.314s  | PASSED |

 $Invoke \ 'com.kms. katalon. core. annotation. Before Test Case' \ method: \\ 'Listener. sample Before Test Suite (...)' \ completed.$ 

| Description   | Elapsed | Status |
|---|---------|--------|
| runFeatureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Sil.feature")  | 42,052s | FAILED |
| Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.  |         |        |
| StepFailedException: Feature file 'Include/features/e-Saklama/e-Defter/e-Defter   |         |        |
| Saklama/Sil.feature' was failed   |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.  |         |        |
| groovy:50)  |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.  |         |        |
| groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.  |         |        |
| groovy:23)  |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call  |         |        |
| (Unknown Source)  |         |        |
| at com.kms.katalon.core.cucumber.keyword.   |         |        |
| $\label{lem:cucumberBuiltinKeywords} \textbf{CucumberBuiltinKeywords}. \\$  |         |        |
| groovy:112)   |         |        |
| at com.kms.katalon.core.cucumber.keyword.   |         |        |
| CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.   |         |        |
| groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword   |         |        |
| (KeywordMain.groovy:68)   |         |        |
| at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call   |         |        |
| (Unknown Source)  |         |        |
| at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.   |         |        |
| runFeatureFile(CucumberBuiltinKeywords.groovy:73)   |         |        |
| at com.kms.katalon.core.cucumber.keyword.   |         |        |
| CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. |         |        |
| runFeatureFile(CucumberBuiltinKeywords.groovy:246)  |         |        |
| at com.kms.katalon.core.cucumber.keyword.   |         |        |
| CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)  |         |        |
| at Sil.run(Sil:19)  |         |        |
| at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)  |         |        |
| at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.  |         |        |
| java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.   |         |        |
| java:369)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.   |         |        |
| java:360)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase   |         |        |
| (TestCaseExecutor.java:339)   |         |        |
| at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase   |         |        |
| (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.                                     |         |        |
| java:248)   |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase  |         |        |
| (TestSuiteExecutor.java:191)  |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase   |         |        |
| (TestSuiteExecutor.java:140)  |         |        |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:  |         |        |
| 89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:   |         |        |
| 181)  |         |        |
| at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown   |         |        |
| Source)   |         |        |
| at TempTestSuite1636704596590.run(TempTestSuite1636704596590.groovy:39)   |         |        |

# Sil

| # Descr   | ption                                | Elapsed | Status |
|-----------|--------------------------------------|---------|--------|
|           |                                      |         |        |
|           |                                      |         |        |
| 3 Start I | stener action : sampleAfterTestSuite | 0,725s  | PASSED |

 $Invoke \ 'com.kms. katalon. core. annotation. After Test Case' \ method: \\ 'Listener. sample After Test Suite (...)' \ completed.$