Ayarlar

Execution Environment

Host name	DELL - DESKTOP-QBVMTUG
OS	Windows 10 64bit
Katalon version	8.0.5.208
Browser	Chrome 95.0.4638.69

Summary

ID
Description

Total	5		
Passed	0	Failed	5
Error	0	Incomplete	0
Start	2021-11-11 09:52:43	End	2021-11-11 09:53:06
Elapsed	22,847s		

#	ID	Description	Status
1	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Tasarla e-Fatura		FAILED
2	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Tasarla e-Arsiv		FAILED
3	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Tasarla e-Irsaliye		FAILED
4	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Sil		FAILED
5	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Yukle e-Fatura		FAILED

Tasarla e-Fatura

Information

ID	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Tasarla e-Fatura		
Description			
Tag			
Start	2021-11-11 09:52:43	End	2021-11-11 09:52:52
Elapsed	8,112s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	4,034s	PASSED

Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed.

Tasarla e-Fatura

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Tasarla e-Fatura.feature")	2,761s	FAILED

Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Tasarla e-Fatura.feature' was failed
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:23)
        at com.kms.katalon.core.keyword.internal.KeywordMain$stepFailed$0.call (Unknown Source)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:112)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call (Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:73)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:246)
        at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Tasarla e-Fatura.run(Tasarla e-Fatura:19)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1636613555426.run(TempTestSuite1636613555426.groovy:39)
)

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,698s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.

Tasarla e-Arsiv

Information

ID	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Tasarla e-Arsiv		
Description			
Tag			
Start	2021-11-11 09:52:52	**End**	2021-11-11 09:52:55
Elapsed	3,477s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,706s	PASSED

Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed.

Tasarla e-Arsiv

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Tasarla e-Arsiv.feature")	0,668s	FAILED

Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.
StepFailedException: Feature file 'Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim
Araclari/Tasarla e-Arsiv.feature' was failed
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:50)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:23)
        at com.kms.katalon.core.keyword.internal.KeywordMain$stepFailed$0.call
(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.
groovy:112)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.
groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call
(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:73)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:246)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Tasarla e-Arsiv.run(Tasarla e-Arsiv:19)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:360)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:339)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:331)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:248)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:191)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:140)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
89)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
181)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1636613555426.run(TempTestSuite1636613555426.groovy:39)
)

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,621s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.

Tasarla e-Irsaliye

Information

ID	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Tasarla e-Irsaliye
Description	
Tag	

Start	2021-11-11 09:52:55	End	2021-11-11 09:52:59
Elapsed	3,479s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,703s	PASSED

Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed.

Tasarla e-Irsaliye

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Tasarla e-Irsaliye.feature")	0,618s	FAILED

Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.
StepFailedException: Feature file 'Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim
Araclari/Tasarla e-Irsaliye.feature' was failed
     at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:50)
     at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy)
     at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:23)
     at com.kms.katalon.core.keyword.internal.KeywordMain$stepFailed$0.call
(Unknown Source)
     at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.
groovy:112)
     at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.
groovy)
     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
     at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call
(Unknown Source)
     at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:73)
     at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
     at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:246)
     at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
     at Tasarla e-Irsaliye.run(Tasarla e-Irsaliye:19)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:369)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:360)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:339)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:331)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:248)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:191)
     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:140)
     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
89)
     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
181)
     at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
     at TempTestSuite1636613555426.run(TempTestSuite1636613555426.groovy:39)
)

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,604s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.

Sil

Information

ID   Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Sil

Description

Tag

Start   2021-11-11 09:52:59   **End**   2021-11-11 09:53:02

Elapsed   3,596s

Status   FAILED

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,735s	PASSED

Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed.

Sil

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Sil.feature")	0,695s	FAILED

Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.
StepFailedException: Feature file 'Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim
Araclari/Sil.feature' was failed
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:50)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:23)
        at com.kms.katalon.core.keyword.internal.KeywordMain$stepFailed$0.call
(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.
groovy:112)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.
groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call
(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:73)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.
runFeatureFile(CucumberBuiltinKeywords.groovy:246)
        at com.kms.katalon.core.cucumber.keyword.
CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Sil.run(Sil:19)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:360)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:339)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:331)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:248)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:191)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:140)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
89)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
181)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1636613555426.run(TempTestSuite1636613555426.groovy:39)
)

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,667s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.

Yukle e-Fatura

Information

ID	Test Cases/Case Repository/Ayarlar/Gorsel Tasarim/Tasarim Araclari/Yukle e-Fatura		
Description			
Tag			
Start	2021-11-11 09:53:02	End	2021-11-11 09:53:06
Elapsed	3,460s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,637s	PASSED

Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed.

Yukle e-Fatura

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Yukle e-Fatura. feature")	0,725s	FAILED

Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Ayarlar/Gorsel Tasarimlar/Tasarim Araclari/Yukle e-Fatura.feature' was failed
       at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50)
       at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy)
       at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:23)
       at com.kms.katalon.core.keyword.internal.KeywordMain$stepFailed$0.call (Unknown Source)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:112)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy)
       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
       at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call (Unknown Source)
       at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:73)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown Source)
       at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:246)
       at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
       at Yukle e-Fatura.run(Yukle e-Fatura:19)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1636613555426.run(TempTestSuite1636613555426.groovy:39)
)

Yukle e-Fatura

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,631s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.