# Regresyon-eFatura-eIrsaliye

### **Execution Environment**

Host name DELL - DESKTOP-QBVMTUG

OS Windows 10 64bit

Katalon version 8.0.5.208

Browser Chrome 95.0.4638.69

### Summary

ID

Description

Total20Passed0Failed20Error0Incomplete0

Start 2021-11-11 09:51:49 End 2021-11-11 09:53:01

Elapsed 1m - 12,493s

#	ID	Description	Status
1	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli		FAILED
2	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Istisna		FAILED
3	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah		FAILED
4	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Satis		FAILED
5	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Tevkifat		FAILED
6	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-lade		FAILED
7	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli		FAILED
8	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna		FAILED
9	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah		FAILED
10	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Satis		FAILED
11	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk		FAILED
12	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Tevkifat		FAILED
13	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Tica Fatura-Ihrac Kayitli	ri	FAILED
14	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Tica Fatura-Istisna	ri	FAILED
15	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Tica Fatura-Ozel Matrah	ri	FAILED
16	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Tica Fatura-Satis	ri	FAILED

# Regresyon-eFatura-eIrsaliye

#	ID	Description	Status
17	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat		FAILED
18	Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna		FAILED
19	Test Cases/Case Repository/Regresyon/e-Irsaliye/Hal Tipi Irsaliye		FAILED
20	Test Cases/Case Repository/Regresyon/e-Irsaliye/Temel Irsaliye		FAILED

## VKN-Kamu-Ihrac Kayitli

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli

Description

Tag

Start 2021-11-11 09:51:49 End 2021-11-11 09:51:54

Elapsed 5,175s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	2.990s	PASSED

# VKN-Kamu-Ihrac Kayitli

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli.feature")	1,286s	FAILE
Keywor	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	ledException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Ihrac		
	eature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2	23)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:	112)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	rdMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Kamu-Ihrac Kayitli.run(VKN-Kamu-Ihrac Kayitli:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
:000	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
(TootCo	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(Tesica	seExecutor.java:339)		
(TootCo	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(Testoa	seExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248	· ·		
java.240	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(ToetSu	iteExecutor.java:191)		
(Testou	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
(Testou	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	at committee actual in the control of the control o		
03)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	at comming. Ratalon.core.main. restoaselviani.start restouite (restoaselviani.java.		
101)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
- Cource)	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
`	at 15mp 100to alto 10000 1000 1000 altin (16mp 160to alto 10000 1000 1000 agroupy .59)		

# VKN-Kamu-Ihrac Kayitli

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,623s	PASSED

### VKN-Kamu-Istisna

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Istisna

Description

Tag

Start 2021-11-11 09:51:54 End 2021-11-11 09:51:57

Elapsed 3,278s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.573s	PASSED

## VKN-Kamu-Istisna

Descripti	on	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Istisna.feature")	0,662s	FAILE
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
StepFaile	dException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Istisna.		
feature' w	vas failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:23			
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknow			
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1			
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
(1.6	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	Main.groovy:68)		
/Links according	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknow	n Source)		
rupEcatu	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
Tunreatu	reFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword.		
Cucumbo	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Cucumbe	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runEoatu	reFile(CucumberBuiltinKeywords.groovy:246)		
Turii Catu	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Ododinoc	at VKN-Kamu-Istisna.run(VKN-Kamu-Istisna:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
, ,	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)			
,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	eExecutor.java:191)		
( <del>-</del>	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:140)		
00)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
404)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	et sem bree betelen sem mein T. (O. M.) (b. (T. (O.)) (b.)		
0	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at TamaTaatQuita4000040E04000/TamaTaatQuit4000040E04000		
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

## VKN-Kamu-Istisna

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,625s	PASSED

### VKN-Kamu-Ozel Matrah

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah

Description

Tag

Start 2021-11-11 09:51:57 End 2021-11-11 09:52:01

Elapsed 3,288s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1 574s	PASSED

## VKN-Kamu-Ozel Matrah

	on	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah.feature")	0,637s	FAILE
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	dException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Ozel		
	eature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:23	3)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknow	n Source)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:11	12)		
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	Main.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknow	n Source)		
_	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Kamu-Ozel Matrah.run(VKN-Kamu-Ozel Matrah:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
iovo:110)			
java:119)			
java:369)	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java.309)	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
java.000)	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:339)		
(1001040	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:331)		
(1001000	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)	· · · · · · · · · · · · · · · · · · ·		
,	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	eExecutor.java:191)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
oource)	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

## VKN-Kamu-Ozel Matrah

#	Description	Elapsed	Status
•		0.040	D
3	Start listener action : sampleAfterTestSuite	0,610s	PASSED

### VKN-Kamu-Satis

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Satis

Description

Tag

Start 2021-11-11 09:52:01 End 2021-11-11 09:52:04

Elapsed 3,287s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,602s	PASSED

## VKN-Kamu-Satis

Descrip	tion	Elapsed	Statu
runFeat	ureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Satis.feature")	0,680s	FAILE
Keywor	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	ledException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Satis.		
	was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
9.001).	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)	at communication.coro.noyword.intomain.coyword.wain.copr allou(toyword.wain.		
giodvy)	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
groovy	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Linknov	wn Source)		
(OTINITO)	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
groovy.	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
giodvy)	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	rdMain.groovy:68)		
(I to) Wo	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknov	wn Source)		
(Ormano)	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Gudanii	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
• • • • • • • • • • • • • • • • • • • •	at VKN-Kamu-Satis.run(VKN-Kamu-Satis:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
•	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
•	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360	· · · · · · · · · · · · · · · · · · ·		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248	3)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	iteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
)			

## VKN-Kamu-Satis

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,629s	PASSED

### VKN-Kamu-Tevkifat

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Tevkifat

Description

Tag

Start 2021-11-11 09:52:04 End 2021-11-11 09:52:07

Elapsed 3,304s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.692s	PASSED

## VKN-Kamu-Tevkifat

Descrip	otion	Elapsed	Status
runFea	tureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Tevkifat.feature")	0,516s	FAILE
Keywoi	rd runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	iledException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Tevkifat.		
	was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
groovy.	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
are e			
groovy			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unkno	wn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucum	berBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
	at com.kms.katalon.core.cucumber.keyword.		
Cucum	berBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	ordMain.groovy:68)		
, ,	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unkno	wn Source)		
(0111111	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFea	tureFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucum	berBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Oucum	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
rupEoo	tureFile(CucumberBuiltinKeywords.groovy:246)		
Turii ca	at com.kms.katalon.core.cucumber.keyword.		
Cusum	berBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Cucum	at VKN-Kamu-Tevkifat.run(VKN-Kamu-Tevkifat:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:36			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:36			
<b>.</b>	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	aseExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	aseExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:24			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSı	uiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSi	uiteExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
1			

## VKN-Kamu-Tevkifat

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,649s	PASSED

### VKN-Temel Fatura-lade

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-lade

Description

Tag

Start 2021-11-11 09:52:07 End 2021-11-11 09:52:11

Elapsed 3,294s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.588s	PASSED

## VKN-Temel Fatura-lade

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-lade.feature")	0,585s	FAILE
Keyword	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
StepFai	ledException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
lade.fea	ture' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:	50)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
-	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2			
,	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknov	vn Source)		
(-	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
g.cory.	at com.kms.katalon.core.cucumber.keyword.		
Cucumh	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)	orbananto y words of _ runn outdrot no_orobano riaso din(outdanisorbananto y words.		
giodry	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywoi	rdMain.groovy:68)		
(IXC) WOI	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Linknov	vn Source)		
(OTINITO)	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runEest	ureFile(CucumberBuiltinKeywords.groovy:73)		
Turii Cat	at com.kms.katalon.core.cucumber.keyword.		
Cugumb	perBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Cucumi	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
run Foot			
Tunreat	ureFile(CucumberBuiltinKeywords.groovy:246)		
Curannah	at com.kms.katalon.core.cucumber.keyword.		
Cucumi	perBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Temel Fatura-lade.run(VKN-Temel Fatura-lade:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
in			
java:119			
:000	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
:	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
(T+0-	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339)		
(T 10	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248			
<b>-</b>	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	iteExecutor.java:191)		
<b>/</b>	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
)			

## VKN-Temel Fatura-lade

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,641s	PASSED

## VKN-Temel Fatura-Ihrac Kayitli

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli

Description

Tag

Start 2021-11-11 09:52:11 End 2021-11-11 09:52:14

Elapsed 3,433s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1 726s	PASSED

# VKN-Temel Fatura-Ihrac Kayitli

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli. feature")	0,623s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.  StepFailedException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
	Ihrac Kayitli.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.  CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:112)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
	groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
	(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
	runFeatureFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Temel Fatura-Ihrac Kayitli.run(VKN-Temel Fatura-Ihrac Kayitli:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

# VKN-Temel Fatura-Ihrac Kayitli

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,697s	PASSED

### VKN-Temel Fatura-Istisna

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna

Description

Tag

Start 2021-11-11 09:52:14 End 2021-11-11 09:52:18

Elapsed 3,834s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.760s	PASSED

## VKN-Temel Fatura-Istisna

Descript	ion	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna.feature")	0,986s	FAILEI
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
Istisna.fe	ature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:5			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2			
3 7	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknow	n Source)		
(OTHERIOW	at com.kms.katalon.core.cucumber.keyword.		
Cucumba	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1			
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	dMain.groovy:68)		
( - )	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Linknow	n Source)		
(OTINITOW	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
mun Footu			
runFeatu	reFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Temel Fatura-Istisna.run(VKN-Temel Fatura-Istisna:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
java. 119			
:000	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	seExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)	·		
,	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	reExecutor.java:191)		
( i cotouit	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TootQuit			
(Testouli	reExecutor.java:140)		
0.0)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
	2		

## VKN-Temel Fatura-Istisna

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,670s	PASSED

### VKN-Temel Fatura-Ozel Matrah

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah

Description

Tag

Start 2021-11-11 09:52:18 End 2021-11-11 09:52:21

Elapsed 3,515s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.788s	PASSED

## VKN-Temel Fatura-Ozel Matrah

#	Description	Elapsed	Status
2	runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah. feature")	0,576s	FAILED
	Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
	Ozel Matrah.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
	(Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
	groovy:112) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.  CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:246) at com.kms.katalon.core.cucumber.keyword.		
	CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at VKN-Temel Fatura-Ozel Matrah.run(VKN-Temel Fatura-Ozel Matrah:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:248)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

## VKN-Temel Fatura-Ozel Matrah

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,629s	PASSED

### VKN-Temel Fatura-Satis

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Satis

Description

Tag

Start 2021-11-11 09:52:21 End 2021-11-11 09:52:25

Elapsed 3,679s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.727s	PASSED

## VKN-Temel Fatura-Satis

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Satis.feature")	0,740s	FAILE
Kevword	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
	ature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:5			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2	23)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1			
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywor	dMain.groovy:68)		
41.1	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeati	ureFile(CucumberBuiltinKeywords.groovy:73)		
Cusumb	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
rupEcati	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.ureFile(CucumberBuiltinKeywords.groovy:246)		
Tunreau	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Cucumb	at VKN-Temel Fatura-Satis.run(VKN-Temel Fatura-Satis:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
jarani	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	teExecutor.java:191)		
/T :0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
00)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	of core lives hetelon core main To-(OMain startT (O-1) /T (OMain )		
404)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	et com kma katalan cara main TactCoooMainfata #TactCuitaff0 call/Usi wassa		
Course	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at TompTootQuito1626612501996 rup/TompTootQuito1626612501996 areas = = 000		
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

## VKN-Temel Fatura-Satis

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,704s	PASSED

## VKN-Temel Fatura-Sgk

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk

Description

Tag

Start 2021-11-11 09:52:25 End 2021-11-11 09:52:29

Elapsed 3,634s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1 704s	PASSED

# VKN-Temel Fatura-Sgk

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk.feature")	0,689s	FAILE
Kevword	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
	ure' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2	23)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywoi	dMain.groovy:68)		
41.1	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:73)		
Cucumh	at com.kms.katalon.core.cucumber.keyword.		
Cucumi	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runEoot	ureFile(CucumberBuiltinKeywords.groovy:246)		
TuriFeat	at com.kms.katalon.core.cucumber.keyword.		
Cucumh	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Cucumi	at VKN-Temel Fatura-Sgk.run(VKN-Temel Fatura-Sgk:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
J	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
•	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	teExecutor.java:191)		
/T : 0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
00)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	of core lives hetelon core main To-(OMain startT (O-1) /T (OMain )		
404)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	et com kma katalan cara main TactCoooMainfata #TactCuitaff0 call/Usi wassa		
Course	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at TompTootQuito1626612501996 rup/TompTootQuito1626612501996 areas = = 000		
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

# VKN-Temel Fatura-Sgk

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,680s	PASSED

### VKN-Temel Fatura-Tevkifat

### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Tevkifat

Description

Tag

Start 2021-11-11 09:52:29 End 2021-11-11 09:52:32

Elapsed 3,411s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,724s	PASSED

### VKN-Temel Fatura-Tevkifat

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Tevkifat.feature")	0,637s	FAILEI
Keywor	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
StepFai	ledException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-		
Tevkifat	.feature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
groovy)	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2			
0 ,	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
Cucumh	at com.kms.katalon.core.cucumber.keyword. perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)	perbuiltinteywords\$_runi eaturer ne_closure r.doCaii(CdCdriberbuiltinteywords.		
g. 55.77	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	rdMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknov	wn Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
Tunreat	ureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
0 0 0 0 1 1 1	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Temel Fatura-Tevkifat.run(VKN-Temel Fatura-Tevkifat:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
javairi	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
(T 10	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
(100100	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	iteExecutor.java:191)		
/T :0	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
80)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	at somming. Ratalon.coro.main. rostoasowiain.start restoate (restoasewiain.java.		
/	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
)			

### VKN-Temel Fatura-Tevkifat

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,605s	PASSED

### VKN-Ticari Fatura-Ihrac Kayitli

#### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Ihrac Kayitli

Description

Tag

Start 2021-11-11 09:52:32 End 2021-11-11 09:52:36

Elapsed 3,356s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1 636s	PASSED

# VKN-Ticari Fatura-Ihrac Kayitli

Descrip	otion	Elapsed	Status
runFea feature	tureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Ihrac Kayitli.	0,611s	FAILED
reature	,		
•	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	iledException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-		
Ihrac K	ayitli.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
groovy.	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
(Linkno	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call wn Source)		
(OTINITO)	at com.kms.katalon.core.cucumber.keyword.		
Cucum	berBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
	at com.kms.katalon.core.cucumber.keyword.		
	berBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Kevwo	ordMain.groovy:68)		
( )	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unkno	wn Source)		
_	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
run⊦ea	tureFile(CucumberBuiltinKeywords.groovy:73)		
Cucum	at com.kms.katalon.core.cucumber.keyword. berBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Ododiii	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFea	tureFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucum	berBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Ticari Fatura-Ihrac Kayitli.run(VKN-Ticari Fatura-Ihrac Kayitli:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:36			
iovovae	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:36	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	aseExecutor.java:339)		
(	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	aseExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:24	8) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSi	uiteExecutor.java:191)		
(100101	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSt	uiteExecutor.java:140)		
	$at\ com. kms. katalon. core. main. Test Suite Executor. execute (Test Suite Executor. java: the context of th$		
89)	at a see level betalan asses weight TaylOasseM in the TaylOasseM i		
181)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
101)	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
)			

# VKN-Ticari Fatura-Ihrac Kayitli

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,604s	PASSED

### VKN-Ticari Fatura-Istisna

#### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Istisna

Description

Tag

Start 2021-11-11 09:52:36 End 2021-11-11 09:52:39

Elapsed 3,190s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1 593s	PASSED

### VKN-Ticari Fatura-Istisna

	on	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Istisna.feature")	0,593s	FAILEI
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	dException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-		
istisna.iea	ature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:23			
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknowr	n Source)		
•	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	rBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:11			
groovy. i i	at com.kms.katalon.core.cucumber.keyword.		
Cucumbo	rBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
	ibulitiinteywordsp_fuffreaturerile_closurer.doCali(Cucumberbulitiinteywords.		
groovy)	at any live listeles and leave and internal Kannand Main work and		
(1.6	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	Main.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknowr			
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatui	reFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	rBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatui	reFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	rBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Ticari Fatura-Istisna.run(VKN-Ticari Fatura-Istisna:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)	at contains. Rataion. core. main. conptengine. ranconptrortaw rext(conptengine.		
java. 119)	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
:	at com.kms.katalon.core.main.restcaseExecutor.runscript(restcaseExecutor.		
java:369)	at any long lately and make Taylor of Francisco de Francisco de Constant		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCase	eExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCase	eExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuite	eExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuite	eExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
/	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	and the state of t		
,	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	at our manufacture of our manufacture of our output of output of our out		
Source)	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
	$\epsilon_0$ removes a contraction of the contraction of the contraction $\epsilon_0$ and $\epsilon_0$ and $\epsilon_0$ and $\epsilon_0$		

### VKN-Ticari Fatura-Istisna

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,591s	PASSED

### VKN-Ticari Fatura-Ozel Matrah

#### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Ozel Matrah

Description

Tag

Start 2021-11-11 09:52:39 End 2021-11-11 09:52:42

Elapsed 3,322s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.636s	PASSED

### VKN-Ticari Fatura-Ozel Matrah

Description	Elapsed	Status
runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Ozel Matrah. feature")	0,609s	FAILED
Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-		
Ozel Matrah.feature' was failed		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:23)		
at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call (Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:112)		
at com.kms.katalon.core.cucumber.keyword.		
$\label{lem:cucumberBuiltinKeywords} Cucumber Builtin Keywords.$		
groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:73)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:246)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
at VKN-Ticari Fatura-Ozel Matrah.run(VKN-Ticari Fatura-Ozel Matrah:19)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:339)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:331)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:191)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:140)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

### VKN-Ticari Fatura-Ozel Matrah

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,713s	PASSED

### VKN-Ticari Fatura-Satis

#### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Satis

Description

Tag

Start 2021-11-11 09:52:42 End 2021-11-11 09:52:46

Elapsed 4,096s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	2.022s	PASSED

### VKN-Ticari Fatura-Satis

	on	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Satis.feature")	0,850s	FAILE
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura- ture' was failed		
	$at\ com. kms. katalon. core. keyword. internal. Keyword Main. step Failed (Keyword Main.$		
groovy:50	0) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
groovy:20	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(UNKNOW	n Source) at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1	12) at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
(Koyawara	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword lMain.groovy:68)		
(Keyword	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknow	n Source)		
_	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:73)		
Cucumba	at com.kms.katalon.core.cucumber.keyword. erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Cucumbe	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:246)		
rum outu	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Ticari Fatura-Satis.run(VKN-Ticari Fatura-Satis:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
java. 110)	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:339)		
`	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:331)		
. 0.40)	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)			
(TootQuit	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	eExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:140)		
(163touit	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	a. sz.m.m.satalomosi omiami i ostodno znoodto nonoduto ( i ostodno znoodto njava.		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
,	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

### VKN-Ticari Fatura-Satis

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,641s	PASSED

### VKN-Ticari Fatura-Tevkifat

#### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat

Description

Tag

Start 2021-11-11 09:52:46 End 2021-11-11 09:52:50

Elapsed 3,821s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1,835s	PASSED

### VKN-Ticari Fatura-Tevkifat

Descripti	on	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat.feature")	0,737s	FAILE
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-		
revkirat.i	eature' was failed		
_	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:23	3)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknow	n Source)		
<b>(</b> -	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1			
groovy. i			
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	lMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknow	n Source)		
•	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:73)		
rain oata	at com.kms.katalon.core.cucumber.keyword.		
Cucumbo	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Cucumbe			
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Ticari Fatura-Tevkifat.run(VKN-Ticari Fatura-Tevkifat:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
,	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)			
<b>J</b> ,	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
java.500)	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(T+C	· · · · · · · · · · · · · · · · · · ·		
(TestCas	eExecutor.java:339)		
(T : 0	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	eExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:140)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
50)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
191\	at committee that the state of		
181)	et com kma katalan gara main TaatCaaaMain@atantTaatCuita@a aall/Ulatusaan		
0	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)	. T O. V		
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
)			

### VKN-Ticari Fatura-Tevkifat

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,667s	PASSED

### VKN-Yolcu Beraber-Istisna

#### Information

ID Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna

Description

Tag

Start 2021-11-11 09:52:50 End 2021-11-11 09:52:54

Elapsed 3,834s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.836s	PASSED

### VKN-Yolcu Beraber-Istisna

Descript	ion	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna.feature")	0,806s	FAILE
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Yolcu Beraber-		
	ature' was failed		
15115114.16			
_	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:5			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2	3)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknow	n Source)		
( - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1			
groovy. i			
	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	dMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknow	n Source)		
•	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:73)		
rain oata	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Cucumbe			
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at VKN-Yolcu Beraber-Istisna.run(VKN-Yolcu Beraber-Istisna:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
,	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)			
javaloooj	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
java.500	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(T+0	· · · · · · · · · · · · · · · · · · ·		
(TestCas	seExecutor.java:339)		
<b>(</b>	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	reExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:140)		
(	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	at beam		
00)	at com kms katalon core main TestCaseMain startTestSuite/TestCaseMain issue		
104\	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	at compleme lectelon core main To-tO-s-At-is-O-t-stT (O. 11 00 II/II.)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
1			

### VKN-Yolcu Beraber-Istisna

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,626s	PASSED

### Hal Tipi Irsaliye

#### Information

ID Test Cases/Case Repository/Regresyon/e-Irsaliye/Hal Tipi Irsaliye

Description

Tag

Start 2021-11-11 09:52:54 End 2021-11-11 09:52:58

Elapsed 3,637s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1 678s	PASSED

# Hal Tipi Irsaliye

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/Regresyon/e-Irsaliye/Hal Tipi Irsaliye.feature")	0,779s	FAILEI
Keyword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Irsaliye/Hal Tipi Irsaliye.		
•	was failed		
reature			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:5			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:2			
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknov	vn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1	12)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywor	dMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknov	vn Source)		
<b>(</b> -	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeati	ureFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Ododinis	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeati	ureFile(CucumberBuiltinKeywords.groovy:246)		
Turii Catt	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Cucumb	at Hal Tipi Irsaliye.run(Hal Tipi Irsaliye:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
iovo:110			
java:119	•		
:	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
<b>-</b>	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSui	teExecutor.java:191)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSui	teExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
,	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		
<b>\</b>			

# Hal Tipi Irsaliye

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,612s	PASSED

### Temel Irsaliye

#### Information

ID Test Cases/Case Repository/Regresyon/e-Irsaliye/Temel Irsaliye

Description

Tag

Start 2021-11-11 09:52:58 End 2021-11-11 09:53:01

Elapsed 3,668s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	1.670s	PASSED

# Temel Irsaliye

Descripti	on	Elapsed	Status
runFeatu	reFile("Include/features/Regresyon/e-Irsaliye/Temel Irsaliye.feature")	0,763s	FAILEI
Kevword	runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	edException: Feature file 'Include/features/Regresyon/e-Irsaliye/Temel Irsaliye.		
feature' v			
icatare v	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:50			
groovy.or	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)	at com.kms.katalon.core.keyword.internal.keywordivialin.stepr alled(keywordivialin.		
groovy)	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:23			
groovy.2	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Linknow	n Source)		
(OTIKITOW	at com.kms.katalon.core.cucumber.keyword.		
Cucumbo	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:1			
0	at com.kms.katalon.core.cucumber.keyword.		
	erBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)	at any long batalon and become like and like any Make multi-		
0.6	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keyword	IMain.groovy:68)		
41.1	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknow	n Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatu	reFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucumbe	erBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
	at Temel Irsaliye.run(Temel Irsaliye:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
. 440	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369)			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360)			
<del></del>	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCas	eExecutor.java:339)		
<del></del>	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCas	eExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)			
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuit	eExecutor.java:191)		
-	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuit	eExecutor.java:140)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)			
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
<b>3</b> 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	at TempTestSuite1636613501886.run(TempTestSuite1636613501886.groovy:39)		

# Temel Irsaliye

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,633s	PASSED