## e-Saklama

#### **Execution Environment**

Host name DELL - DESKTOP-QBVMTUG

OS Windows 10 64bit

Katalon version 8.0.5.208

Browser Chrome 95.0.4638.69

#### Summary

ID

Description

Total 5
Passed 3 Failed 2
Error 0 Incomplete 0

Start 2021-11-12 17:35:03 End 2021-11-12 17:38:24

Elapsed 3m - 20,387s

#	ID	Description	Status
1	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Ekran Kontrolu		PASSED
2	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Goster		PASSED
3	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Indir		FAILED
4	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Yukle		PASSED
5	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Sil		FAILED

### Ekran Kontrolu

#### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Ekran Kontrolu

Description

Tag

Start 2021-11-12 17:35:04 End 2021-11-12 17:35:39

Elapsed 35,575s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	5,942s	PASSED
	Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite()' completed.		
2	runFeatureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Ekran Kontrolu.feature")	28,327s	PASSED
	Feature file: 'Include/features/e-Saklama/e-Defter/e-Defter Saklama/Ekran Kontrolu.feature' was passed		
3	Start listener action : sampleAfterTestSuite	0,659s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. After Test Case' \ method: \\ 'Listener. sample After Test Suite (...)' \ completed.$ 

### Goster

#### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Goster

Description

Tag

Start 2021-11-12 17:35:39 End 2021-11-12 17:36:18

Elapsed 38,904s
Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	5,064s	PASSED
	Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite()' completed.		
2	runFeatureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Goster.feature")	32,548s	PASSED
	Feature file: 'Include/features/e-Saklama/e-Defter/e-Defter Saklama/Goster.feature' was passed		
3	Start listener action : sampleAfterTestSuite	0,679s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.

## Indir

#### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Indir

Description

Tag

Start 2021-11-12 17:36:18 End 2021-11-12 17:36:57

Elapsed 38,940s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	4.421s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. Before Test Case' \ method: \\ 'Listener. sample Before Test Suite (...)' \ completed.$ 

# Indir

Descrip	tion	Elapsed	Statu
runFeat	ureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Indir.feature")	33,217s	FAILE
Keywor	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	ledException: Feature file 'Include/features/e-Saklama/e-Defter/e-Defter		
	a/Indir.feature' was failed		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
9.001)	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)	at communication soromory word into main to y word main stop i and a (it of word main).		
groovy)	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
groovy.	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Linknov	wn Source)		
(OTINITO)	at com.kms.katalon.core.cucumber.keyword.		
Cucumb	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
groovy.	at com.kms.katalon.core.cucumber.keyword.		
Cucumk	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)			
groovy)	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Kovvvo	rdMain.groovy:68)		
(Reywo	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Linknov	wn Source)		
(OTIKITO)	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runEoot	ureFile(CucumberBuiltinKeywords.groovy:73)		
Turireat	at com.kms.katalon.core.cucumber.keyword.		
Cuoumk	perBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
Cucumi	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runEoot	ureFile(CucumberBuiltinKeywords.groovy:246)		
Turireat	at com.kms.katalon.core.cucumber.keyword.		
Cucumk	perBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Cucum	at Indir.run(Indir:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
java. i i	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:369			
java.oo.	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:360			
java.oo	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	iseExecutor.java:339)		
(103100	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	iseExecutor.java:331)		
(100100	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248	· ·		
java.	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	iteExecutor.java:191)		
(100.00	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
(100.00	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)			
55)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	a. 55		
.5.,	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
234700)	at TempTestSuite1636725842452.run(TempTestSuite1636725842452.groovy:39)		
1	3		

## Indir

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,669s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. After Test Case' \ method: \\ 'Listener. sample After Test Suite (...)' \ completed.$ 

## Yukle

#### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Yukle

Description

Tag

Start 2021-11-12 17:36:57 End 2021-11-12 17:37:47

Elapsed 49,934s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	11,415s	PASSED
	Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite()' completed.		
2	runFeatureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Yukle.feature")  Feature file: 'Include/features/e-Saklama/e-Defter/e-Defter Saklama/Yukle.feature' was	37,428s	PASSED
	passed		
3	Start listener action : sampleAfterTestSuite	0,674s	PASSED

Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed.

#### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Sil

Description

Tag

Start 2021-11-12 17:37:47 End 2021-11-12 17:38:24

Elapsed 36,644s
Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	4.625s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. Before Test Case' \ method: \\ 'Listener. sample Before Test Suite (...)' \ completed.$ 

Description	Elapsed	Status
runFeatureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Sil.feature")	30,834s	FAILED
Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Feature file 'Include/features/e-Saklama/e-Defter/e-Defter		
Saklama/Sil.feature' was failed		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(Keyword groovy:50)	dMain.	
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(Keyword	dMain.	
groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(Keyword	dMain.	
groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords	ds.	
groovy:112) at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeyword	ds.	
groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:73)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:246)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
at Sil.run(Sil:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngin	ne.	
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecut	tor.	
java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExec	outor	
java:360)	cutor.	
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:339)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor.execute(TestCaseExecutor.executor	or	
java:248)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhas	se	
(TestSuiteExecutor.java:191)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhas (TestSuiteExecutor.java:140)	Se .	
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecuto	or.java:	
89)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.j	java:	
181)	vo.	
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)	TI	
at TempTestSuite1636725842452.run(TempTestSuite1636725842452.groov	vv:39)	
)	<i>J</i> = <del>-</del> /	

## Sil

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,636s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. After Test Case' \ method: \\ 'Listener. sample After Test Suite (...)' \ completed.$