

Regresyon-eFatura-elrsaliye

Execution Environment

| | |
|-----------------|------------------------|
| Host name | DELL - DESKTOP-QBVMTUG |
| OS | Windows 10 64bit |
| Katalon version | 8.0.5.208 |
| Browser | Chrome 95.0.4638.69 |

Summary

| | | | |
|-------------|---------------------|------------|---------------------|
| ID | | | |
| Description | | | |
| Total | 25 | | |
| Passed | 19 | Failed | 4 |
| Error | 2 | Incomplete | 0 |
| Start | 2021-11-16 09:01:53 | End | 2021-11-16 09:41:32 |
| Elapsed | 39m - 39,235s | | |

| # | ID | Description | Status |
|----|---|-------------|--------|
| 1 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli | | PASSED |
| 2 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Istisna | | PASSED |
| 3 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah | | PASSED |
| 4 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Satis | | FAILED |
| 5 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Tevkifat | | PASSED |
| 6 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-lade | | PASSED |
| 7 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli | | PASSED |
| 8 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna | | PASSED |
| 9 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah | | PASSED |
| 10 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Satis | | PASSED |
| 11 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk | | PASSED |
| 12 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Tevkifat | | FAILED |
| 13 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Ihrac Kayitli | | PASSED |
| 14 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Istisna | | PASSED |
| 15 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Ozel Matrah | | PASSED |
| 16 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Satis | | PASSED |

Regresyon-eFatura-elrsaliye

| # | ID | Description | Status |
|----|--|-------------|--------|
| 17 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat | | PASSED |
| 18 | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna | | PASSED |
| 19 | Test Cases/Case Repository/Regresyon/e-Irsaliye/Hal Tipi Irsaliye | | FAILED |
| 20 | Test Cases/Case Repository/Regresyon/e-Irsaliye/Temel Irsaliye | | FAILED |
| 21 | Test Cases/Olusturma/Genel/NotGirilir | | PASSED |
| 22 | Test Cases/Olusturma/Genel/IrsaliyeEttnBilgisiKayitEdilir | | PASSED |
| 23 | Test Cases/Olusturma/Genel/KaydetButonunaTiklanir | | PASSED |
| 24 | Test Cases/Tablo/TablodaEttnliVeriOlusturulduMu | | ERROR |
| 25 | Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi | | ERROR |

VKN-Kamu-Ihrac Kayitli

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:01:54 | End | 2021-11-16 09:04:54 |
| Elapsed | 3m - 0,296s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 23,529s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Ihrac Kayitli.feature' was passed | 2m - 35,553s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,694s | PASSED |

VKN-Kamu-Istisna

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Istisna | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:04:54 | End | 2021-11-16 09:07:17 |
| Elapsed | 2m - 22,573s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 6,227s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Istisna.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Istisna.feature' was passed | 2m - 14,978s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,701s | PASSED |

VKN-Kamu-Ozel Matrah

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:07:17 | End | 2021-11-16 09:09:34 |
| Elapsed | 2m - 17,147s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 4,169s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Ozel Matrah.feature' was passed | 2m - 11,675s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,665s | PASSED |

VKN-Kamu-Satis

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Satis | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:09:34 | End | 2021-11-16 09:11:48 |
| Elapsed | 2m - 13,842s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 4,246s | PASSED |

VKN-Kamu-Satis

| # | Description | Elapsed | Status |
|---|--|-------------|--------|
| 2 | <p>runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Satis.feature")</p> <p>Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.StepFailedException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Satis.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy:112) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:246) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at VKN-Kamu-Satis.run(VKN-Kamu-Satis:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1637042454596.run(TempTestSuite1637042454596.groovy:39))</p> | 2m - 8,230s | FAILED |

VKN-Kamu-Satis

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 3 | | | |
| | Start listener action : sampleAfterTestSuite | 0,691s | PASSED |
| | Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | | |

VKN-Kamu-Tevkifat

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Kamu-Tevkifat | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:11:48 | End | 2021-11-16 09:14:30 |
| Elapsed | 2m - 42,487s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 4,122s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Kamu-Tevkifat.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Kamu-Tevkifat.feature' was passed | 2m - 36,849s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,786s | PASSED |

VKN-Temel Fatura-lade

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-lade | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:14:30 | End | 2021-11-16 09:16:33 |
| Elapsed | 2m - 2,542s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 5,273s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-lade.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-lade.feature' was passed | 1m - 55,904s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,729s | PASSED |

VKN-Temel Fatura-Ihrac Kayitli

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:16:33 | End | 2021-11-16 09:18:36 |
| Elapsed | 2m - 3,308s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,668s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Ihrac Kayitli.feature' was passed | 1m - 58,294s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,740s | PASSED |

VKN-Temel Fatura-Istisna

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:18:36 | End | 2021-11-16 09:20:39 |
| Elapsed | 2m - 3,342s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 4,034s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Istisna.feature' was passed | 1m - 58,001s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,718s | PASSED |

VKN-Temel Fatura-Ozel Matrah

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:20:39 | End | 2021-11-16 09:22:44 |
| Elapsed | 2m - 4,945s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,780s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Ozel Matrah.feature' was passed | 1m - 59,902s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,707s | PASSED |

VKN-Temel Fatura-Satis

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Satis | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:22:44 | End | 2021-11-16 09:24:41 |
| Elapsed | 1m - 56,934s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,571s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Satis.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Satis.feature' was passed | 1m - 52,196s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,665s | PASSED |

VKN-Temel Fatura-Sgk

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:24:41 | End | 2021-11-16 09:26:53 |
| Elapsed | 2m - 11,513s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|-------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,809s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Sgk.feature' was passed | 2m - 6,377s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,685s | PASSED |

VKN-Temel Fatura-Tevkifat

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Temel Fatura-Tevkifat | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:26:53 | End | 2021-11-16 09:27:39 |
| Elapsed | 46,093s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestSuite | 4,574s | PASSED |
| | Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | | |

VKN-Temel Fatura-Tevkifat

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 2 | <pre>runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Temel Fatura-Tevkifat.feature") Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Regresyon/e-Fatura/VKN-Temel Fatura- Tevkifat.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:112) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:246) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at VKN-Temel Fatura-Tevkifat.run(VKN-Temel Fatura-Tevkifat:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1637042454596.run(TempTestSuite1637042454596.groovy:39))</pre> | 40,341s | FAILED |

VKN-Temel Fatura-Tevkifat

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 3 | | | |
| | Start listener action : sampleAfterTestSuite | 0,670s | PASSED |
| | Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | | |

VKN-Ticari Fatura-Ihrac Kayitli

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Ihrac Kayitli | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:27:39 | End | 2021-11-16 09:29:39 |
| Elapsed | 2m - 0,494s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,444s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Ihrac Kayitli.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Ihrac Kayitli.feature' was passed | 1m - 55,947s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,663s | PASSED |

VKN-Ticari Fatura-Istisna

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Istisna | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:29:39 | End | 2021-11-16 09:31:29 |
| Elapsed | 1m - 49,195s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 4,329s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Istisna.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Istisna.feature' was passed | 1m - 43,643s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,733s | PASSED |

VKN-Ticari Fatura-Ozel Matrah

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Ozel Matrah | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:31:29 | End | 2021-11-16 09:33:28 |
| Elapsed | 1m - 59,579s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 6,231s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Ozel Matrah.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Ozel Matrah.feature' was passed | 1m - 52,103s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,703s | PASSED |

VKN-Ticari Fatura-Satis

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Satis | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:33:28 | End | 2021-11-16 09:35:28 |
| Elapsed | 1m - 59,299s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,730s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Satis.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Satis.feature' was passed | 1m - 54,262s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,670s | PASSED |

VKN-Ticari Fatura-Tevkifat

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:35:28 | End | 2021-11-16 09:37:29 |
| Elapsed | 2m - 1,009s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 3,615s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Ticari Fatura-Tevkifat.feature' was passed | 1m - 56,127s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,749s | PASSED |

VKN-Yolcu Beraber-Istisna

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:37:29 | End | 2021-11-16 09:39:48 |
| Elapsed | 2m - 19,530s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 1 | Start listener action : sampleBeforeTestSuite Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | 4,229s | PASSED |
| 2 | runFeatureFile("Include/features/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna.feature") Feature file: 'Include/features/Regresyon/e-Fatura/VKN-Yolcu Beraber-Istisna.feature' was passed | 2m - 13,908s | PASSED |
| 3 | Start listener action : sampleAfterTestSuite Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | 0,723s | PASSED |

Hal Tipi Irsaliye

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Irsaliye/Hal Tipi Irsaliye | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:39:48 | End | 2021-11-16 09:41:33 |
| Elapsed | 1m - 44,899s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestSuite | 3,593s | PASSED |
| | Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | | |

Hal Tipi Irsaliye

| # | Description | Elapsed | Status |
|---|--|--------------|--------|
| 2 | <p>runFeatureFile("Include/features/Regresyon/e-Irsaliye/Hal Tipi Irsaliye.feature")</p> <p>Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.StepFailedException: Feature file 'Include/features/Regresyon/e-Irsaliye/Hal Tipi Irsaliye.feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy:112) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:246) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Hal Tipi Irsaliye.run(Hal Tipi Irsaliye:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1637042454596.run(TempTestSuite1637042454596.groovy:39))</p> | 1m - 39,910s | FAILED |

Hal Tipi Irsaliye

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 3 | | | |
| | Start listener action : sampleAfterTestSuite | 0,724s | PASSED |
| | Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | | |

Temel Irsaliye

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Test Cases/Case Repository/Regresyon/e-Irsaliye/Temel Irsaliye | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:41:33 | End | 2021-11-16 09:43:08 |
| Elapsed | 1m - 34,939s | | |
| Status | FAILED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | Start listener action : sampleBeforeTestSuite | 4,156s | PASSED |
| Invoke 'com.kms.katalon.core.annotation.BeforeTestCase' method: 'Listener.sampleBeforeTestSuite(...)' completed. | | | |

Temel Irsaliye

| # | Description | Elapsed | Status |
|---|---|--------------|--------|
| 2 | runFeatureFile("Include/features/Regresyon/e-Irsaliye/Temel Irsaliye.feature") Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception. StepFailedException: Feature file 'Include/features/Regresyon/e-Irsaliye/Temel Irsaliye. feature' was failed at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:50) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:23) at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:112) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:246) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Temel Irsaliye.run(Temel Irsaliye:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1637042454596.run(TempTestSuite1637042454596.groovy:39)) | 1m - 29,492s | FAILED |

Temel Irsaliye

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 3 | | | |
| | Start listener action : sampleAfterTestSuite | 0,736s | PASSED |
| | Invoke 'com.kms.katalon.core.annotation.AfterTestCase' method: 'Listener.sampleAfterTestSuite(...)' completed. | | |

NotGirilir

Information

| | | | |
|-------------|---------------------------------------|-----|---------------------|
| ID | Test Cases/Olusturma/Genel/NotGirilir | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:41:20 | End | 2021-11-16 09:41:25 |
| Elapsed | 4,647s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | i = 0 | 0,000s | PASSED |
| 2 | waitForElementClickable(findTestObject("Olusturma/Genel/Not/Notlar"), 10) Object 'Object Repository/Olusturma/Genel/Not/Notlar' is clickable | 1,061s | PASSED |
| 3 | clearText(findTestObject("Olusturma/Genel/Not/Notlar")) Text of object 'Object Repository/Olusturma/Genel/Not/Notlar' is cleared | 0,460s | PASSED |
| 4 | click(findTestObject("Olusturma/Genel/Not/Notlar")) Object: 'Object Repository/Olusturma/Genel/Not/Notlar' is clicked on | 1,559s | PASSED |
| 5 | while (true) | 1,052s | PASSED |
| 6 | sendKeys(findTestObject("Olusturma/Genel/Not/Notlar"), Not) Keys 'Otomasyon Not' sent to object: 'Object Repository/Olusturma/Genel/Not/Notlar' | 0,508s | PASSED |

IrsaliyeEttnBilgisiKayitEdilir

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Olusturma/Genel/IrsaliyeEttnBilgisiKayitEdilir | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:41:25 | End | 2021-11-16 09:41:26 |
| Elapsed | 1,446s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | verifyElementPresent(findTestObject("Object Repository/Olusturma/Genel/Olusturma/elIrsaliyeEttnBilgisi"), 7) Object 'Object Repository/Olusturma/Genel/Olusturma/elIrsaliyeEttnBilgisi' is present | 0,409s | PASSED |
| 2 | IrsaliyeEttn = getAttribute(findTestObject("Object Repository/Olusturma/Genel/Olusturma/elIrsaliyeEttnBilgisi"), "value") Attribute 'value' of object 'Object Repository/Olusturma/Genel/Olusturma/elIrsaliyeEttnBilgisi' is: 'e502751b-7e7d-4595-aeb0-fb26da975a7f' | 0,391s | PASSED |

KaydetButonunaTiklanir

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Olusturma/Genel/KaydetButonunaTiklanir | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:41:27 | End | 2021-11-16 09:41:31 |
| Elapsed | 4,874s | | |
| Status | PASSED | | |

Details

| # | Description | Elapsed | Status |
|---|---|---------|--------|
| 1 | i = 0 | 0,001s | PASSED |
| 2 | waitForElementPresent(findTestObject("Olusturma/Genel/Not/Notlar"), 10) Object 'Object Repository/Olusturma/Genel/Not/Notlar' is present | 0,491s | PASSED |
| 3 | click(findTestObject("Olusturma/Genel/Not/Notlar")) Object: 'Object Repository/Olusturma/Genel/Not/Notlar' is clicked on | 0,499s | PASSED |
| 4 | while (true) | 1,030s | PASSED |
| 5 | waitForElementClickable(findTestObject("Object Repository/Olusturma/Genel/Buton"), 10) Object 'Object Repository/Olusturma/Genel/Buton' is clickable | 0,457s | PASSED |
| 6 | click(findTestObject("Object Repository/Olusturma/Genel/Buton")) Object: 'Object Repository/Olusturma/Genel/Buton' is clicked on | 2,389s | PASSED |

TablodaEttnliVeriOlusturulduMu

Information

| | | | |
|-------------|---|-----|---------------------|
| ID | Test Cases/Tablo/TablodaEttnliVeriOlusturulduMu | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:41:31 | End | 2021-11-16 09:41:32 |
| Elapsed | 0,687s | | |
| Status | ERROR | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Method.TextDegerineEsitElementVarMi(findTestObject("Tablo/OlusturulanVeri"), ettn) | 0,676s | FAILED |
| | Assertion failed: | | |
| | assert a | | |
| | | | |
| | false | | |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

Information

| | | | |
|-------------|--|-----|---------------------|
| ID | Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi | | |
| Description | | | |
| Tag | | | |
| Start | 2021-11-16 09:41:32 | End | 2021-11-16 09:41:32 |
| Elapsed | 0,069s | | |
| Status | ERROR | | |

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Kullanc ad ELOGO6 ve ifre 123456 olarak giri yaplr Kullanc ad ELOGO6 ve ifre 123456 olarak giri yaplr | 0,002s | PASSED |
| 2 | Ana menüden e-rsaliye seçilir Ana menüden e-rsaliye seçilir | 0,000s | PASSED |
| 3 | Alt menü e-rsaliye Araçlar bal altındaki e-rsaliye Oluturma seçilir Alt menü e-rsaliye Araçlar bal altındaki e-rsaliye Oluturma seçilir | 0,000s | PASSED |
| 4 | Tablodaki tüm veriler silinir Tablodaki tüm veriler silinir | 0,001s | PASSED |
| 5 | Butonlardan Ekle isimli butona tklanr Butonlardan Ekle isimli butona tklanr | 0,000s | PASSED |
| 6 | Görsel tasarm sayfasnn rsaliye Bilgileri baln içerdii kontrol edilir Görsel tasarm sayfasnn rsaliye Bilgileri baln içerdii kontrol edilir | 0,001s | PASSED |
| 7 | Alc ad alanna VirgosollrsaliyeVKN girilir Alc ad alanna VirgosollrsaliyeVKN girilir | 0,001s | PASSED |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 8 | Senaryo alanndan Hal Tipi rsaliye seçilir Senaryo alanndan Hal Tipi rsaliye seçilir | 0,001s | PASSED |
| 9 | Döküman Para Birimi alanndan Euro seçilir Döküman Para Birimi alanndan Euro seçilir | 0,002s | PASSED |
| 10 | Tasarm alanndan VirgosolOtomasyon seçilir Tasarm alanndan VirgosolOtomasyon seçilir | 0,001s | PASSED |
| 11 | Sipari bilgileri UUC-SAT-1200001 ve 31.04.2020 olarak girilir Sipari bilgileri UUC-SAT-1200001 ve 31.04.2020 olarak girilir | 0,001s | PASSED |
| 12 | Farkl Teslimat Adres Tanm adres,Türkiye,Isparta,Yalvaç,32400 olarak girilir Farkl Teslimat Adres Tanm adres,Türkiye,Isparta,Yalvaç,32400 olarak girilir | 0,001s | PASSED |
| 13 | Ekle butonuna baslr Ekle butonuna baslr | 0,002s | PASSED |
| 14 | Ürün ekleme alannda Malzeme Ad balna Otomasyon girilir Ürün ekleme alannda Malzeme Ad balna Otomasyon girilir | 0,001s | PASSED |
| 15 | Ürün ekleme alannda Açklamas balna Virgosol girilir Ürün ekleme alannda Açklamas balna Virgosol girilir | 0,001s | PASSED |
| 16 | Ürün ekleme alannda Künye Numaras balna 1234567890123456789 girilir Ürün ekleme alannda Künye Numaras balna 1234567890123456789 girilir | 0,001s | PASSED |
| 17 | Ürün ekleme alannda Miktar balna 400 girilir Ürün ekleme alannda Miktar balna 400 girilir | 0,001s | PASSED |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 18 | Ürün ekleme alanında Birim Fiyat balna 100 girilir Ürün ekleme alanında Birim Fiyat balna 100 girilir | 0,000s | PASSED |
| 19 | öför Bilgileri Virgosol,Otomasyon,11111111110 olarak girilir öför Bilgileri Virgosol,Otomasyon,11111111110 olarak girilir | 0,001s | PASSED |
| 20 | Notlar alanna Otomasyon Not girilir Notlar alanna Otomasyon Not girilir | 0,001s | PASSED |
| 21 | E-Irsaliye Etnn bilgisi kayt edilir E-Irsaliye Etnn bilgisi kayt edilir | 0,002s | PASSED |
| 22 | Kaydet butonu seçilir Kaydet butonu seçilir | 0,002s | PASSED |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 23 | <p>Tabloda Ettn bilgisi kaydedilen veri oluturuldu mu</p> <p>Tabloda Ettn bilgisi kaydedilen veri oluturuldu mu FAILED. Reason: com.kms.katalon.core.exception.StepErrorException: Call Test Case 'Test Cases/Tablo/TablodaEttnliVeriOlusturulduMu' failed because of error(s) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:66) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at tablo.tablo.tablodaEttnliVeriOlusturulduMu(tablo.groovy:130) at .Tabloda Ettn bilgisi kaydedilen veri oluturuldu mu(C: /Users/DELL/Documents/GitHub/EES_KatalonLogo/Include/features/Regresyon/e- Irsaliye/Hal Tipi Irsaliye.feature:26) Caused by: org.codehaus.groovy.runtime.InvokerInvocationException: Assertion failed: assert a false at Method.invokeMethod(Method.groovy) at com.kms.katalon.core.main.CustomKeywordDelegatingMetaClass. invokeStaticMethod(CustomKeywordDelegatingMetaClass.java:50) at TablodaEttnliVeriOlusturulduMu.run(TablodaEttnliVeriOlusturulduMu:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 138) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)</p> | 0,008s | ERROR |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| | at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at tablo.tablo.tablodaEttliVeriOlusturulduMu(tablo.groovy:130) at cucumber.runtime.Utls\$1.call(Utls.java:26) at cucumber.runtime.Timeout.timeout(Timeout.java:16) at cucumber.runtime.Utls.invoke(Utls.java:20) at cucumber.runtime.java.JavaStepDefinition.execute(JavaStepDefinition.java:49) at cucumber.runner.PickleStepDefinitionMatch.runStep (PickleStepDefinitionMatch.java:50) at cucumber.runner.TestStep.executeStep(TestStep.java:63) at cucumber.runner.TestStep.run(TestStep.java:49) at cucumber.runner.PickleStepTestStep.run(PickleStepTestStep.java:43) at cucumber.runner.TestCase.run(TestCase.java:44) at cucumber.runner.Runner.runPickle(Runner.java:40) at cucumber.runtime.Runtime\$1.run(Runtime.java:84) at cucumber.runtime.Runtime\$SameThreadExecutorService.execute(Runtime. java:220) at cucumber.runtime.Runtime.run(Runtime.java:81) at cucumber.api.cli.Main.run(Main.java:26) at cucumber.api.cli.Main\$run.call(Unknown Source) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy:106) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords. groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call (Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:73) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source) at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords. runFeatureFile(CucumberBuiltinKeywords.groovy:246) at com.kms.katalon.core.cucumber.keyword. CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Hal Tipi Irsaliye.run(Hal Tipi Irsaliye:19) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase | | |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|----|---|---------|---------|
| | (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:181) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1637042454596.run(TempTestSuite1637042454596.groovy:39) Caused by: Assertion failed: assert a false at Method.TextDegerineEsitElementVarMi(Method.groovy:277) ... 56 more | | |
| 24 | Tablodan Irsaliye Ettn bilgisi kaydedilen veri seçilir Tablodan Irsaliye Ettn bilgisi kaydedilen veri seçilir | 0,000s | NOT_RUN |
| 25 | Butonlardan Numara Olutur isimli butona tklanr Butonlardan Numara Olutur isimli butona tklanr | 0,001s | NOT_RUN |
| 26 | Popup mesaj Devam etmek istiyor musunuz içeriyor mu Popup mesaj Devam etmek istiyor musunuz içeriyor mu | 0,000s | NOT_RUN |
| 27 | Yönetim popupnda Evet seçilir Yönetim popupnda Evet seçilir | 0,001s | NOT_RUN |
| 28 | Popup mesaj olumutur içeriyor mu Popup mesaj olumutur içeriyor mu | 0,001s | NOT_RUN |
| 29 | Yönetim popupnda Tamam seçilir Yönetim popupnda Tamam seçilir | 0,007s | NOT_RUN |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|----|--|---------|---------|
| 30 | Tablodan Irsaliye Ettn bilgisi kaydedilen veri seçilir Tablodan Irsaliye Ettn bilgisi kaydedilen veri seçilir | 0,000s | NOT_RUN |
| 31 | Butonlardan Gönder isimli butona tklanr Butonlardan Gönder isimli butona tklanr | 0,000s | NOT_RUN |
| 32 | Popup mesaj Devam etmek istiyor musunuz içeriyor mu Popup mesaj Devam etmek istiyor musunuz içeriyor mu | 0,000s | NOT_RUN |
| 33 | Yönetim popupnda Evet seçilir Yönetim popupnda Evet seçilir | 0,000s | NOT_RUN |
| 34 | Ana menüden e-rsaliye seçilir Ana menüden e-rsaliye seçilir | 0,000s | NOT_RUN |
| 35 | Alt menü Giden Kutusu bal altndaki rsaliyeler seçilir Alt menü Giden Kutusu bal altndaki rsaliyeler seçilir | 0,000s | NOT_RUN |
| 36 | Filtrelerden Irsaliye Ettn filtresine Ettn bilgisi yaz Filtrelerden Irsaliye Ettn filtresine Ettn bilgisi yaz | 0,000s | NOT_RUN |
| 37 | Filtre butonlarından Listele seçilir Filtre butonlarından Listele seçilir | 0,001s | NOT_RUN |
| 38 | Tabloda veri var m kontrol edilir Tabloda veri var m kontrol edilir | 0,000s | NOT_RUN |
| 39 | Tabloda yeni oluturulan irsaliye verisi baarl m Tabloda yeni oluturulan irsaliye verisi baarl m | 0,001s | NOT_RUN |

Start Test Case : SCENARIO TCKNo ile Hal Tipi Irsaliye senaryosunda irsaliye olusturulmasi ve Excele aktarilmasi

| # | Description | Elapsed | Status |
|----|--|---------|---------|
| 40 | Kullanc ilemlerinden k seilir Kullanc ilemlerinden k seilir | 0,000s | NOT_RUN |