## e-Saklama

### **Execution Environment**

Host name DELL - DESKTOP-QBVMTUG

OS Windows 10 64bit

Katalon version 8.0.5.208

Browser Chrome 95.0.4638.69

### Summary

ID

Description

Total 2
Passed 0 Failed
Error 0 Incomplete

Start 2021-11-12 17:50:27 End 2021-11-12 17:51:40

Elapsed 1m - 13,211s

#	ID	Description	Status
1	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Indir		FAILED
2	Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Sil		FAILED

2

0

## Indir

### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Indir

Description

Tag

Start 2021-11-12 17:50:28 End 2021-11-12 17:51:05

Elapsed 37,758s Status FAILED

### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	6.709s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. Before Test Case' \ method: \\ 'Listener. sample Before Test Suite (...)' \ completed.$ 

# Indir

Descrip	tion	Elapsed	Status
runFeat	ureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Indir.feature")	29,675s	FAILE
Kevwor	d runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
	ledException: Feature file 'Include/features/e-Saklama/e-Defter/e-Defter		
	a/Indir.feature' was failed		
Jakiaiii			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy)			
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
groovy:			
	at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknow	wn Source)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucuml	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:			
g. c c . j .	at com.kms.katalon.core.cucumber.keyword.		
Cucuml	perBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)	berbuiltinkeywords\(\psi_1\) and eather he_closure radocali(odechriberbuiltinkeywords.		
groovy)	at com kma katalan aara kayyyard internal KayyyardMain yynKayyyard		
0.7	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(Keywo	rdMain.groovy:68)		
	at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unkno	wn Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:73)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucuml	perBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
	at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeat	ureFile(CucumberBuiltinKeywords.groovy:246)		
	at com.kms.katalon.core.cucumber.keyword.		
Cucuml	perBuiltinKeywords\$runFeatureFile.call(Unknown Source)		
Ododiii	at Indir.run(Indir:19)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
java. i i			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:36			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:36			
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:339)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:331)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:24	3)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSu	iteExecutor.java:191)		
•	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:140)		
(	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
89)	at communication.coro.main. roctodice Exocutor.cxcocito (roctodice Exocutor.java.		
03)	at com kms katalon core main TestCaseMain startTestSuite/TestCaseMain issue		
101)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
181)	et com kma katalan cora main TactOccaMainflatantTactOcitafia anul/ later		
O	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)			
	at TempTestSuite1636727917735.run(TempTestSuite1636727917735.groovy:39)		
)			

## Indir

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,684s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. After Test Case' \ method: \\ 'Listener. sample After Test Suite (...)' \ completed.$ 

### Information

ID Test Cases/Case Repository/e-Saklama/e-Defter/e-Defter Saklama/Sil

Description

Tag

Start 2021-11-12 17:51:06 End 2021-11-12 17:51:40

Elapsed 34,933s Status FAILED

### **Details**

#	Description	Elapsed	Status
1	Start listener action : sampleBeforeTestSuite	3 650s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. Before Test Case' \ method: \\ 'Listener. sample Before Test Suite (...)' \ completed.$ 

Description	Elapsed	Status
runFeatureFile("Include/features/e-Saklama/e-Defter/e-Defter Saklama/Sil.feature")	29,657s	FAILED
Keyword runFeatureFile was failed (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Feature file 'Include/features/e-Saklama/e-Defter/e-Defter		
Saklama/Sil.feature' was failed		
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.stepFailed)	ain.	
groovy:50)	nin	
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMagroovy)	ain.	
at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.stepFailed)	ain.	
groovy:23)		
at com.kms.katalon.core.keyword.internal.KeywordMain\$stepFailed\$0.call		
(Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy:112) at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.		
groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call		
(Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:73)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)		
at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.		
runFeatureFile(CucumberBuiltinKeywords.groovy:246)		
at com.kms.katalon.core.cucumber.keyword.		
CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source) at Sil.run(Sil:19)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
$at\ com. kms. katalon. core. main. Test Case Executor. run Script (Test Case Executor.)$		
java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecuto	or.	
java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:339)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:331)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:248)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:140)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.ja	ava:	
89)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java	a:	
181)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
Source) at TempTestSuite1636727917735.run(TempTestSuite1636727917735.groovy:	39)	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	00)	

## Sil

#	Description	Elapsed	Status
3	Start listener action : sampleAfterTestSuite	0,651s	PASSED

 $Invoke \ 'com.kms. katalon. core. annotation. After Test Case' \ method: \\ 'Listener. sample After Test Suite (...)' \ completed.$