SecAI - 1

SecAI docx-within-limits-long-en-vi-01-p01

[docx-within-limits-long-en-vi-01-p01-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p01-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p01-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p01-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p01-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p01-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p01-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p01-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p01-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p01-0009] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p01-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p01-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p01-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p01-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p01-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p01-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-0-0	SOC	1
node-0-1	SOC	2

SecAI - 2

SecAI docx-within-limits-long-en-vi-01-p02

[docx-within-limits-long-en-vi-01-p02-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p02-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p02-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p02-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p02-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p02-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p02-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p02-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p02-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p02-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p02-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p02-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p02-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p02-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p02-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p02-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18

Asset	Owner	Priority
node-1-0	SOC	1
node-1-1	SOC	2

SecAI - 3

SecAI docx-within-limits-long-en-vi-01-p03

[docx-within-limits-long-en-vi-01-p03-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p03-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p03-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p03-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p03-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p03-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p03-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p03-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p03-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p03-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p03-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p03-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p03-0012] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p03-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p03-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p03-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26

Asset	Owner	Priority
node-2-0	SOC	1
node-2-1	SOC	2

SecAI - 4

SecAI docx-within-limits-long-en-vi-01-p04

[docx-within-limits-long-en-vi-01-p04-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p04-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p04-0002] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p04-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p04-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p04-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p04-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p04-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p04-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p04-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p04-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p04-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p04-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p04-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p04-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p04-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20

Asset	Owner	Priority
node-3-0	SOC	1
node-3-1	SOC	2

SecAI - 5

SecAI docx-within-limits-long-en-vi-01-p05

[docx-within-limits-long-en-vi-01-p05-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p05-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p05-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p05-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p05-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p05-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p05-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p05-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p05-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p05-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p05-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p05-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p05-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p05-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p05-0014] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p05-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18

Asset	Owner	Priority
node-4-0	SOC	1
node-4-1	SOC	2

SecAI - 6

SecAI docx-within-limits-long-en-vi-01-p06

[docx-within-limits-long-en-vi-01-p06-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p06-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p06-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p06-0003] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p06-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p06-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p06-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p06-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p06-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p06-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p06-0010] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p06-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p06-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p06-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p06-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p06-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19 audit20

Asset	Owner	Priority
node-5-0	SOC	1
node-5-1	SOC	2

SecAI - 7

SecAI docx-within-limits-long-en-vi-01-p07

[docx-within-limits-long-en-vi-01-p07-0000] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p07-0001] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p07-0002] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p07-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p07-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p07-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p07-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p07-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p07-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p07-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p07-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p07-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p07-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p07-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p07-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p07-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-6-0	SOC	1
node-6-1	SOC	2

SecAI - 8

SecAI docx-within-limits-long-en-vi-01-p08

[docx-within-limits-long-en-vi-01-p08-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p08-0001] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p08-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p08-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p08-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p08-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p08-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p08-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p08-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p08-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p08-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p08-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p08-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p08-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p08-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p08-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-7-0	SOC	1
node-7-1	SOC	2

SecAI - 9

SecAI docx-within-limits-long-en-vi-01-p09

[docx-within-limits-long-en-vi-01-p09-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p09-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p09-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p09-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p09-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p09-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p09-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p09-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p09-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p09-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p09-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p09-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p09-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p09-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p09-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p09-0015] Every change is tested with representative documents before release to the customer.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25

Asset	Owner	Priority
node-8-0	SOC	1
node-8-1	SOC	2

SecAI - 10

SecAI docx-within-limits-long-en-vi-01-p10

[docx-within-limits-long-en-vi-01-p10-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p10-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p10-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p10-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p10-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p10-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p10-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p10-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p10-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p10-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p10-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p10-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p10-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p10-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p10-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p10-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23

Asset	Owner	Priority
node-9-0	SOC	1
node-9-1	SOC	2

SecAI - 11

SecAI docx-within-limits-long-en-vi-01-p11

[docx-within-limits-long-en-vi-01-p11-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p11-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p11-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p11-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p11-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p11-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p11-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p11-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p11-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p11-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p11-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p11-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p11-0012] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p11-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p11-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p11-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26 audit27

Asset	Owner	Priority
node-10-0	SOC	1
node-10-1	SOC	2

SecAI - 12

SecAI docx-within-limits-long-en-vi-01-p12

[docx-within-limits-long-en-vi-01-p12-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p12-0001] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p12-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p12-0003] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p12-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p12-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p12-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p12-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p12-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p12-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p12-0010] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p12-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p12-0012] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p12-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p12-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p12-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20

Asset	Owner	Priority
node-11-0	SOC	1
node-11-1	SOC	2

SecAI - 13

SecAI docx-within-limits-long-en-vi-01-p13

[docx-within-limits-long-en-vi-01-p13-0000] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p13-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p13-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p13-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p13-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p13-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p13-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p13-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p13-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p13-0009] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p13-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p13-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p13-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p13-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p13-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p13-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23

Asset	Owner	Priority
node-12-0	SOC	1
node-12-1	SOC	2

SecAI - 14

SecAI docx-within-limits-long-en-vi-01-p14

[docx-within-limits-long-en-vi-01-p14-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p14-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p14-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p14-0003] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p14-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p14-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p14-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p14-0007] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p14-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p14-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p14-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p14-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p14-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p14-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p14-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p14-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-13-0	SOC	1
node-13-1	SOC	2

SecAI - 15

SecAI docx-within-limits-long-en-vi-01-p15

[docx-within-limits-long-en-vi-01-p15-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p15-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p15-0002] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p15-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p15-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p15-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p15-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p15-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p15-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p15-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p15-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p15-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p15-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p15-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p15-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p15-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-14-0	SOC	1
node-14-1	SOC	2

SecAI - 16

SecAI docx-within-limits-long-en-vi-01-p16

[docx-within-limits-long-en-vi-01-p16-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p16-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p16-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p16-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p16-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p16-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p16-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p16-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p16-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p16-0009] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p16-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p16-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p16-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p16-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p16-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p16-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17

Asset	Owner	Priority
node-15-0	SOC	1
node-15-1	SOC	2

SecAI - 17

SecAI docx-within-limits-long-en-vi-01-p17

[docx-within-limits-long-en-vi-01-p17-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p17-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p17-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p17-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p17-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p17-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p17-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p17-0007] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p17-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p17-0009] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p17-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p17-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p17-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p17-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p17-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p17-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26

Asset	Owner	Priority
node-16-0	SOC	1
node-16-1	SOC	2

SecAI - 18

SecAI docx-within-limits-long-en-vi-01-p18

[docx-within-limits-long-en-vi-01-p18-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p18-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p18-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p18-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p18-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p18-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p18-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p18-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p18-0008] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p18-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p18-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p18-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p18-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p18-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p18-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p18-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17

Asset	Owner	Priority
node-17-0	SOC	1
node-17-1	SOC	2

SecAI - 19

SecAI docx-within-limits-long-en-vi-01-p19

[docx-within-limits-long-en-vi-01-p19-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p19-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p19-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p19-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p19-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p19-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p19-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p19-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p19-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p19-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p19-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p19-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p19-0012] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p19-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p19-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p19-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25

Asset	Owner	Priority
node-18-0	SOC	1
node-18-1	SOC	2

SecAI - 20

SecAI docx-within-limits-long-en-vi-01-p20

[docx-within-limits-long-en-vi-01-p20-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p20-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p20-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p20-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p20-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p20-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p20-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p20-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p20-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p20-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p20-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p20-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p20-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p20-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p20-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p20-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25

Asset	Owner	Priority
node-19-0	SOC	1
node-19-1	SOC	2

SecAI - 21

SecAI docx-within-limits-long-en-vi-01-p21

[docx-within-limits-long-en-vi-01-p21-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p21-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p21-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p21-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p21-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p21-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p21-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p21-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p21-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p21-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p21-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p21-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p21-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p21-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p21-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p21-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-20-0	SOC	1
node-20-1	SOC	2

SecAI - 22

SecAI docx-within-limits-long-en-vi-01-p22

[docx-within-limits-long-en-vi-01-p22-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p22-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p22-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p22-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p22-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p22-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p22-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p22-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p22-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p22-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p22-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p22-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p22-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p22-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p22-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p22-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18

Asset	Owner	Priority
node-21-0	SOC	1
node-21-1	SOC	2

SecAI - 23

SecAI docx-within-limits-long-en-vi-01-p23

[docx-within-limits-long-en-vi-01-p23-0000] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p23-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p23-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p23-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p23-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p23-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p23-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p23-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p23-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p23-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p23-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p23-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p23-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p23-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p23-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p23-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-22-0	SOC	1
node-22-1	SOC	2

SecAI - 24

SecAI docx-within-limits-long-en-vi-01-p24

[docx-within-limits-long-en-vi-01-p24-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p24-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p24-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p24-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p24-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p24-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p24-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p24-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p24-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p24-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p24-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p24-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p24-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p24-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p24-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p24-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-23-0	SOC	1
node-23-1	SOC	2

SecAI - 25

SecAI docx-within-limits-long-en-vi-01-p25

[docx-within-limits-long-en-vi-01-p25-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p25-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p25-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p25-0003] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p25-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p25-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p25-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p25-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p25-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p25-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p25-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p25-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p25-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p25-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p25-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p25-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-24-0	SOC	1
node-24-1	SOC	2

SecAI - 26

SecAI docx-within-limits-long-en-vi-01-p26

[docx-within-limits-long-en-vi-01-p26-0000] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p26-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p26-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p26-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p26-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p26-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p26-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p26-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p26-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p26-0009] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p26-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p26-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p26-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p26-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p26-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p26-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23

Asset	Owner	Priority
node-25-0	SOC	1
node-25-1	SOC	2

SecAI - 27

SecAI docx-within-limits-long-en-vi-01-p27

[docx-within-limits-long-en-vi-01-p27-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p27-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p27-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p27-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p27-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p27-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p27-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p27-0007] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p27-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p27-0009] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p27-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p27-0011] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p27-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p27-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p27-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p27-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18

Asset	Owner	Priority
node-26-0	SOC	1
node-26-1	SOC	2

SecAI - 28

SecAI docx-within-limits-long-en-vi-01-p28

[docx-within-limits-long-en-vi-01-p28-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p28-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p28-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p28-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p28-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p28-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p28-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p28-0007] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p28-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p28-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p28-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p28-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p28-0012] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p28-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p28-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p28-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-27-0	SOC	1
node-27-1	SOC	2

SecAI - 29

SecAI docx-within-limits-long-en-vi-01-p29

[docx-within-limits-long-en-vi-01-p29-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p29-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p29-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p29-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p29-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p29-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p29-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p29-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p29-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p29-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p29-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p29-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p29-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p29-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p29-0014] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p29-0015] The inventory includes databases, network devices, endpoints and their responsible teams.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25

Asset	Owner	Priority
node-28-0	SOC	1
node-28-1	SOC	2

SecAI - 30

SecAI docx-within-limits-long-en-vi-01-p30

[docx-within-limits-long-en-vi-01-p30-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p30-0001] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p30-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p30-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p30-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p30-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p30-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p30-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p30-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p30-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p30-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p30-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p30-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p30-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p30-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p30-0015] The inventory includes databases, network devices, endpoints and their responsible teams.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25

Asset	Owner	Priority
node-29-0	SOC	1
node-29-1	SOC	2

SecAI - 31

SecAI docx-within-limits-long-en-vi-01-p31

[docx-within-limits-long-en-vi-01-p31-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p31-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p31-0002] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p31-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p31-0004] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p31-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p31-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p31-0007] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p31-0008] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p31-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p31-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p31-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p31-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p31-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p31-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p31-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-30-0	SOC	1
node-30-1	SOC	2

SecAI - 32

SecAI docx-within-limits-long-en-vi-01-p32

[docx-within-limits-long-en-vi-01-p32-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p32-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p32-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p32-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p32-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p32-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p32-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p32-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p32-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p32-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p32-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p32-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p32-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p32-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p32-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p32-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18

Asset	Owner	Priority
node-31-0	SOC	1
node-31-1	SOC	2

SecAI - 33

SecAI docx-within-limits-long-en-vi-01-p33

[docx-within-limits-long-en-vi-01-p33-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p33-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p33-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p33-0006] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p33-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p33-0009] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p33-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p33-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p33-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p33-0015] Every change is tested with representative documents before release to the customer.

Keywords: audit16

Asset	Owner	Priority
node-32-0	SOC	1
node-32-1	SOC	2

SecAI - 34

SecAI docx-within-limits-long-en-vi-01-p34

[docx-within-limits-long-en-vi-01-p34-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p34-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p34-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p34-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p34-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p34-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p34-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p34-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p34-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p34-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p34-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p34-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p34-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p34-0013] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p34-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p34-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26 audit27 audit28

Asset	Owner	Priority
node-33-0	SOC	1
node-33-1	SOC	2

SecAI - 35

SecAI docx-within-limits-long-en-vi-01-p35

[docx-within-limits-long-en-vi-01-p35-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p35-0001] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p35-0002] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p35-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p35-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p35-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p35-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p35-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p35-0008] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p35-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p35-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p35-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p35-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p35-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p35-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p35-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-34-0	SOC	1
node-34-1	SOC	2

SecAI - 36

SecAI docx-within-limits-long-en-vi-01-p36

[docx-within-limits-long-en-vi-01-p36-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p36-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p36-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p36-0003] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p36-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p36-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p36-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p36-0007] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p36-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p36-0009] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p36-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p36-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p36-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p36-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p36-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p36-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20

Asset	Owner	Priority
node-35-0	SOC	1
node-35-1	SOC	2

SecAI - 37

SecAI docx-within-limits-long-en-vi-01-p37

[docx-within-limits-long-en-vi-01-p37-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p37-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p37-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p37-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p37-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p37-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p37-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p37-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p37-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p37-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p37-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p37-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p37-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p37-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p37-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p37-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20

Asset	Owner	Priority
node-36-0	SOC	1
node-36-1	SOC	2

SecAI - 38

SecAI docx-within-limits-long-en-vi-01-p38

[docx-within-limits-long-en-vi-01-p38-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p38-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p38-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p38-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p38-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p38-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p38-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p38-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p38-0008] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p38-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p38-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p38-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p38-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p38-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p38-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p38-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Asset	Owner	Priority
node-37-0	SOC	1
node-37-1	SOC	2

SecAI - 39

SecAI docx-within-limits-long-en-vi-01-p39

[docx-within-limits-long-en-vi-01-p39-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p39-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p39-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p39-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p39-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p39-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p39-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p39-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p39-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p39-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p39-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p39-0011] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p39-0012] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p39-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p39-0014] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p39-0015] The inventory includes databases, network devices, endpoints and their responsible teams.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26 audit27

Asset	Owner	Priority
node-38-0	SOC	1
node-38-1	SOC	2

SecAI - 40

SecAI docx-within-limits-long-en-vi-01-p40

[docx-within-limits-long-en-vi-01-p40-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p40-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p40-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p40-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p40-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p40-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p40-0006] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p40-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p40-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p40-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p40-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p40-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p40-0012] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p40-0013] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p40-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p40-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26 audit27

Asset	Owner	Priority
node-39-0	SOC	1
node-39-1	SOC	2

SecAI - 41

SecAI docx-within-limits-long-en-vi-01-p41

[docx-within-limits-long-en-vi-01-p41-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p41-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p41-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p41-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p41-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p41-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p41-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p41-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p41-0008] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p41-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p41-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p41-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p41-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p41-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p41-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p41-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17

Asset	Owner	Priority
node-40-0	SOC	1
node-40-1	SOC	2

SecAI - 42

SecAI docx-within-limits-long-en-vi-01-p42

[docx-within-limits-long-en-vi-01-p42-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p42-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p42-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p42-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p42-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p42-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p42-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p42-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p42-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p42-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p42-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p42-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p42-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p42-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p42-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p42-0015] The inventory includes databases, network devices, endpoints and their responsible teams.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26 audit27

Asset	Owner	Priority
node-41-0	SOC	1
node-41-1	SOC	2

SecAI - 43

SecAI docx-within-limits-long-en-vi-01-p43

[docx-within-limits-long-en-vi-01-p43-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p43-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p43-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p43-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p43-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p43-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p43-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p43-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p43-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p43-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p43-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p43-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p43-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p43-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p43-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p43-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-42-0	SOC	1
node-42-1	SOC	2

SecAI - 44

SecAI docx-within-limits-long-en-vi-01-p44

[docx-within-limits-long-en-vi-01-p44-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p44-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p44-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p44-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p44-0004] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p44-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p44-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p44-0007] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p44-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p44-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p44-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p44-0011] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p44-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p44-0013] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p44-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p44-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Asset	Owner	Priority
node-43-0	SOC	1
node-43-1	SOC	2

SecAI - 45

SecAI docx-within-limits-long-en-vi-01-p45

[docx-within-limits-long-en-vi-01-p45-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p45-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p45-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p45-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p45-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p45-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p45-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p45-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p45-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p45-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p45-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p45-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p45-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p45-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p45-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p45-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17

Asset	Owner	Priority
node-44-0	SOC	1
node-44-1	SOC	2

SecAI - 46

SecAI docx-within-limits-long-en-vi-01-p46

[docx-within-limits-long-en-vi-01-p46-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p46-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p46-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p46-0003] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p46-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p46-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p46-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p46-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p46-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p46-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p46-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p46-0011] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p46-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p46-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p46-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p46-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Asset	Owner	Priority
node-45-0	SOC	1
node-45-1	SOC	2

SecAI - 47

SecAI docx-within-limits-long-en-vi-01-p47

[docx-within-limits-long-en-vi-01-p47-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p47-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p47-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p47-0003] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p47-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p47-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p47-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p47-0007] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p47-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p47-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p47-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p47-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p47-0012] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p47-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p47-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p47-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Asset	Owner	Priority
node-46-0	SOC	1
node-46-1	SOC	2

SecAI - 48

SecAI docx-within-limits-long-en-vi-01-p48

[docx-within-limits-long-en-vi-01-p48-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p48-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p48-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p48-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p48-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p48-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p48-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p48-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p48-0008] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p48-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p48-0010] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p48-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p48-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p48-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p48-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p48-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-47-0	SOC	1
node-47-1	SOC	2

SecAI - 49

SecAI docx-within-limits-long-en-vi-01-p49

[docx-within-limits-long-en-vi-01-p49-0000] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p49-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p49-0002] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p49-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p49-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p49-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p49-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p49-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p49-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p49-0009] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p49-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p49-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p49-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p49-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p49-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p49-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25

Asset	Owner	Priority
node-48-0	SOC	1
node-48-1	SOC	2

SecAI - 50

SecAI docx-within-limits-long-en-vi-01-p50

[docx-within-limits-long-en-vi-01-p50-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p50-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p50-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p50-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p50-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p50-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p50-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p50-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p50-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p50-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p50-0010] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p50-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p50-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p50-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p50-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p50-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16

Asset	Owner	Priority
node-49-0	SOC	1
node-49-1	SOC	2

SecAI - 51

SecAI docx-within-limits-long-en-vi-01-p51

[docx-within-limits-long-en-vi-01-p51-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p51-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p51-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p51-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p51-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p51-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p51-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p51-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p51-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p51-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16

Asset	Owner	Priority
node-50-0	SOC	1
node-50-1	SOC	2

SecAI - 52

SecAI docx-within-limits-long-en-vi-01-p52

[docx-within-limits-long-en-vi-01-p52-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p52-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p52-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p52-0003] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p52-0004] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p52-0005] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p52-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p52-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p52-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p52-0009] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p52-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p52-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p52-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p52-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p52-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p52-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18

Asset	Owner	Priority
node-51-0	SOC	1
node-51-1	SOC	2

SecAI - 53

SecAI docx-within-limits-long-en-vi-01-p53

[docx-within-limits-long-en-vi-01-p53-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p53-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p53-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p53-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p53-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p53-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p53-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p53-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p53-0008] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p53-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p53-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p53-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p53-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p53-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p53-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p53-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23

Asset	Owner	Priority
node-52-0	SOC	1
node-52-1	SOC	2

SecAI - 54

SecAI docx-within-limits-long-en-vi-01-p54

[docx-within-limits-long-en-vi-01-p54-0000] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p54-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p54-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p54-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p54-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p54-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p54-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p54-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p54-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p54-0009] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p54-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p54-0011] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p54-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p54-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p54-0014] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p54-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords:

Asset	Owner	Priority
node-53-0	SOC	1
node-53-1	SOC	2

SecAI - 55

SecAI docx-within-limits-long-en-vi-01-p55

[docx-within-limits-long-en-vi-01-p55-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p55-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p55-0002] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p55-0003] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p55-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p55-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p55-0006] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p55-0007] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p55-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p55-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p55-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p55-0011] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p55-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p55-0013] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p55-0014] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p55-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19

Asset	Owner	Priority
node-54-0	SOC	1
node-54-1	SOC	2

SecAI - 56

SecAI docx-within-limits-long-en-vi-01-p56

[docx-within-limits-long-en-vi-01-p56-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p56-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p56-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p56-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p56-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p56-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p56-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p56-0007] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p56-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p56-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p56-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p56-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p56-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p56-0013] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p56-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p56-0015] Operations monitor resource usage and verify that queued requests finish within the deadline.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Asset	Owner	Priority
node-55-0	SOC	1
node-55-1	SOC	2

SecAI - 57

SecAI docx-within-limits-long-en-vi-01-p57

[docx-within-limits-long-en-vi-01-p57-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p57-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p57-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p57-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p57-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p57-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p57-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p57-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p57-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p57-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p57-0010] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p57-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p57-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p57-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p57-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p57-0015] A vulnerability report describes the affected asset, business impact and remediation steps.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-56-0	SOC	1
node-56-1	SOC	2

SecAI - 58

SecAI docx-within-limits-long-en-vi-01-p58

[docx-within-limits-long-en-vi-01-p58-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p58-0001] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p58-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p58-0003] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p58-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p58-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p58-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p58-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p58-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p58-0009] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p58-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p58-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p58-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p58-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p58-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p58-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-57-0	SOC	1
node-57-1	SOC	2

SecAI - 59

SecAI docx-within-limits-long-en-vi-01-p59

[docx-within-limits-long-en-vi-01-p59-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p59-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p59-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p59-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p59-0004] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p59-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p59-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p59-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p59-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p59-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p59-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p59-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p59-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p59-0013] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p59-0014] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p59-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23

Asset	Owner	Priority
node-58-0	SOC	1
node-58-1	SOC	2

SecAI - 60

SecAI docx-within-limits-long-en-vi-01-p60

[docx-within-limits-long-en-vi-01-p60-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p60-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-long-en-vi-01-p60-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-long-en-vi-01-p60-0003] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p60-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-long-en-vi-01-p60-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p60-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p60-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-long-en-vi-01-p60-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p60-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p60-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p60-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-long-en-vi-01-p60-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-long-en-vi-01-p60-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-long-en-vi-01-p60-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-long-en-vi-01-p60-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Account: svc_ccu_ce65116d

Password: Pw772fc035!0&*()_+

URL: https://ce65116d.example.org/audit?id=13526289&mode=test

IP: 192.0.2.40:8289

CVE: CVE-2024-9289

Email: audit.ce65116d@example.org

Key: sk-test-361a774845589abb

Asset	Owner	Priority
node-59-0	SOC	1
node-59-1	SOC	2