SecAI - 1

SecAI docx-within-limits-short-en-vi-05-p01

[docx-within-limits-short-en-vi-05-p01-0000] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p01-0001] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p01-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p01-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p01-0004] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p01-0005] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p01-0006] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p01-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p01-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p01-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p01-0010] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p01-0011] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p01-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p01-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p01-0014] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p01-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-0-0	SOC	1
node-0-1	SOC	2

SecAI - 2

SecAI docx-within-limits-short-en-vi-05-p02

[docx-within-limits-short-en-vi-05-p02-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p02-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p02-0002] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p02-0003] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p02-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p02-0005] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p02-0006] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p02-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p02-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p02-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p02-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p02-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p02-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p02-0013] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p02-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p02-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23

Asset	Owner	Priority
node-1-0	SOC	1
node-1-1	SOC	2

SecAI - 3

SecAI docx-within-limits-short-en-vi-05-p03

[docx-within-limits-short-en-vi-05-p03-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p03-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p03-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p03-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p03-0004] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p03-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p03-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p03-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p03-0008] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p03-0009] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p03-0010] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p03-0011] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p03-0012] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p03-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p03-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p03-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-2-0	SOC	1
node-2-1	SOC	2

SecAI - 4

SecAI docx-within-limits-short-en-vi-05-p04

[docx-within-limits-short-en-vi-05-p04-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p04-0001] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p04-0002] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p04-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p04-0004] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p04-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p04-0006] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p04-0007] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p04-0008] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p04-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p04-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p04-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p04-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p04-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p04-0014] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p04-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22

Asset	Owner	Priority
node-3-0	SOC	1
node-3-1	SOC	2

SecAI - 5

SecAI docx-within-limits-short-en-vi-05-p05

[docx-within-limits-short-en-vi-05-p05-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p05-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p05-0002] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p05-0003] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p05-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p05-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p05-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p05-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p05-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p05-0009] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p05-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p05-0011] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p05-0012] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p05-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p05-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p05-0015] Analysts compare network alerts with application logs before opening an incident.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21

Asset	Owner	Priority
node-4-0	SOC	1
node-4-1	SOC	2

SecAI - 6

SecAI docx-within-limits-short-en-vi-05-p06

[docx-within-limits-short-en-vi-05-p06-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p06-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p06-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p06-0003] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p06-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p06-0005] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p06-0006] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p06-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p06-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p06-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p06-0010] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p06-0011] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p06-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p06-0013] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p06-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p06-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Asset	Owner	Priority
node-5-0	SOC	1
node-5-1	SOC	2

SecAI - 7

SecAI docx-within-limits-short-en-vi-05-p07

[docx-within-limits-short-en-vi-05-p07-0000] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p07-0001] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p07-0002] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p07-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p07-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p07-0005] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p07-0006] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p07-0007] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p07-0008] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p07-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p07-0010] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p07-0011] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p07-0012] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p07-0013] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p07-0014] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p07-0015] The maintenance window requires a tested backup and a documented recovery procedure.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24 audit25 audit26

Asset	Owner	Priority
node-6-0	SOC	1
node-6-1	SOC	2

SecAI - 8

SecAI docx-within-limits-short-en-vi-05-p08

[docx-within-limits-short-en-vi-05-p08-0000] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0001] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0002] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p08-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p08-0004] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0005] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0006] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0007] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p08-0008] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p08-0009] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0010] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p08-0011] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p08-0012] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p08-0013] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p08-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p08-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17

Asset	Owner	Priority
node-7-0	SOC	1
node-7-1	SOC	2

SecAI - 9

SecAI docx-within-limits-short-en-vi-05-p09

[docx-within-limits-short-en-vi-05-p09-0000] The inventory includes databases, network devices, endpoints and their responsible teams.

[docx-within-limits-short-en-vi-05-p09-0001] The maintenance window requires a tested backup and a documented recovery procedure.

[docx-within-limits-short-en-vi-05-p09-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p09-0003] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p09-0004] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p09-0005] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p09-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p09-0007] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p09-0008] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p09-0009] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p09-0010] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p09-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p09-0012] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p09-0013] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p09-0014] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p09-0015] The security team reviews access permissions and records the owner of each service.

Keywords: audit16 audit17 audit18 audit19 audit20

Asset	Owner	Priority
node-8-0	SOC	1
node-8-1	SOC	2

SecAI - 10

SecAI docx-within-limits-short-en-vi-05-p10

[docx-within-limits-short-en-vi-05-p10-0000] Operations monitor resource usage and verify that queued requests finish within the deadline.

[docx-within-limits-short-en-vi-05-p10-0001] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p10-0002] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p10-0003] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p10-0004] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p10-0005] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p10-0006] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p10-0007] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p10-0008] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p10-0009] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p10-0010] The security team reviews access permissions and records the owner of each service.

[docx-within-limits-short-en-vi-05-p10-0011] Analysts compare network alerts with application logs before opening an incident.

[docx-within-limits-short-en-vi-05-p10-0012] A vulnerability report describes the affected asset, business impact and remediation steps.

[docx-within-limits-short-en-vi-05-p10-0013] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

[docx-within-limits-short-en-vi-05-p10-0014] Every change is tested with representative documents before release to the customer.

[docx-within-limits-short-en-vi-05-p10-0015] The reviewer checks evidence, assigns a priority and confirms the expected resolution date.

Keywords: audit16 audit17 audit18 audit19 audit20 audit21 audit22 audit23 audit24

Account: svc_ccu_2a6ec855

Password: Pw8bb5e56e!0&*()_+

URL: https://2a6ec855.example.org/audit?id=2780872&mode=test

IP: 192.0.2.123:8872

CVE: CVE-2024-9872

Email: audit.2a6ec855@example.org

Key: sk-test-bfe8a0320d445664

Asset	Owner	Priority
node-9-0	SOC	1
node-9-1	SOC	2