

Δίκτυα Υπολογιστών II

Ονοματεπώνυμο : Κελέση Ελπίδα

ΑΕΜ : 09410

Email : elpidakelesi@ece.auth.gr



Καθηγητής : Δημήτριος Μητράκος


Ακαδημαϊκό έτος : 2020-2021

Εξάμηνο : Χειμερινό

Port Forward

Κατά τη διάρκεια των μετρήσεων μου μετά από αυτόματη επανεκκίνηση του router μου, έγινε αλλαγή της IP διεύθυνσής μου από 192.168.1.6 σε 192.168.1.3, οπότε αποφάσισα να κάνω την IP μου static. Έτσι, έγινε 192.168.1.10, ώστε να μη χρειάζεται να έρχομαι συνέχεια σε τηλεφωνική επικοινωνία με την cosmote, για να ενεργοποιήσουμε του port forwarding, για κάθε διαφορετική IP.

▲ Μη ασφαλής | 192.168.1.1



Ένας κόσμος, καλύτερος για όλους.

Help and Support Logout

HomeInternetLocal NetworkVoIPManagement

StatusWANUplink ModeQoSSecurityParental ControlDDNSSNTPPort BindingDynamic RoutingMulticast

FirewallFilter CriteriaLocal Service ControlALGDMZPort Forward

Page Information

This page provides the function of port forwarding parameter(s) configuration.

▼ Port Forwarding

[What should be noticed when configuring port forwarding?](#)

▼ Ithaki

OnOff

NameIthaki

ProtocolTCP And UDP

WAN ConnectionPTM_DSL

WAN Host IP Range0000 ~ 0000

MAC MappingOnOff


LAN Host IP Address19216813

WAN Port Range48000 ~ 48100

LAN Host Port Range48000 ~ 48100

ApplyCancel

▲ Μη ασφαλής | 192.168.1.1



Ένας κόσμος, καλύτερος για όλους.

Help and Support Logout

HomeInternetLocal NetworkVoIPManagement

StatusWANUplink ModeQoSSecurityParental ControlDDNSSNTPPort BindingDynamic RoutingMulticast

FirewallFilter CriteriaLocal Service ControlALGDMZPort Forward

Page Information

This page provides the function of port forwarding parameter(s) configuration.

▼ Port Forwarding

[What should be noticed when configuring port forwarding?](#)

▼ Ithaki

OnOff

NameIthaki

ProtocolTCP And UDP

WAN ConnectionPTM_DSL

WAN Host IP Range0000 ~ 0000

MAC MappingOnOff

LAN Host IP Address192168110

WAN Port Range48000 ~ 48100

LAN Host Port Range48000 ~ 48100

ApplyCancel

{ 2 }

▲ Μη ασφαλής | 192.168.1.1

HomeInternetLocal NetworkVoIPManagement

StatusWANUplink ModeQoSSecurityParental ControlDDNSSNTPPort BindingDynamic RoutingMulticast

DSLWAN Ethernet (LAN1)

Page Information

This page shows the status of DSL.

▼ DSL Link Information

Link Status	Up
Modulation Type	VDSL2
Actual Rate(Up/Down)	5503/54998 kbps
Attainable Rate(Up/Down)	44056/105778 kbps
Noise Margin(Up/Down)	31.1/19.6 dB
Line Attenuation(Up/Down)	4.1/7.1 dB
Output Power(Up/Down)	-2.1/11.3 dBm
Data Path(Up/Down)	Interleaved/Interleaved
Interleave Depth(Up/Down)	9/1455
Interleave Delay(Up/Down)	0/10 ms
INP(Up/Down)	0/4.5 symbols
Profile	17a
LinkEncap	G.993.2_Annex_K_PTM
CRC Errors(Up/Down)	0/13
FEC Errors(Up/Down)	43/726554

▲ Μη ασφαλής | 192.168.1.1

▼ DSL Connection Status

Connection Name	PTM_DSL
Type	PPPoE
DSL Transfer Mode	PTM
IP Version	IPv4/v6
NAT	On
IP Address	87.203.212.76/255.255.255.255
DNS	212.205.212.205/195.170.0.1/0.0.0.0
IPv4 Connection Status	Connected
IPv4 Online Duration	383 h 23 min 36 s
Disconnect Reason	None
LLA	fe80::d260:8cff:fe7:9fb6
GUA	2a02:587:4cfe:2d06:d260:8cff:fe7:9fb6
DNS	2a02:587:101:0:212:205:212:205/2a02:587:...
IPv6 Connection Status	Connected
IPv6 Online Duration	383 h 27 min 5 s
WAN MAC	d0:60:8c:07:9f:b6

Connection Name	PTM_OTETV
Type	Bridge Connection
DSL Transfer Mode	PTM

Connection Name	ATM_DSL
Type	PPPoE

{ 3 }

Connection Name	PTM_OTETV
Type	Bridge Connection
DSL Transfer Mode	PTM

Connection Name	ATM_DSL
Type	PPPoE
DSL Transfer Mode	ATM
VPI/VCI	8/35
IP Version	IPv4/v6
NAT	Off
IP Address	0.0.0.0/0.0.0.0
DNS	0.0.0.0/0.0.0.0/0.0.0.0
IPv4 Connection Status	Disconnected
IPv4 Online Duration	0 h 0 min 0 s
Disconnect Reason	No Carrier
LLA	::
GUA	::
DNS	::::
IPv6 Connection Status	Disconnected
IPv6 Online Duration	0 h 0 min 0 s
WAN MAC	d0:60:8c:07:9f:b6


Connection Name	ATM_OTETV
Type	Bridge Connection
DSL Transfer Mode	ATM
VPI/VCI	8/36

DSL Transfer Mode	PTM
-------------------	-----

Connection Name	ATM_DSL
Type	PPPoE
DSL Transfer Mode	ATM
VPI/VCI	8/35
IP Version	IPv4/v6
NAT	Off
IP Address	0.0.0.0/0.0.0.0
DNS	0.0.0.0/0.0.0.0/0.0.0.0
IPv4 Connection Status	Disconnected
IPv4 Online Duration	0 h 0 min 0 s
Disconnect Reason	No Carrier
LLA	::
GUA	::
DNS	::::
IPv6 Connection Status	Disconnected
IPv6 Online Duration	0 h 0 min 0 s
WAN MAC	d0:60:8c:07:9f:b6

Connection Name	ATM_OTETV
Type	Bridge Connection
DSL Transfer Mode	ATM
VPI/VCI	8/36

Static IP



```
Γραμμή εντολών
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . :

Wireless LAN adapter Τοπική σύνδεση* 1:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Τοπική σύνδεση* 2:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :

Wireless LAN adapter Wi-Fi:

Connection-specific DNS Suffix . :
IPv6 Address. . . . . : 2a02:587:4c1e:3000:7883:45e:b7d1:901c
Temporary IPv6 Address. . . . . : 2a02:587:4c1e:3000:4c0:42ef:e3f8:98ab
Link-local IPv6 Address . . . . . : fe80::7883:45e:b7d1:901c%14
IPv4 Address. . . . . : 192.168.1.10
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : fe80::1%14
                          192.168.1.1

Ethernet adapter Σύνδεση δικτύου Bluetooth 2:

Media State . . . . . : Media disconnected
Connection-specific DNS Suffix . :

C:\Users\User>
```

Κανόνας Ithaki στο τείχος προστασίας του Defender Wall

