

File Edit Selection View Go Run Terminal Help

Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More

EXPLORER

- APLIWEB
  - css
    - style\_greeting.css
    - style\_hello.css
    - style\_hoy.css
    - style\_tablas.css
    - style.css
    - styleee.css
    - styleee.css
    - styleREGISTRO.CSS
  - html
    - greetingf.html
    - saludar.html
    - tablas.html
  - img
  - js
  - php
    - cambarColor.php
    - cita.php
    - cliente.php
  - OUTLINE
  - TIMELINE

greeting.php style\_greeting.css greetingf.html

```
html > > greetingf.html > > html > > head > > link
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <title>Document</title>
8   <link rel="stylesheet" href="../css/style_greeting.css">
9 </head>
10 <body>
11   <center>
12     <!-- Codigo de inicio donde se almacena todo para crear el formulario -->
13     <H2>Soy Bryan Antonio </H2>
14     <h1>Captar datos</h1>
15     <!-- Metodo post para mandar datos a php, declarar variables en post -->
16     <form action="../php/greeting.php" method="post">
17       <input type="text" name="name" id="name" placeholder="Ingresa nombre">
18       <br>
19       <br>
20       <input type="number" name="telefono" id="name" placeholder="Ingresa tu telefono">
21       <br>
22       <br>
23       <input type="number" name="edad" id="name" placeholder="Ingresa tu edad">
24       <br>
```

Ln 8, Col 61 Spaces: 4 UTF-8 CRLF HTML

17°C Soleado 06:43 p. m. 19/10/2022

File Edit Selection View Go Run Terminal Help

Restricted Mode is intended for safe code browsing. Trust this folder to enable all features. Manage Learn More

EXPLORER

- APLIWEB
  - css
    - style\_greeting.css
    - style\_hello.css
    - style\_hoy.css
    - style\_tablas.css
    - style.css
    - styleee.css
    - styleee.css
    - styleREGISTRO.CSS
  - html
    - greetingf.html
    - saludar.html
    - tablas.html
  - img
  - js
  - php
    - cambarColor.php
    - cita.php
    - cliente.php
  - OUTLINE
  - TIMELINE

greeting.php style\_greeting.css greetingf.html

```
html > > greetingf.html > > html > > head > > link
17   <input type="text" name="name" id="name" placeholder="Ingresa nombre">
18   <br>
19   <br>
20   <input type="number" name="telefono" id="name" placeholder="Ingresa tu telefono">
21   <br>
22   <br>
23   <input type="number" name="edad" id="name" placeholder="Ingresa tu edad">
24   <br>
25   <br>
26   <button type="submit">SALUDAR</button>
27
28 </form>
29 </body>
30 </html>
```


Ln 8, Col 61 Spaces: 4 UTF-8 CRLF HTML

17°C Atardecer 06:43 p. m. 19/10/2022

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7     <title>Document</title>
8     <link rel="stylesheet" href="../../css/style_greeting.css">
9 </head>
10 <body>
11     <center>
12 </body>
13 </html>
14 <!-- Este tambien recibe los mismos estilos al igual que la html -->
15 <?php
16 // variables
17 $nombre=$_POST['name'];
18 $telefono=$_POST['telefono'];
19 $edad=$_POST['edad'];
20 echo"<h1 class='l'>Hola $nombre</h1>";
21 echo"<h1>Tu telefono es $telefono</h1>";
22 echo"<h1>Tu edad es $edad años</h1>";
23
24 echo"<HR>";
```

```
18 $telefono=$_POST['telefono'];
19 $edad=$_POST['edad'];
20 echo"<h1 class='l'>Hola $nombre</h1>";
21 echo"<h1>Tu telefono es $telefono</h1>";
22 echo"<h1>Tu edad es $edad años</h1>";
23
24 echo"<HR>";
25 // link para conectar con html
26 echo"<a href='../html/greetingf.html'>Regresar</a>"
27
28
29
30 ?>
```






This screenshot shows the Visual Studio Code editor with the file explorer on the left displaying a project named 'APLIWEB'. The file explorer lists folders for 'css', 'html', 'img', 'js', and 'php', along with various CSS and PHP files. The main editor window is open to 'style\_greeting.css' and shows the following CSS code:

```
css > # style_greeting.css > button
1  /*Color de fondo */
2  background: black;
3
4  }
5
6
7  input{
8      /* Caja de colores en el input */
9      background: #bdf0fa;
10     color: #0c92ac;
11     font-weight: bold;
12     padding: 15px;
13     border: 2px solid #abecf9;
14     border-radius: 6px;
15 }
16
17 h2{
18     /* Caja de estilo que se almacena el titulo */
19     padding:15px 15px 20px 15px;
20     border-left:5px solid #F98200;
21     background: #F5F5F5;
22     margin-bottom:20px;
23     line-height:26px !important;
24     width: 300px;
25 }
```

The status bar at the bottom indicates 'Restricted Mode', 'Ln 35, Col 24', 'Spaces: 4', 'UTF-8', 'CRLF', 'CSS', and the system clock shows 06:44 p. m. on 19/10/2022.




This screenshot shows the Visual Studio Code editor with the file explorer on the left displaying the same project 'APLIWEB'. The main editor window is open to 'style\_greeting.css' and shows the following CSS code:

```
css > # style_greeting.css > button
24 }
25
26 h1{
27     /* Caja de estilo que se almacena el subtítulo */
28     padding:15px 15px 20px 15px;
29     border-left:5px solid #F98200;
30     background: #F5F5F5;
31     margin-bottom:20px;
32     line-height:26px !important;
33     width: 300px;
34 }
35
36 button{
37     /* Color del boton */
38     color: #ffffff;
39 }
```


The status bar at the bottom indicates 'Restricted Mode', 'Ln 35, Col 24', 'Spaces: 4', 'UTF-8', 'CRLF', 'CSS', and the system clock shows 06:44 p. m. on 19/10/2022.

## TABLAS DE MULTIPLICAR



The screenshot shows a code editor with the following PHP code in `multiplicar.php`:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4     <meta charset="UTF-8">
5     <meta http-equiv="X-UA-Compatible" content="IE=edge">
6     <meta name="viewport" content="width=device-width, initial-scale=1.0">
7     <title>Document</title>
8     <link rel="stylesheet" href="../../css/styleeee.css">
9 </head>
10 <body>
11
12     <center>
13 </body>
14 </html>
15 <?php
16 ///BRYAN ANTONIO EXIGA GARCIA//
17 ///Esta recibe los datos del index que crea la tabla de multiplicar ///
18 if(isset($_GET['cajanumero']))
19 {
20     $numeroingresado=$_GET['cajanumero'];
21     echo<table border="1"><br>;
22     echo<h3 style="color:white">Tabla del $numeroingresado</h3>;
23     for($i=1; $i <=12; $i++)
24     {
25         $valor=$i*$numeroingresado;
26         echo<tr style="color:white">;
27         echo "<td>$i X $numeroingresado = </td>";
28         echo "<td>$valor</td>";
29         echo"</tr>";
30     }
31 }
```



The screenshot shows the same code editor with the completed PHP code in `multiplicar.php`:

```
15 <?php
16 ///BRYAN ANTONIO EXIGA GARCIA//
17 ///Esta recibe los datos del index que crea la tabla de multiplicar ///
18 if(isset($_GET['cajanumero']))
19 {
20     $numeroingresado=$_GET['cajanumero'];
21     echo<table border="1"><br>;
22     echo<h3 style="color:white">Tabla del $numeroingresado</h3>;
23     for($i=1; $i <=12; $i++)
24     {
25         $valor=$i*$numeroingresado;
26         echo<tr style="color:white">;
27         echo "<td>$i X $numeroingresado = </td>";
28         echo "<td>$valor</td>";
29         echo"</tr>";
30     }
31     echo"</table>";
32 }
33 }
34 }
35 }
36 }
37 }
38 ?>
39 }
```



