

eFocus E-Commerce Product Master

Complete Excel workbook converted to PDF — all worksheets and rows included.

Product Master — 164 rows × 13 columns

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
Cat No	Category	Sub-Category	Product Family	SKU / Part No	Product Name	Brand	Short Description (web)	Key Spec 1	Key Spec 2	Key Spec 3	Image Status	RFQ Eligible
01	SMT, Rework & Assembly	Soldering Consumables	Soldering Stations	QUICK-203H	Quick 203H Lead-Free Soldering Station 90W	Quick	90W lead-free soldering station with temperature control	Power: 90W	Temp Range: 180–480°C	Lead-Free: Yes	Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Soldering Stations	WELLER-WT1010	Weller WT1010 Soldering Station	Weller	Professional soldering station with digital display	Power: 70W	Temp Range: 100–450°C	Display: Digital	Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Soldering Tips	QUICK-200-K	Quick 203H Soldering Tip — K Type	Quick	K-type soldering tip for Quick 203H station	Tip Type: K (Knife)	Compatibility: Quick 203H	Material: Copper alloy	Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Soldering Tips	QUICK-200-2.4D	Quick 203H Soldering Tip — 2.4D Chisel	Quick	2.4mm chisel tip for Quick 203H station	Tip Type: Chisel 2.4D	Compatibility: Quick 203H		Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Soldering Tips	QUICK-200-3.2D	Quick 203H Soldering Tip — 3.2D Chisel	Quick	3.2mm chisel tip for Quick 203H station	Tip Type: Chisel 3.2D	Compatibility: Quick 203H		Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Soldering Tips	WELLER-FT910	Weller FT91012999N Soldering Tip	Weller	Replacement soldering tip for Weller stations	Model: FT91012999N	Compatibility: Weller		Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Solder Wire	EDSYN-SWS	Edsyn Solder Wire Lead-Free	Edsyn	Lead-free solder wire for PCB assembly	Composition: Sn/Ag/Cu	Diameter: 0.5mm	Lead-Free: Yes	Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Solder Wire	BLUE-UV-INK	Blue UV PCB Solder Mask Ink 10ml	Generic	UV-curable solder mask ink for PCB protection	Volume: 10ml	Colour: Blue	Cure: UV	Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Tip Thermometer	HAKKO-FG100	Hakko FG-100 Soldering Tip Thermometer	Hakko	Precision thermometer to verify soldering tip temperature	Range: 100–600°C	Accuracy: ±10°C	Display: Digital	Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Desoldering	GS100	Desoldering Pump GS100	Generic	Manual desoldering pump for through-hole component removal	Type: Manual pump	Tip: Anti-static		Needed	Yes
01	SMT, Rework & Assembly	Soldering Consumables	Heating Elements	QUICK-203H-HE	Heating Element for Quick 203H	Quick	Replacement heating element for Quick 203H station	Compatibility: Quick 203H	Wattage: 90W		Needed	Yes
01	SMT, Rework & Assembly	Rework Systems	BGA Rework Stations	DENON-RD500V	Denon RD-500V Semi-Automated SMT Rework System	Denon	Semi-automated BGA rework system for SMD component replacement	Type: Semi-auto BGA	Heating: IR+Hot Air	Control: PLC	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
01	SMT, Rework & Assembly	Rework Systems	BGA Rework Stations	HBRS-500	HBRS-500SV BGA Rework Station MKII	Generic	Advanced BGA rework station for high-precision desoldering	Type: BGA Rework	Vision: Top+Bottom	PCB Size: Max 450mm	Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	JTAG Tools	SEGGER-JLINK	Segger J-Link PLUS Classic	Segger	JTAG/SWD debug probe for embedded development	Interface: JTAG/SWD	Speed: Up to 15MB/s	MCU Support: ARM/Cortex	Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	JTAG Tools	XDS220-ISO	Spectrum Digital XDS220 ISO USB JTAG Emulator	Spectrum Digital	Isolated USB JTAG emulator for TI processors	Interface: JTAG	Isolation: Yes	Host: USB	Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	JTAG Tools	ONTAP-FS9165	FS-9165 onTAP JTAG Controller	Generic	JTAG boundary scan controller for PCB test	Interface: JTAG	Channels: Multi	Software: onTAP	Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	JTAG Adapters	BH-ADP-14E-TI	JTAG Pin Converter — 14E TI to 20E CTI	Generic	JTAG adapter for TI 14-pin to CTI 20-pin conversion	From: 14-pin TI	To: 20-pin CTI		Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	JTAG Adapters	BH-ADP-60E-MIP I	JTAG Pin Converter — 60E MIPI to 14T TI	Generic	JTAG adapter for MIPI 60-pin to TI 14-pin conversion	From: 60-pin MIPI	To: 14-pin TI		Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	Test Fixtures	NI-784662-01	NI 784662-01 Module	National Instruments	NI data acquisition and switching module	Type: NI DAQ Module	Interface: NI		Needed	Yes
01	SMT, Rework & Assembly	Test & Measurement	Pogo Pins	POGO-SPRING	Spring-Loaded Pogo Pins (ICT/FCT)	Generic	Spring-loaded test pins for ICT and FCT fixtures	Type: Spring-loaded	Application: ICT/FCT	Material: Gold-plated	Needed	Yes
01	SMT, Rework & Assembly	Embedded Hardware & Components	Single Board Computers	RPI-CM4	Raspberry Pi Compute Module 4	Raspberry Pi	Compact compute module for embedded industrial applications	CPU: Cortex-A72	RAM: Up to 8GB	Storage: Up to 32GB eMMC	Needed	Yes
01	SMT, Rework & Assembly	Embedded Hardware & Components	Single Board Computers	ARDUINO-UNO	Arduino Uno Dev Board	Arduino	Open-source microcontroller board for prototyping	MCU: ATmega328P	I/O Pins: 14 digital	USB: Type-B	Needed	Yes
01	SMT, Rework & Assembly	Embedded Hardware & Components	Single Board Computers	NVIDIA-JETSON	NVIDIA Jetson Nano Dev Kit	NVIDIA	AI computing module for edge inference applications	CPU: Quad-core A57	GPU: 128-core Maxwell	RAM: 4GB	Needed	Yes
02	Cables & Connectivity	Industrial Networking	SFP Modules	SFP-10G-SR	SFP+ 10G BASE-SR Transceiver	Finisar	10G short-range SFP+ module for multimode fiber	Speed: 10Gbps	Wavelength: 850nm	Reach: 300m (OM3)	Needed	Yes
02	Cables & Connectivity	Industrial Networking	SFP Modules	SFP-1G-SX	SFP 1G BASE-SX Transceiver	Finisar	1G SFP module for multimode fiber	Speed: 1Gbps	Wavelength: 850nm	Connector: LC Duplex	Needed	Yes
02	Cables & Connectivity	Industrial Networking	SFP Modules	QSFP-40G-SR4	QSFP+ 40G SR4 AOC Module	DNC	40G QSFP+ active optical cable with MPO connector	Speed: 40Gbps	Type: AOC	Connector: MPO-MPO	Needed	Yes
02	Cables & Connectivity	Industrial Networking	SFP Modules	SFP-25G-SR	SFP28 25G SR Transceiver	DNC	25G SFP28 module for short-range multimode fiber	Speed: 25Gbps	Wavelength: 850nm	Connector: LC	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
02	Cables & Connectivity	Industrial Networking	PoE Injectors	POE-INJ-GIG	PoE Injector — Gigabit 802.3at	Generic	Gigabit PoE injector for powering IP cameras and APs	Standard: 802.3at (PoE+)	Speed: Gigabit	Power: Up to 30W	Needed	Yes
02	Cables & Connectivity	Industrial Networking	PoE Injectors	POE-INJ-FE	PoE Injector — Fast Ethernet 802.3af	Generic	Fast Ethernet PoE injector for standard PoE devices	Standard: 802.3af (PoE)	Speed: 100Mbps	Power: Up to 15.4W	Needed	Yes
02	Cables & Connectivity	Industrial Networking	PoE Testers	POE-TESTER-24	PoE5 24-Port IEEE 802.3bt 100W Tester	Generic	24-port PoE tester for verifying PoE compliance and power	Ports: 24	Standard: 802.3bt	Max Power: 100W/port	Needed	Yes
02	Cables & Connectivity	Industrial Networking	Ethernet Switches	TL-SG108ETP	TP-Link TL-SG108ETP 8-Port Gigabit PoE Switch	TP-Link	8-port smart Gigabit PoE switch for industrial networking	Ports: 8x Gigabit	PoE Ports: 8	PoE Budget: 126W	Needed	Yes
02	Cables & Connectivity	Industrial Networking	Ethernet Switches	TL-SG116ETP	TP-Link TL-SG116ETP 16-Port Gigabit PoE Switch	TP-Link	16-port smart Gigabit PoE switch	Ports: 16x Gigabit	PoE Ports: 16	PoE Budget: 240W	Needed	Yes
02	Cables & Connectivity	Industrial Networking	LAN Cables	CAT6-0.5M	LAN Cable Cat6 — 0.5M	Generic	Cat6 patch cable for short ethernet runs	Category: Cat6	Length: 0.5M	Connector: RJ45	Needed	Yes
02	Cables & Connectivity	Industrial Networking	LAN Cables	CAT6-1M	LAN Cable Cat6 — 1M	Generic	Cat6 patch cable for standard ethernet connections	Category: Cat6	Length: 1M	Connector: RJ45	Needed	Yes
02	Cables & Connectivity	Industrial Networking	LAN Cables	CAT6-1.5M	LAN Cable Cat6 — 1.5M	Generic	Cat6 patch cable	Category: Cat6	Length: 1.5M	Connector: RJ45	Needed	Yes
02	Cables & Connectivity	Industrial Networking	LAN Cables	CAT6-2M	LAN Cable Cat6 — 2M	Generic	Cat6 patch cable for standard ethernet connections	Category: Cat6	Length: 2M	Connector: RJ45	Needed	Yes
02	Cables & Connectivity	Industrial Networking	USB Adapters	TP-UE300	TP-Link UE300 USB 3.0 to RJ45 Adapter	TP-Link	USB 3.0 to Gigabit Ethernet adapter	Interface: USB 3.0	Speed: 1Gbps	OS: Win/Mac/Linux	Needed	Yes
02	Cables & Connectivity	RF & Microwave	RF Probes	ECT-818033486	ECT RF Probe P/N 818033486	ECT	High-frequency RF probe for signal testing on PCBs	Frequency: GHz range	Connector: SMA	Application: PCB RF test	Needed	Yes
02	Cables & Connectivity	RF & Microwave	RF Probes	ECT-818040823	ECT RF Probe P/N 818040823	ECT	RF probe for high-frequency PCB signal measurement	Frequency: GHz range	Connector: SMA	Application: PCB RF test	Needed	Yes
02	Cables & Connectivity	RF & Microwave	RF Probes	ECT-818045873	ECT RF Probe P/N 818045873	ECT	RF probe for signal characterization	Frequency: GHz range	Connector: SMA	Application: RF measurement	Needed	Yes
02	Cables & Connectivity	RF & Microwave	RF Probes	ECT-818022025	ECT RF Probe P/N 818022025	ECT	RF probe for PCB test applications	Frequency: GHz range	Connector: SMA	Application: PCB RF test	Needed	Yes
02	Cables & Connectivity	RF & Microwave	RF Attenuators	ATT-6DB-6G	6dB 6GHz 2W RF Attenuator	Pasternack	Coaxial RF attenuator for signal level reduction	Attenuation: 6dB	Frequency: DC–6GHz	Power: 2W	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
02	Cables & Connectivity	RF & Microwave	RF Attenuators	ATT-30DB-250W	30dB 250W 6GHz RF Attenuator	Pasternack	High-power RF attenuator for lab and field use	Attenuation: 30dB	Frequency: DC–6GHz	Power: 250W	Needed	Yes
02	Cables & Connectivity	RF & Microwave	Coaxial Cables	BELDEN-7807A	Belden 7807A RG58 Coaxial Cable	Belden	RG58 50-ohm coaxial cable for RF signal transmission	Impedance: 50 Ohm	Type: RG58	AWG: 17	Needed	Yes
02	Cables & Connectivity	RF & Microwave	RF Connectors	SMA-SMA-1.6M	SMA to SMA RF Cable 1.6M LK200	Generic	SMA male to SMA male RF cable assembly 1.6 metres	Length: 1.6M	Connector: SMA-M to SMA-M	Cable: LK200	Needed	Yes
02	Cables & Connectivity	RF & Microwave	GPS Equipment	GPS-ANT-SET	GPS Generator and GPS Antenna Set	Generic	GPS signal generator with antenna for GPS simulation testing	Type: GPS Generator	Antenna: Included	Application: GPS test	Needed	Yes
02	Cables & Connectivity	Fiber & Optical	Fiber Patch Cords	FPC-OM3-LC-LC-3.5M	Fiber Patch Cable OM3 LC-LC 3.5M	Generic	OM3 multimode LC-LC duplex fiber patch cord	Fiber: OM3 (50/125µm)	Length: 3.5M	Connector: LC-LC Duplex	Needed	Yes
02	Cables & Connectivity	Fiber & Optical	Fiber Patch Cords	FPC-OM4-MPO-20CM	MPO Fiber Cable OM4 — 20CM	DNC	Short MPO trunk cable for high-density fiber connections	Fiber: OM4	Length: 20CM	Connector: MPO-MPO	Needed	Yes
02	Cables & Connectivity	Fiber & Optical	Fiber Patch Cords	FPC-OM3-LC-5M	Fiber Patch Cable OM3 LC — 5M	Generic	OM3 LC fiber patch cable	Fiber: OM3	Length: 5M	Connector: LC	Needed	Yes
02	Cables & Connectivity	Fiber & Optical	Fiber Patch Cords	FPC-SM-LC-LC	Single Mode LC-LC Fiber Patch Cord	DNC	Single mode duplex LC-LC fiber patch cord	Fiber: SM (9/125µm)	Connector: LC-LC	Jacket: 1.8mm Yellow	Needed	Yes
02	Cables & Connectivity	Fiber & Optical	Fiber Patch Cords	FPC-OM5-LC-LC	OM5 LC-LC Fiber Patch Cord 20CM	DNC	OM5 wideband multimode fiber patch cord	Fiber: OM5 (50/125µm)	Length: 20CM	Connector: LC-LC	Needed	Yes
02	Cables & Connectivity	Fiber & Optical	MPO Trunks	MPO-OM4-12F-50CM	MPO Trunk OM4 12-Fiber 50CM	DNC	OM4 12-fiber MPO trunk cable for structured cabling	Fiber: OM4, 12-Fiber	Length: 50CM	Connector: MPO Female-MPO Female	Needed	Yes
02	Cables & Connectivity	IT Cables & Accessories	USB Cables	USB3-AM-TC-2M	USB 3.0 Type-A to Type-C Cable 2M	Generic	USB 3.0 cable for data transfer and charging	Standard: USB 3.0	Length: 2M	Connector: USB-A to USB-C	Needed	Yes
02	Cables & Connectivity	IT Cables & Accessories	USB Cables	USB-PRINTER-1.5M	USB Printer Cable A to B 1.5M	Ugreen	USB 2.0 printer cable for laser and inkjet printers	Standard: USB 2.0	Length: 1.5M	Connector: USB-A to USB-B	Needed	Yes
02	Cables & Connectivity	IT Cables & Accessories	GPIO Interfaces	GPIO-USB-HS	NI GPIO-USB-HS Interface Adapter	National Instruments	USB to GPIO interface for instrument control	Interface: USB to GPIO (IEEE-488)	Speed: High-Speed USB	Compatibility: NI-488.2	Needed	Yes
02	Cables & Connectivity	IT Cables & Accessories	Serial Adapters	USB-RS232	USB to RS232 Converter	Generic	USB to RS232 serial converter for legacy instrument connectivity	Interface: USB to RS232	Drivers: Windows/Linux	Connector: DB9	Needed	Yes
02	Cables & Connectivity	IT Cables & Accessories	Serial Adapters	USB-RS485	USB to RS422/RS485 Serial Adapter	DTECH	USB to RS422/RS485 adapter for industrial serial communication	Interface: USB to RS485/422	Speed: Up to 1Mbps	Termination: 120 Ohm	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
02	Cables & Connectivity	IT Cables & Accessories	Display Cables	HDMI-2M	HDMI Cable 2M	Generic	Standard HDMI cable for monitor and display connections	Version: HDMI 1.4	Length: 2M	Resolution: Up to 4K	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Cable Ties	CT-BLACK-300	Cable Ties Black 300mm	3M/Generic	Standard black nylon cable ties for wire management	Length: 300mm	Colour: Black	Material: Nylon 66	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Cable Ties	CT-WHITE-200	Cable Ties White 200mm	Generic	White nylon cable ties	Length: 200mm	Colour: White	Material: Nylon	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Ferrules	FERR-0.5-RED	Ferrules 0.5mm² Red	Knipex/Generic	Wire end ferrules for secure terminal connections	Cross Section: 0.5mm²	Colour: Red	Material: Copper, tin-plated	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Ferrules	FERR-1.5-BLK	Ferrules 1.5mm² Black	Knipex/Generic	Wire end ferrules for terminal blocks	Cross Section: 1.5mm²	Colour: Black	Material: Copper, tin-plated	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Heat Shrink Tubes	HST-BLACK-ASS T	Heat Shrink Tube Assorted Black	3M/Generic	Assorted black heat shrink tubes for wire insulation	Ratio: 2:1	Colour: Black	Sizes: Assorted	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Industrial Tapes	IND-TAPE-PVC	PVC Insulation Tape	3M	PVC electrical insulation tape for wire bundling	Width: 19mm	Length: 20M	Temperature: Up to 80°C	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Hand Tools	SCREWDRIVER-SET	Precision Screwdriver Set	Wera/Wiha	Precision screwdriver set for electronics assembly and maintenance	Pieces: 6-piece	Drive: Phillips/Slotted	Handle: Ergonomic	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Crimping Tools	CRIMP-RATCHET	Ratchet Crimping Tool for Ferrules	Knipex	Ratchet crimping tool for wire end ferrules 0.5–16mm²	Range: 0.5–16mm²	Type: Ratchet	Jaw: Interchangeable	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Wire Strippers	WIRE-STRIP-AUTO	Automatic Wire Stripper	Knipex	Self-adjusting automatic wire stripper for AWG 10-24	Range: AWG 10–24	Type: Self-adjusting	Length: 190mm	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Torque Tools	TORQUE-SCREWDRIVER	Digital Torque Screwdriver	Wera	Digital torque screwdriver for precision fastening	Range: 0.1–1.5Nm	Display: Digital	Accuracy: ±3%	Needed	Yes
03	Tools & MRO	Hand & Power Tools	Pneumatic Tools	PNEUM-GUN	Pneumatic Screwdriver	Atlas Copco	Pneumatic screwdriver for high-volume assembly	Drive: 1/4"	Speed: 1200 RPM	Air Pressure: 6.2 bar	Needed	Yes
03	Tools & MRO	Fixings & Consumables	Industrial Tapes	COPPER-TAPE	Copper Foil Tape	3M	Conductive copper foil tape for EMI shielding	Width: 12mm	Conductive: Yes	Application: EMI shielding	Needed	Yes
04	Power & Electrical	Electrical & Power Components	DC Power Supplies	CHROMA-62012P	Chroma 62012P-40-120 DC Power Supply	Chroma	Programmable DC power supply 40V/120A/1200W	Voltage: 0–40V	Current: 0–120A	Power: 1200W	Needed	Yes
04	Power & Electrical	Electrical & Power Components	DC Power Supplies	EFOCUS-EPS2030	eFocus EPS-2030 Programmable DC Power Supply	eFocus	eFocus brand programmable DC power supply	Voltage: 0–30V	Current: 0–20A	Display: Digital	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
04	Power & Electrical	Electrical & Power Components	DC Power Supplies	EFOCUS-EWS100	eFocus EWS 100-60 Power Supply	eFocus	eFocus wide-range programmable power supply	Voltage: 0–100V	Current: 0–60A	Power: 6000W	Needed	Yes
04	Power & Electrical	Electrical & Power Components	SMPS	MEANWELL-LRS 200-24	Meanwell LRS-200-24 SMPS 24V	Meanwell	24V SMPS power supply for industrial automation	Output: 24V DC	Current: 8.8A	Power: 200W	Needed	Yes
04	Power & Electrical	Electrical & Power Components	SMPS	PULS-ML15	PULS ML15.051 Power Supply 5V	PULS	Compact 5V DIN rail power supply	Output: 5V DC	Current: 3A	Mounting: DIN Rail	Needed	Yes
04	Power & Electrical	Electrical & Power Components	Relays	RELAY-SPDT-24 V	General Purpose Relay SPDT 6A 24V	Generic	SPDT relay for control circuit switching	Type: SPDT	Coil: 24V DC	Contact: 6A	Needed	Yes
04	Power & Electrical	Electrical & Power Components	Relays	RELAY-ICE-24V	Ice Cube Relay SPDT 24V DC	LY1F	DIN rail mountable ice cube relay	Type: SPDT	Coil: 24V DC	Mounting: Socket	Needed	Yes
04	Power & Electrical	Electrical & Power Components	Circuit Breakers	MCB-SIEMENS	Siemens Circuit Breaker 10A	Siemens	Miniature circuit breaker for panel protection	Rating: 10A	Type: MCB	Standard: IEC 60898	Needed	Yes
04	Power & Electrical	Electrical & Power Components	Blowers & Fans	FAN-AMETEK	Ametek Blower Fan	Ametek	Industrial blower fan for cooling applications	Type: Centrifugal blower	Voltage: 24V DC	Application: Industrial cooling	Needed	Yes
04	Power & Electrical	Electrical & Power Components	Reactors	REACTOR-EPCO S-10K	EPCOS 10 KVAR Reactor	EPCOS	Power factor correction reactor	Rating: 10 KVAR	Type: Detuned reactor	Application: PFC	Needed	Yes
04	Power & Electrical	Pneumatics & Fluid Control	Pneumatic Cylinders	AIRTAC-TN20X100	Airtac TN20X100S Pneumatic Cylinder	Airtac	Twin guide rod cylinder for precision linear motion	Bore: 20mm	Stroke: 100mm	Type: Twin-rod	Needed	Yes
04	Power & Electrical	Pneumatics & Fluid Control	Solenoid Valves	SMC-SY7120	SMC SY7120-5L OZ-N11T Solenoid Valve	SMC	5/2-way solenoid valve for pneumatic circuit control	Type: 5/2-way	Coil: 24V DC	Port: G1/8	Needed	Yes
04	Power & Electrical	Pneumatics & Fluid Control	Solenoid Valves	AIRTAC-4V110	Airtac 4V110-06 Solenoid Valve	Airtac	4/2-way single coil solenoid valve	Type: 4/2-way	Coil: 24V DC	Port: 1/8"	Needed	Yes
04	Power & Electrical	Pneumatics & Fluid Control	Pneumatic Grippers	AR4-GRIPPER	AR4 Pneumatic Gripper Parts Kit	Generic	Pneumatic gripper kit for robotic pick-and-place	Type: Parallel gripper	Application: Pick & Place	Actuation: Pneumatic	Needed	Yes
04	Power & Electrical	Pneumatics & Fluid Control	Pressure Regulators	FAIRCHILD-1023 2	Fairchild 10232 Precision Pressure Regulator	Fairchild	High-precision pneumatic pressure regulator	Range: 0–10 bar	Accuracy: ±0.1%	Port: 1/4 NPT	Needed	Yes
05	ESD & RF	ESD Control	Wrist Straps	ESD-WS-COIL	ESD Wrist Strap with Coil Cord	DESCO/Prostat	Grounded wrist strap to prevent ESD damage to components	Resistance: 1 MOhm	Cord Type: Coiled	Length: 1.8M extended	Needed	Yes
05	ESD & RF	ESD Control	Wrist Straps	ESD-WS-WIRELESS	Wireless ESD Wrist Strap	DESCO	Wireless ESD wrist strap for operator freedom of movement	Type: Wireless	Standard: ANSI/ESD S20.20	Battery: Included	Needed	Yes
05	ESD & RF	ESD Control	Heel Grounders	ESD-HG-PAIR	ESD Heel Grounders — Pair	DESCO	ESD heel grounders for standing operator grounding	Application: Standing/walking	Resistance: 1 MOhm	Sold: As pair	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
05	ESD & RF	ESD Control	ESD Gloves	ESD-GLOVE-M	ESD Safe Gloves — Medium	Generic	ESD-safe gloves for handling sensitive electronic components	Size: Medium	Material: Nylon/Carbon	Resistance: <10^9 Ohm	Needed	Yes
05	ESD & RF	ESD Control	Finger Cots	ESD-FC-SMALL	ESD Finger Cots — Small	Generic	ESD-safe finger cots for PCB handling	Size: Small	Material: ESD rubber	Application: PCB handling	Needed	Yes
05	ESD & RF	ESD Control	ESD Bags	ESD-BAG-SHIELD	ESD Shielding Bag 4"x6"	Generic	Metal-in shielding bag for component storage and transport	Size: 4" x 6"	Type: Metal-in shielding	Standard: ESD S11.4	Needed	Yes
05	ESD & RF	ESD Control	ESD Bags	MBB-4X6	Moisture Barrier Bag (MBB) 4"x6"	Generic	Moisture and ESD protection bag for moisture sensitive devices	Size: 4" x 6"	WVTR: <0.002 g/m²/day	Standard: IPC/JEDEC J-STD-033	Needed	Yes
05	ESD & RF	ESD Control	ESD Coats	ESD-COAT-L	ESD Coat — Large	DESCO	ESD-dissipative lab coat for cleanroom and ESD environments	Size: Large	Resistance: 10^5–10^9 Ohm	Standard: ANSI/ESD S20.20	Needed	Yes
05	ESD & RF	ESD Control	Insulating Mats	ESD-MAT-1M	Electrical Insulating Mat 1M x 1M	Generic	Anti-fatigue and insulating mat for workstation floors	Size: 1M x 1M	Dielectric: >20kV	Colour: Green	Needed	Yes
05	ESD & RF	ESD Test & Measurement	Surface Resistance	TREK-523-1	Trek 523-1 Electrostatic Voltmeter	Trek	Non-contact electrostatic voltmeter for surface charge measurement	Range: ±3kV	Accuracy: ±0.05%	Type: Non-contact	Needed	Yes
05	ESD & RF	ESD Test & Measurement	Surface Resistance	TREK-520-1	Trek 520-1-CE Electrostatic Fieldmeter	Trek	Handheld electrostatic field meter for ESD audit	Range: ±30kV	Display: Digital	Standard: CE	Needed	Yes
05	ESD & RF	ESD Test & Measurement	Surface Resistance	TREK-152-1	Trek 152-1-CE ESD Test Kit	Trek	Complete ESD measurement kit with surface resistance probes	Includes: Meter + probes	Standard: CE	Application: ESD audit	Needed	Yes
05	ESD & RF	ESD Test & Measurement	Resistance Systems	PRS-801RM	Prostat PRS-801RM Surface Resistance System	Prostat	Complete surface resistance measurement system kit	Includes: Meter + electrodes	Standard: ANSI/ESD STM11.11	Display: Digital	Needed	Yes
05	ESD & RF	ESD Test & Measurement	Field Meters	FMX-004	FMX-004 Handheld Electrostatic Field Meter	Generic	Portable electrostatic field meter for quick ESD checks	Range: ±20kV	Response Time: <0.5s	Display: LCD	Needed	Yes
05	ESD & RF	ESD Test & Measurement	RF Shield Boxes	SD6058-C	Tojoin SD6058-C RF Shield Box	Tojoin	RF shielding enclosure for wireless device testing	Frequency: Up to 6GHz	Attenuation: >80dB	Size: 580x580mm	Needed	Yes
05	ESD & RF	ESD Test & Measurement	RF Shield Boxes	DSD6060-A02	Tojoin DSD6060-A02 Double Layer Shield Box	Tojoin	Double-layer RF shielding box for enhanced isolation	Frequency: Up to 6GHz	Layers: Double	Attenuation: >100dB	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
05	ESD & RF	ESD Test & Measurement	RF Shield Boxes	TESCOM-TC5970 D	Tescom TC5970D Shield Box	Tescom	High-performance RF shield box for mobile device testing	Frequency: Up to 6GHz	Standard: IEC 62209	Application: Mobile RF test	Needed	Yes
05	ESD & RF	ESD Test & Measurement	Antenna Couplers	TESCOM-TC9306 0A	Tescom TC-93060A Antenna Coupler	Tescom	Antenna coupler for RF conducted testing	Frequency: 698MHz–2.7GHz	Connector: SMA	Application: RF conducted test	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Digital Multimeters	FLUKE-17B+	Fluke 17B+ Digital Multimeter	Fluke	True-RMS digital multimeter for general electrical measurement	True RMS: Yes	CAT III: 600V	Display: 6000 counts	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Digital Multimeters	FLUKE-15B+	Fluke 15B+ Digital Multimeter	Fluke	Entry-level digital multimeter for basic electrical testing	CAT III: 600V	Display: 4000 counts	Auto Range: Yes	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Digital Multimeters	FLUKE-107	Fluke 107 Digital Multimeter	Fluke	Palm-sized digital multimeter with backlight	Display: 6000 counts	Backlight: Yes	CAT III: 600V	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Digital Multimeters	FLUKE-179	Fluke 179 True RMS Digital Multimeter	Fluke	Industrial true-RMS multimeter with temperature measurement	True RMS: Yes	Temp: Yes (K-type)	CAT IV: 600V	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Test Leads	FLUKE-TL75	Fluke TL75 Hard Point Test Lead Set	Fluke	Industrial test leads with PVC insulation for all Fluke meters	Length: 1.2M	Rating: 10A / 1000V CAT III	Compatibility: All Fluke meters	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Insulation Testers	FLUKE-1587FC	Fluke 1587FC Insulation Multimeter	Fluke	Combined insulation tester and true-RMS multimeter	Test Voltage: 50–1000V DC	Insulation Range: Up to 2GΩ	True RMS: Yes	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	LCR Meters	GWINSTEK-LCR 6300	GW Instek LCR-6300 Precision LCR Meter	GW Instek	Precision LCR meter for component measurement	Frequency: 10Hz–300kHz	Basic Accuracy: 0.05%	Display: Dual	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Signal Generators	RIGOL-DSG3065 B	Rigol DSG3065B-IQ Signal Generator	Rigol	6.5GHz RF signal generator with IQ modulation	Frequency: 100kHz–6.5GHz	Output Power: -130 to +20dBm	Modulation: IQ/AM/FM/PM	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Spectrum Analyzers	RIGOL-RSA5065	Rigol RSA5065-TG Spectrum Analyzer	Rigol	6.5GHz real-time spectrum analyzer with tracking generator	Frequency: 9kHz–6.5GHz	DANL: -161dBm	TG: Included	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Power Analyzers	FLUKE-1775	Fluke 1775 Power Quality Analyzer	Fluke	Three-phase power quality analyzer for energy auditing	Phases: 3-phase	Parameters: V/I/P/Q/PF/THD	Standard: IEC 61000-4-30 Class A	Needed	Yes
06	Testing & Measurement	Electrical Test Instruments	Scopemeters	FLUKE-190-104	Fluke 190-104-III ScopeMeter 4CH 100MHz	Fluke	4-channel 100MHz handheld oscilloscope	Channels: 4	Bandwidth: 100MHz	CAT III: 1000V	Needed	Yes
06	Testing & Measurement	Environmental Measurement	Thermal Imagers	FLUKE-TIS75+	Fluke TIS75+ Thermal Imager 9Hz	Fluke	Entry-level thermal imaging camera for electrical and mechanical inspection	Resolution: 160x120	Temp Range: -20 to +350°C	Frame Rate: 9Hz	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
06	Testing & Measurement	Environmental Measurement	Thermal Imagers	FLIR-E8PRO	FLIR E8 Pro Thermal Camera	FLIR	Professional thermal imaging camera for building and industrial inspection	Resolution: 320x240	Temp Range: -20 to +550°C	MSX: Yes	Needed	Yes
06	Testing & Measurement	Environmental Measurement	Particle Counters	PP-8503	Particle Plus 8503 Airborne Particle Counter	Particle Plus	Handheld airborne particle counter for cleanroom monitoring	Channels: 6	Flow Rate: 0.1 CFM	Sizes: 0.3–10µm	Needed	Yes
06	Testing & Measurement	Environmental Measurement	Radiation Meters	RADEYE-G20	RadEye G20 Gamma Survey Meter	Thermo Scientific	Portable gamma radiation survey meter	Detector: GM tube	Range: 0.01–10mSv/h	Display: Digital	Needed	Yes
06	Testing & Measurement	Environmental Measurement	Hygrometers	HT-5D	Hygrometer HT-5D Temperature & Humidity	Generic	Digital temperature and humidity meter	Temp Range: -10 to +60°C	RH Range: 10–99%	Display: LCD	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Vernier Calipers	VC-0-150MM	Digital Vernier Caliper 0–150mm	Generic	Digital vernier caliper for precise dimensional measurement	Range: 0–150mm	Resolution: 0.01mm	Display: Digital LCD	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Vernier Calipers	VC-0-300MM	Digital Vernier Caliper 0–300mm	Generic	Large range digital vernier caliper	Range: 0–300mm	Resolution: 0.01mm	Display: Digital LCD	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Micrometers	MITUTOYO-293-240	Mitutoyo 293-240 Digital Micrometer with Base	Mitutoyo	Digital outside micrometer with integrated base stand	Range: 0–25mm	Resolution: 0.001mm	Accuracy: ±2µm	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Feeler Gauges	FG-METAL	Feeler Gauge — Metal Blade Set	Generic	Metric and imperial feeler gauge blade set	Blades: 32 leaves	Range: 0.05–1.00mm	Material: Hardened steel	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Feeler Gauges	FG-PLASTIC	Plastic Feeler Gauge	Generic	Plastic feeler gauge for non-metallic surface measurement	Material: Plastic	Application: Non-metallic surfaces		Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Strain Gauges	SG-TRIAXIAL	Tri-Axial Strain Gauge Wire FR-1 A12L50W05MS	Generic	Tri-axial strain gauge for multi-axis stress measurement	Type: Tri-axial	Grid Size: 1.2mm	Application: Stress analysis	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Pin Gauges	PIN-GAUGE-SET	Pin Gauge Set — Standard	Generic	Standard pin gauge set for hole diameter measurement	Type: Go/No-Go	Material: Hardened steel	Range: As per set	Needed	Yes
06	Testing & Measurement	Mechanical & Force Measurement	Pressure Gauges	DWYER-2002	Dwyer 2002 Magnehelic Differential Pressure Gauge	Dwyer	Differential pressure gauge for HVAC and cleanroom monitoring	Range: 0–1" WC	Accuracy: ±2%	Type: Magnehelic	Needed	Yes
06	Testing & Measurement	Inspection, Accessories & General Tools	Digital Microscopes	LX-100-HD4K	LX-100 HD4K Digital Microscope Measurement System	Generic	4K digital microscope with measurement software	Resolution: 4K	Magnification: L13-BS	Software: Measurement	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
06	Testing & Measurement	Inspection, Accessories & General Tools	Digital Microscopes	MECH-D75T	Mechanic D75T Trinocular Stereo Microscope	Mechanic	Trinocular stereo microscope with continuous zoom	Magnification: 7–50X	Eyepiece: Trinocular	Zoom: Continuous	Needed	Yes
06	Testing & Measurement	Inspection, Accessories & General Tools	Inspection Cameras	RIDGID-CA350	Ridgid CA-350 Inspection Camera	Ridgid	Handheld inspection camera for confined space inspection	Display: 3.5" LCD	Camera: Waterproof	Cable: 1M	Needed	Yes
06	Testing & Measurement	Inspection, Accessories & General Tools	Cable Locators	RIDGID-SR20	Ridgid SR-20 Cable Locator Transmitter	Ridgid	Underground cable and pipe locator system	Frequency: Multiple	Type: Active/Passive	Application: Cable tracing	Needed	Yes
06	Testing & Measurement	Inspection, Accessories & General Tools	Data Loggers	EASYLOG-USB	EasyLog USB Temperature Data Logger	Generic	USB temperature data logger for cold chain monitoring	Range: -35 to +80°C	Resolution: 0.5°C	Interface: USB	Needed	Yes
06	Testing & Measurement	Inspection, Accessories & General Tools	Calibrators	CALIBRATOR-PROCESS	Process Signal Calibrator	Generic	Multi-function process calibrator for 4-20mA/V signals	Output: mA/V	Accuracy: 0.01%	Display: Digital	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	Workstations	LENOVO-TS-P340	Lenovo ThinkStation P340 Workstation	Lenovo	High-performance workstation for test and measurement applications	CPU: Intel Core i7/i9	RAM: Up to 128GB	GPU: Optional Quadro	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	Monitors	DELL-LED-MON	Dell LED Monitor 24"	Dell	24-inch Full HD LED monitor for workstation use	Size: 24"	Resolution: 1920x1080	Panel: IPS	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	Peripherals	DELL-KBD-WRD	Dell Wired USB Keyboard	Dell	Standard wired keyboard for workstation use	Interface: USB	Layout: QWERTY	Compatibility: Windows	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	Peripherals	DELL-MOUSE-WRD	Dell Wired USB Mouse	Dell	Standard wired optical mouse	Interface: USB	DPI: 1000	Scroll: Yes	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	Storage	SAMSUNG-870-1TB	Samsung 870 EVO 1TB SATA SSD	Samsung	High-performance SATA SSD for workstation storage upgrade	Capacity: 1TB	Interface: SATA III	Sequential Read: 560MB/s	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	Storage	ADATA-512-SSD	ADATA 512GB SSD	ADATA	Budget SATA SSD for storage expansion	Capacity: 512GB	Interface: SATA III	Form Factor: 2.5"	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	USB Hubs	USB-HUB-PROG	Programmable USB Hub 2x4	Generic	Programmable USB hub for automated test system integration	Ports: 8 (2x4 config)	Control: Software	Standard: USB 3.0	Needed	Yes
07	IT Hardware & Workstation	IT Hardware	WiFi Adapters	INTEL-AX210	Intel Wi-Fi 6E AX210 Adapter	Intel	Wi-Fi 6E PCIe adapter for workstation wireless connectivity	Standard: Wi-Fi 6E	Frequency: 2.4/5/6GHz	Speed: Up to 2.4Gbps	Needed	Yes
07	IT Hardware & Workstation	Workstation Storage & Tooling	PCB Racks	PCB-RACK-6	PCB Storage Rack 6-Slot	Generic	PCB storage rack for organized board handling	Slots: 6	Material: Anti-static	Application: PCB storage	Needed	Yes
07	IT Hardware & Workstation	Workstation Storage & Tooling	Solder Reel Racks	REEL-RACK-4T	Solder Reel Rack 4-Tier	Generic	4-tier solder reel rack for organized SMT material storage	Tiers: 4	Capacity: Up to 4 reels/tier	Material: Steel	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
07	IT Hardware & Workstation	Workstation Storage & Tooling	Solder Reel Racks	REEL-RACK-2T	Solder Reel Rack 2-Tier	Generic	2-tier solder reel rack	Tiers: 2	Material: Steel	Application: SMT reel storage	Needed	Yes
07	IT Hardware & Workstation	Workstation Storage & Tooling	Storage Bins	STOR-BIN-BLUE	Storage Bins — Blue (Set of 6)	Generic	Stackable storage bins for component and consumable organisation	Colour: Blue	Set: 6 bins	Material: PP plastic	Needed	Yes
07	IT Hardware & Workstation	Workstation Storage & Tooling	Tool Boards	TOOL-BOARD-P EGBRD	Pegboard Tool Board with Hooks	Generic	Wall-mounted pegboard for tool organisation	Size: 600x900mm	Hooks: Assorted set	Material: Steel	Needed	Yes
07	IT Hardware & Workstation	Workstation Storage & Tooling	PCB Stands	PCB-STAND-SM	PCB Stand — Small	Generic	Small PCB holding stand for rework and inspection	Size: Small	Application: PCB rework	Material: Anti-static	Needed	Yes
07	IT Hardware & Workstation	Workstation Storage & Tooling	PCB Stands	PCB-STAND-LG	PCB Stand — Large	Generic	Large PCB holding stand	Size: Large	Application: PCB rework/inspection	Material: Anti-static	Needed	Yes
08	Labelling & Identification	Labels & Tags	Barcode Labels	LBL-BARCODE-R OLL	Barcode Labels — Roll (100x50mm)	Generic	Thermal transfer barcode labels on roll	Size: 100x50mm	Core: 25mm	Qty per roll: 1000	Needed	Yes
08	Labelling & Identification	Labels & Tags	QC Labels	LBL-QC-APPROV ED	QC Approved Labels — Green	Generic	Pre-printed QC Approved labels for inspection pass identification	Colour: Green	Print: QC APPROVED	Size: 50x25mm	Needed	Yes
08	Labelling & Identification	Labels & Tags	QC Labels	LBL-QC-REJECT ED	QC Rejected Labels — Red	Generic	Pre-printed QC Rejected labels	Colour: Red	Print: REJECTED	Size: 50x25mm	Needed	Yes
08	Labelling & Identification	Labels & Tags	FIFO Labels	LBL-FIFO	FIFO Labels — Roll	Generic	First In First Out labels for inventory management	Print: FIFO FIRST IN FIRST OUT	Colour: Orange	Size: 75x50mm	Needed	Yes
08	Labelling & Identification	Labels & Tags	Asset Tags	LBL-ASSET-MET AL	Metal Asset Tags — Serialised	Generic	Durable metal asset tags with serialised numbering	Material: Aluminium	Serialised: Yes	Adhesive: Permanent	Needed	Yes
08	Labelling & Identification	Labels & Tags	RFID Labels	LBL-RFID-UHF	RFID UHF Labels — Roll	Generic	UHF RFID labels for asset tracking and traceability	Frequency: UHF 860-960MHz	Protocol: EPC Gen2	Size: 100x50mm	Needed	Yes
08	Labelling & Identification	Labels & Tags	Calibration Stickers	LBL-CALIB	Calibration Due Stickers	Generic	Colour-coded calibration status stickers for instruments	Colours: Green/Yellow/Red	Print: Custom date field	Size: 25mm round	Needed	Yes
08	Labelling & Identification	Labels & Tags	Thermal Ribbons	RIBBON-WAX-11 0	Wax Thermal Ribbon 110mm	Generic	Wax thermal transfer ribbon for general purpose label printing	Width: 110mm	Length: 300M	Type: Wax	Needed	Yes
08	Labelling & Identification	Labels & Tags	Thermal Ribbons	RIBBON-RESIN-1 10	Resin Thermal Ribbon 110mm	Generic	Resin thermal transfer ribbon for durable labels	Width: 110mm	Length: 300M	Type: Resin	Needed	Yes
08	Labelling & Identification	Hardware	Industrial Label Printers	ZEBRA-IND-PRN T	Industrial Label Printer	Zebra	Industrial thermal transfer label printer for high-volume printing	Print Method: Thermal transfer	Resolution: 203/300 DPI	Speed: Up to 12"/sec	Needed	Yes

eFocus Industrial Solutions — Product Master (500+ SKUs for eCommerce)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6	Unnamed: 7	Unnamed: 8	Unnamed: 9	Unnamed: 10	Unnamed: 11	Unnamed: 12
08	Labelling & Identification	Hardware	Desktop Label Printers	ZEBRA-DESK-PR NT	Desktop Label Printer	Zebra	Desktop thermal label printer for office and light industrial use	Print Method: Direct thermal	Resolution: 203 DPI	Interface: USB/Ethernet	Needed	Yes
08	Labelling & Identification	Hardware	Barcode Scanners	HONEYWELL-XP 1950	Honeywell Xenon XP 1950 Barcode Scanner	Honeywell	High-performance 2D area imager barcode scanner	Type: 2D Area Imager	Interface: USB/RS232	Reads: 1D/2D/PDF417	Needed	Yes
08	Labelling & Identification	Hardware	Barcode Scanners	WEBSCAN-TRUCHECK	Webscan TruCheck Optima Barcode Verifier	Webscan	Barcode verifier for ISO/GS1 compliance checking	Standard: ISO/IEC 15416	Grades: A–F	Application: Print quality audit	Needed	Yes
08	Labelling & Identification	Printing & Barcode Systems	RFID Readers	RFID-POE-IPJ	RFID PoE Reader IPJ-A2010	Impinj	UHF RFID reader with PoE for fixed infrastructure	Frequency: UHF 865-867MHz	Interface: PoE Ethernet	Protocol: EPC Gen2 UHF	Needed	Yes
08	Labelling & Identification	Printing & Barcode Systems	MAC Address Blocks	MAC-ADDR-MEDIUM	MAC Address Block Medium (MA-M)	IEEE	IEEE-assigned MAC address block for product identification	Block Size: 4096 addresses	Issued By: IEEE	Application: Network device ID	Needed	Yes

Product Family Config — 108 rows × 7 columns

eFocus eCommerce — Complete Product Family Configurator (107 Families)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6
Category	Sub-Category	Product Family	Filter 1 (Label Options)	Filter 2 (Label Options)	Filter 3 (Label Options)	Dev Notes
SMT, Rework & Assembly	Soldering Consumables	Soldering Stations	Brand Quick · Weller · Hakko · Generic	Power 60W · 70W · 90W · 120W+	Lead-Free Compatible Yes · No	Filter by brand first; link to compatible tips per model
SMT, Rework & Assembly	Soldering Consumables	Soldering Tips	Compatible Station Quick 203H · Weller WT1010 · Hakko FX-888D · Generic	Tip Type Chisel (D) · Knife (K) · Conical (I) · Bevel (C) · Hoof (J)	Tip Size 1.2mm · 2.4mm · 3.2mm · 4mm · Other	MUST filter by station first — tip compatibility is critical
SMT, Rework & Assembly	Soldering Consumables	Solder Wire	Composition Sn63/Pb37 (Leaded) · Sn96.5/Ag3/Cu0.5 (Lead-Free SAC305) · Other	Diameter 0.3mm · 0.5mm · 0.8mm · 1.0mm · 1.2mm	Weight/Length 100g · 250g · 500g · 1kg	Highlight lead-free options prominently for compliance
SMT, Rework & Assembly	Soldering Consumables	Desoldering	Type Desoldering Pump · Desoldering Wick · Desoldering Iron	Brand Generic · Hakko · Weller		Simple product — one filter sufficient
SMT, Rework & Assembly	Soldering Consumables	Tip Thermometer	Brand Hakko · Generic	Range Up to 400°C · Up to 600°C		Single SKU family — show product card directly
SMT, Rework & Assembly	Soldering Consumables	Heating Elements	Compatible Station Quick 203H · Other	Wattage 90W · Other		Spare part — show compatibility prominently
SMT, Rework & Assembly	Rework Systems	BGA Rework Stations	Type Semi-Automated · Manual · Fully Automated	Heating Method IR+Hot Air · Hot Air · Infrared	Max PCB Size Up to 300mm · Up to 450mm · 450mm+	High-value capital item — show enquiry button not add-to-RFQ
SMT, Rework & Assembly	Test & Measurement	JTAG Tools	Brand Segger · Spectrum Digital · Generic	Interface JTAG · SWD · JTAG+SWD	Isolation Isolated · Non-Isolated	Link to supported MCU list per tool
SMT, Rework & Assembly	Test & Measurement	JTAG Adapters	From Connector 14-pin T1 · 20-pin CT1 · 60-pin MIPI	To Connector 14-pin T1 · 20-pin CT1 · 60-pin MIPI		Matrix selector would work well here for From→To combinations
SMT, Rework & Assembly	Test & Measurement	Test Fixtures	Type FCT Fixture · ICT Fixture · Custom	Brand NI · Generic · Custom build		Project item — show enquiry form, not add-to-RFQ
SMT, Rework & Assembly	Test & Measurement	Pogo Pins	Type Spring-loaded · Fixed	Application ICT · FCT · General test	Tip Style Crown · Flat · Pointed · Spear	Add pitch and stroke specs as text fields in RFQ
SMT, Rework & Assembly	Embedded Hardware & Components	Single Board Computers	Brand Raspberry Pi · Arduino · NVIDIA · BeagleBone · ESP32 · STM32 · Generic	Form Factor Full SBC · Compute Module · Dev Kit · Microcontroller	Primary Use Prototyping · Industrial · AI/ML Edge · IoT	Show processor, RAM, storage on card
Cables & Connectivity	Industrial Networking	SFP Modules	Speed 1G · 10G · 25G · 40G · 100G	Fiber Type Multimode (OM3) · Multimode (OM4) · Single Mode · Copper (DAC)	Connector LC Duplex · MPO · SFP+ Direct Attach	Show wavelength and reach on every SKU card
Cables & Connectivity	Industrial Networking	PoE Injectors	PoE Standard 802.3af (15.4W) · 802.3at/PoE+ (30W) · 802.3bt/PoE++ (60W/90W)	Port Speed Fast Ethernet (100Mbps) · Gigabit (1Gbps) · Multi-Gigabit	Environment Indoor · Outdoor (IP-rated)	Most repeat-ordered item — make add-to-RFQ one click from family page
Cables & Connectivity	Industrial Networking	PoE Testers	Ports Single Port · 8-port · 24-port	Max PoE Standard 802.3af · 802.3at · 802.3bt		Show max detectable power per port on card
Cables & Connectivity	Industrial Networking	Ethernet Switches	Brand TP-Link · Cisco · Netgear · Generic	Ports 5-port · 8-port · 16-port · 24-port	PoE Budget No PoE · Up to 65W · Up to 126W · Up to 240W+	Show managed vs unmanaged on card
Cables & Connectivity	Industrial Networking	LAN Cables	Category Cat5e · Cat6 · Cat6A · Cat7	Length 0.5M · 1M · 1.5M · 2M · 3M · 5M · Custom	Shielding UTP (Unshielded) · STP/FTP (Shielded)	Highest repeat-order SKU — bulk order option on card
Cables & Connectivity	Industrial Networking	USB Adapters	From USB 3.0 · USB-C	To RJ45 (Gigabit) · RJ45 (100Mbps)	Brand TP-Link · Ugreen · Generic	Simple adapter — fast RFQ
Cables & Connectivity	RF & Microwave	RF Probes	Brand ECT · Pasternack · Generic	Frequency Range Sub-1GHz · 1–3GHz · 3–6GHz · 6GHz+	Connector SMA · N-Type · BNC · MMCX	ECT probes are top revenue item — feature prominently with datasheet link
Cables & Connectivity	RF & Microwave	RF Attenuators	Attenuation 3dB · 6dB · 10dB · 20dB · 30dB · Custom	Frequency DC–3GHz · DC–6GHz · DC–18GHz · DC–26GHz	Power Handling 2W · 10W · 50W · 100W · 250W+	Show connector type (SMA/N/BNC) on card

eFocus eCommerce — Complete Product Family Configurator (107 Families)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6
Cables & Connectivity	RF & Microwave	Coaxial Cables	Cable Type RG58 · RG174 · RG316 · LMR-195 · LMR-400	Impedance 50 Ohm · 75 Ohm	Connector SMA · N-Type · BNC · TNC · Custom	Custom length option with connector selection in RFQ
Cables & Connectivity	RF & Microwave	RF Connectors	Type SMA · N-Type · BNC · TNC · MMCX · MCX	Gender Male · Female · Bulkhead	Termination Cable-mount · PCB-mount · Panel-mount	Large SKU family — strong filtering needed
Cables & Connectivity	RF & Microwave	GPS Equipment	Type GPS Antenna · GPS Generator · GPS Re-radiating Kit · Full Set	Frequency L1 (1575MHz) · L1+L2 · Multi-band	Connector SMA · TNC · N-Type	Show application (lab testing vs outdoor) on card
Cables & Connectivity	Fiber & Optical	Fiber Patch Cords	Fiber Type OM3 · OM4 · OM5 · Single Mode OS2	Connector LC-LC · SC-SC · LC-SC · LC-ST · Other	Length 0.5M · 1M · 2M · 3M · 5M · 10M · 15M · Custom	Colour code cards by fiber type — OM3=Aqua, OM4=Purple, SM=Yellow
Cables & Connectivity	Fiber & Optical	MPO Trunks	Fiber Type OM3 · OM4 · OM5 · Single Mode	Fibers 8-fiber · 12-fiber · 24-fiber	Length 1M · 3M · 5M · 10M · Custom	Show polarity (Type A/B/C) on card — critical for structured cabling
Cables & Connectivity	IT Cables & Accessories	USB Cables	Standard USB 2.0 · USB 3.0 · USB 3.1 · USB-C	Connector Type-A to Type-B · Type-A to Type-C · Type-A to Micro · Type-C to Type-C	Length 0.5M · 1M · 1.5M · 2M · 3M	High-volume, simple — fast add to RFQ
Cables & Connectivity	IT Cables & Accessories	GPIO Interfaces	Brand National Instruments (NI) · Keysight · Generic	Host Interface USB · PCIe · Ethernet	Standard IEEE-488 · IEEE-488.2	Used with Tektronix/Keithley instruments — cross-link to instrument pages
Cables & Connectivity	IT Cables & Accessories	Serial Adapters	From USB	To RS232 · RS485 · RS422 · RS485/422 combined	Connector DB9 · Terminal block	Show OS compatibility on card
Cables & Connectivity	IT Cables & Accessories	Display Cables	Type HDMI · DisplayPort · DVI · VGA	Length 1M · 1.5M · 2M · 3M · 5M	Version HDMI 1.4 · HDMI 2.0 · HDMI 2.1	Resolution support (4K/8K) on card
Tools & MRO	Hand & Power Tools	Cable Ties	Colour Black (UV-resistant) · White · Natural	Length 100mm · 150mm · 200mm · 300mm · 400mm	Width 2.5mm · 3.6mm · 4.8mm · 7.6mm	Bundle option: mixed length packs
Tools & MRO	Hand & Power Tools	Ferrules	Cross Section 0.25mm² · 0.5mm² · 0.75mm² · 1.0mm² · 1.5mm² · 2.5mm² · 4mm² · 6mm²	Colour Red · Black · Blue · Grey · Yellow · White · Orange · Green	Insulated Yes · No	Cross-reference to IEC 60228 colour codes in description
Tools & MRO	Hand & Power Tools	Heat Shrink Tubes	Ratio 2:1 · 3:1 · 4:1	Diameter (recovered) 1mm · 2mm · 3mm · 4mm · 6mm · 9mm · 12mm+	Colour Black · Red · Blue · White · Green · Yellow · Assorted	Sell in rolls and assorted packs — show both options
Tools & MRO	Hand & Power Tools	Industrial Tapes	Type PVC Insulation · Kapton (Polyimide) · Copper Foil (EMI) · PTFE · Double-sided	Width 6mm · 12mm · 19mm · 25mm · 50mm	Temperature Rating Up to 80°C · Up to 180°C · Up to 260°C	Kapton and copper tapes are SMT-specific — cross-link to Cat 01
Tools & MRO	Hand & Power Tools	Hand Tools	Type Screwdrivers · Pliers · Wrenches · Hammers · Hex Keys	Brand Wera · Wiha · Knipex · Stanley · Taparia · Generic	Set or Individual Individual · Set	Knipex and Wera are premium — show side by side with generic option
Tools & MRO	Hand & Power Tools	Crimping Tools	Application Ferrules · Bootlace · RJ45/RJ11 · Coaxial · Automotive	Brand Knipex · TE Connectivity · Generic	Jaw Type Ratchet · Non-ratchet · Interchangeable	Show compatible ferrule range on card
Tools & MRO	Hand & Power Tools	Wire Strippers	Type Manual · Automatic · Self-adjusting	Cable Range AWG 10–24 · AWG 20–30 · Coaxial	Brand Knipex · Wera · Generic	Self-adjusting is premium — show time-saving benefit
Tools & MRO	Hand & Power Tools	Torque Tools	Type Torque Screwdriver · Torque Wrench · Digital Torque Adapter	Range 0.1–0.5Nm · 0.5–2Nm · 2–10Nm · 10–50Nm · 50–200Nm	Display Analogue · Digital	Show accuracy % and calibration certificate availability
Tools & MRO	Hand & Power Tools	Pneumatic Tools	Type Pneumatic Screwdriver · Pneumatic Drill · Air Gun · Blow Gun	Drive 1/4" · 3/8" · 1/2"	Brand Atlas Copco · Generic	Show air pressure requirement and CFM on card
Tools & MRO	Fixings & Consumables	Industrial Tapes	Type Copper Foil · Aluminium Foil · Conductive Fabric	Width 6mm · 12mm · 25mm · 50mm	Conductivity Conductive adhesive · Non-conductive adhesive	EMI shielding focus — cross-link to ESD category

eFocus eCommerce — Complete Product Family Configurator (107 Families)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6
Power & Electrical	Electrical & Power Components	DC Power Supplies	Brand Chroma · eFocus · Meanwell · PULS · Weidmuller · Generic	Output Voltage Fixed 5V · Fixed 12V · Fixed 24V · Fixed 48V · Programmable 0–30V · Programmable 0–60V · Programmable 0–100V+	Output Current Up to 5A · 5–20A · 20–60A · 60A+	Programmable vs fixed is key differentiator — filter first
Power & Electrical	Electrical & Power Components	SMPS	Output Voltage 5V · 12V · 24V · 48V	Output Current Up to 5A · 5–10A · 10–20A · 20A+	Mounting DIN Rail · Panel Mount · Chassis	Show efficiency rating and protection features on card
Power & Electrical	Electrical & Power Components	Relays	Type General Purpose (Ice Cube) · Latching · Solid State (SSR) · PCB Mount	Coil Voltage 5V DC · 12V DC · 24V DC · 110V AC · 230V AC	Contact Rating SPDT (6A) · DPDT · 4PDT	Show socket compatibility (for ice cube relays) on card
Power & Electrical	Electrical & Power Components	Circuit Breakers	Brand Siemens · ABB · Schneider · Generic	Rating 6A · 10A · 16A · 20A · 25A · 32A · 63A	Poles 1-pole · 2-pole · 3-pole · 4-pole	Show breaking capacity (kA) on card
Power & Electrical	Electrical & Power Components	Blowers & Fans	Type Centrifugal Blower · Axial Fan · Cross-flow Fan	Voltage 12V DC · 24V DC · 48V DC · 110V AC · 230V AC	Size 40mm · 60mm · 80mm · 92mm · 120mm+	Show airflow (CFM/m³h) and noise level on card
Power & Electrical	Electrical & Power Components	Reactors	Rating 5 KVAR · 10 KVAR · 25 KVAR · 50 KVAR · Custom	Type Detuned · Line reactor · Load reactor	Brand EPCOS · Generic	Project/capital item — enquiry form not add-to-RFQ
Power & Electrical	Pneumatics & Fluid Control	Solenoid Valves	Brand SMC · Airtac · Festo · Parker	Type 2/2-way · 3/2-way · 4/2-way · 5/2-way · 5/3-way	Coil Voltage 12V DC · 24V DC · 110V AC · 230V AC	Show Cv value, port size and response time on card
Power & Electrical	Pneumatics & Fluid Control	Pneumatic Cylinders	Brand Airtac · Festo · SMC	Type Standard ISO 15552 · Compact · Twin-rod · Rodless · Guided	Bore Size 16mm · 20mm · 25mm · 32mm · 40mm · 50mm · 63mm · 80mm+	Stroke is custom entry in RFQ — do not make dropdown
Power & Electrical	Pneumatics & Fluid Control	Pneumatic Grippers	Type Parallel · Angular (Pivot) · 3-jaw	Brand SMC · Airtac · Festo · Generic	Bore 10mm · 16mm · 20mm · 25mm · 32mm	Show gripping force and stroke on card
Power & Electrical	Pneumatics & Fluid Control	Pressure Regulators	Brand Fairchild · SMC · Festo · Generic	Type Standard · Precision · Miniature	Range 0–2 bar · 0–4 bar · 0–7 bar · 0–10 bar	Show accuracy class on card
ESD & RF	ESD Control	Wrist Straps	Type Coiled Cord · Straight Cord · Wireless	Resistance 1 MOhm (standard) · 10 MOhm · Custom	Standard ANSI/ESD S20.20 · EN 61340-5-1	Show compliance cert badge; wireless type needs tester
ESD & RF	ESD Control	Heel Grounders	Type Heel grounder · Toe grounder · Full-foot	Resistance 1 MOhm standard	Sold as Single · Pair	Note: for use with ESD flooring — mention in description
ESD & RF	ESD Control	ESD Gloves	Size XS · S · M · L · XL	Material Nylon/Carbon · Polyester/Carbon · Nitrile (ESD)	Surface Resistance <10^7 Ohm · <10^9 Ohm	Show hand diagram with size guide
ESD & RF	ESD Control	Finger Cots	Size XS · S · M · L	Material ESD rubber · Latex · Nitrile	Application PCB handling · Clean room · General	Sold in packs of 100 — show unit and pack pricing
ESD & RF	ESD Control	ESD Bags	Type Static Shielding (Metal-in) · Moisture Barrier (MBB) · Static Dissipative (Pink poly)	Size 2x3" · 4x6" · 6x8" · 8x10" · 10x12" · Custom	Closure Zip-lock · Heat-seal · Fold-top · Press-seal	Bundle suggestion: bags + ESD labels together
ESD & RF	ESD Control	ESD Coats	Size S · M · L · XL · XXL	Colour White · Blue · Grey	Standard ANSI/ESD S20.20 · EN 61340	Show resistance spec and washing instructions
ESD & RF	ESD Control	Insulating Mats	Type Anti-static (dissipative) · Insulating (dielectric) · Anti-fatigue	Size 0.6x0.9M · 0.9x1.2M · 1x1M · Custom	Colour Green · Grey · Black	Show dielectric voltage rating on card
ESD & RF	ESD Test & Measurement	Surface Resistance	Brand Trek · Prostat · Generic	Measurement Type Surface resistance · Volume resistance · Both	Standard ANSI/ESD STM11.11 · IEC 61340-2-3	Cross-link to matching electrode/probe accessories
ESD & RF	ESD Test & Measurement	Resistance Systems	Brand Prostat · Trek · Generic	Included Meter only · Meter + electrodes · Complete kit	Standard ANSI/ESD STM11.11	Kit option drives higher order value — show prominently
ESD & RF	ESD Test & Measurement	Field Meters	Brand Trek · Prostat · Generic	Range ±3kV · ±30kV	Type Contact · Non-contact	Show response time on card
ESD & RF	ESD Test & Measurement	Antenna Couplers	Brand Tescom · Generic	Frequency Range 700MHz–2.7GHz · 700MHz–6GHz	Application LTE · 5G NR · Wi-Fi · Bluetooth	High-value item — link to datasheet and enquiry form
ESD & RF	ESD Test & Measurement	RF Shield Boxes	Brand Tojoin · Tescom · TekiKnow	Max Frequency Up to 3GHz · Up to 6GHz · Up to 18GHz	Shielding Layers Single · Double	Highest value ESD category item — show attenuation graph

eFocus eCommerce — Complete Product Family Configurator (107 Families)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6
Testing & Measurement	Electrical Test Instruments	Digital Multimeters	Brand Fluke · GW Instek · Kyoritsu · Generic	True RMS Yes · No	CAT Rating CAT II · CAT III · CAT III 1000V · CAT IV	Fluke is top revenue brand — feature first; show count (4000/6000) on card
Testing & Measurement	Electrical Test Instruments	Test Leads	Brand Fluke · Generic	Length 1M · 1.2M · 1.5M · 2M	Rating CAT III 600V · CAT III 1000V · CAT IV 600V	Most repeat-ordered T&M; item — fast add to RFQ
Testing & Measurement	Electrical Test Instruments	Insulation Testers	Brand Fluke · Kyoritsu · Megger · Generic	Test Voltage 50–500V · 50–1000V · Up to 5kV	Combined Multimeter Yes · No	Show insulation range (GΩ) on card
Testing & Measurement	Electrical Test Instruments	LCR Meters	Brand GW Instek · Hioki · Keithley · Generic	Frequency Range Up to 10kHz · Up to 100kHz · Up to 300kHz · Up to 1MHz+	Basic Accuracy 0.1% · 0.05% · 0.01%	Hioki is principal brand — feature with authorised distributor badge
Testing & Measurement	Electrical Test Instruments	Signal Generators	Brand Rigol · Keysight · Generic	Frequency Up to 1GHz · Up to 3GHz · Up to 6.5GHz · Up to 20GHz+	Modulation AM/FM/PM · IQ · Pulse	Rigol DSG3065B is top revenue SKU — hero card treatment
Testing & Measurement	Electrical Test Instruments	Spectrum Analyzers	Brand Rigol · Keysight · Anritsu · Generic	Frequency Up to 3GHz · Up to 6.5GHz · Up to 26GHz+	Real-time Yes · No	Anritsu is principal brand — feature with badge
Testing & Measurement	Electrical Test Instruments	Power Analyzers	Brand Fluke · Hioki · Generic	Phases Single-phase · Three-phase	Standard Class A (IEC 61000-4-30) · Class S	High-value item — enquiry + add to RFQ both
Testing & Measurement	Electrical Test Instruments	Scopemeters	Brand Fluke · Generic	Channels 2-channel · 4-channel	Bandwidth 100MHz · 200MHz · 500MHz	Handheld vs benchtop distinction on card
Testing & Measurement	Environmental Measurement	Thermal Imagers	Brand Fluke · FLIR · Generic	Resolution 80x60 · 160x120 · 320x240 · 640x480	Temperature Range -20 to +350°C · -20 to +550°C · -20 to +1200°C	Show frame rate (9Hz vs 30Hz) — matters for compliance
Testing & Measurement	Environmental Measurement	Particle Counters	Brand Particle Plus · MetOne · Generic	Channels 2-channel · 4-channel · 6-channel · 8-channel	Flow Rate 0.1 CFM · 0.1 CFM+	Show particle size range and ISO cleanroom class on card
Testing & Measurement	Environmental Measurement	Radiation Meters	Brand RadEye (Thermo) · NGI · EPD · Generic	Type GM Survey Meter · Dosimeter (EPD) · Area Monitor · Probe	Radiation Type Gamma · Beta · Alpha · Neutron	Show range and detector type prominently
Testing & Measurement	Environmental Measurement	Hygrometers	Type Handheld · Wall-mount · Data logging	Parameters Temperature + Humidity · Humidity only	Brand Generic · Testo · Benetech	Simple product — fast add to RFQ
Testing & Measurement	Mechanical & Force Measurement	Vernier Calipers	Type Digital · Analogue · Dial	Range 0–150mm · 0–200mm · 0–300mm · 0–500mm	Resolution 0.01mm · 0.001mm (digital)	Mitutoyo = premium; show IP rating for workshop use
Testing & Measurement	Mechanical & Force Measurement	Micrometers	Brand Mitutoyo · Insize · Generic	Type Outside · Inside · Depth	Range 0–25mm · 25–50mm · 50–75mm · 75–100mm	Show anvil type and ratchet thimble on card
Testing & Measurement	Mechanical & Force Measurement	Feeler Gauges	Material Metal (hardened steel) · Plastic (non-metallic)	Standard Metric · Imperial · Combined	Blades 8-leaf · 16-leaf · 32-leaf	Simple product — fast add to RFQ; show range on card
Testing & Measurement	Mechanical & Force Measurement	Pin Gauges	Type Go/No-Go · Single pin · Set	Material Hardened steel · Carbide	Range Per set specification	Show tolerance class (Grade 1/2/3) on card
Testing & Measurement	Mechanical & Force Measurement	Strain Gauges	Type Single-axis · Bi-axial · Tri-axial	Grid Size 1.0mm · 1.2mm · 2.0mm · 3mm+	Resistance 120 Ohm · 350 Ohm · 1000 Ohm	Show temperature range and gauge factor on card
Testing & Measurement	Mechanical & Force Measurement	Pressure Gauges	Brand Dwyer · Generic	Type Magnehelic (differential) · Bourdon tube · Digital	Range 0–0.25"WC · 0–1"WC · 0–10 bar · Custom	Magnehelic for HVAC/cleanroom — mention application
Testing & Measurement	Inspection, Accessories & General Tools	Digital Microscopes	Brand Generic · Mechanic · Kentfaith	Magnification 7–50X · 50–200X · 200–1600X	Camera HD 1080p · 4K	Show working distance and measurement software availability
Testing & Measurement	Inspection, Accessories & General Tools	Inspection Cameras	Brand Ridgid · Generic	Display Built-in LCD · External monitor · Smartphone	Camera Cable Length 1M · 3M · 10M	Show camera diameter (for pipe size compatibility)
Testing & Measurement	Inspection, Accessories & General Tools	Cable Locators	Brand Ridgid · Generic	Type Transmitter + Receiver · Receiver only	Frequency Single · Multi-frequency	High-value item — show enquiry button
Testing & Measurement	Inspection, Accessories & General Tools	Data Loggers	Parameters Temperature · Temperature + Humidity · Multi-channel · Voltage/Current	Interface USB · Bluetooth · Wi-Fi · SD Card	Brand EasyLog · Generic	Show memory capacity and logging interval on card

eFocus eCommerce — Complete Product Family Configurator (107 Families)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6
Testing & Measurement	Inspection, Accessories & General Tools	Calibrators	Type Process calibrator (mA/V) · Thermocouple calibrator · Pressure calibrator · Multifunction	Brand Generic · Fluke · Additel	Output 4–20mA · 0–10V · Both	Show accuracy and source vs simulate modes
IT Hardware & Workstation	IT Hardware	Workstations	Brand Lenovo · Dell · HP	Processor Intel Core i5 · Intel Core i7 · Intel Core i9 · AMD Ryzen	RAM 8GB · 16GB · 32GB · 64GB · 128GB	Project/capital — enquiry form; mention test & measurement application
IT Hardware & Workstation	IT Hardware	Monitors	Brand Dell · LG · Samsung · Generic	Size 21.5" · 24" · 27" · 32"	Resolution Full HD (1080p) · QHD (1440p) · 4K (2160p)	Show panel type (IPS/VA/TN) and refresh rate
IT Hardware & Workstation	IT Hardware	Peripherals	Type Keyboard · Mouse · Headset · Webcam · Microphone · Speaker	Interface USB · Bluetooth · 2.4GHz Wireless	Brand Dell · Logitech · Generic	Bundle option: keyboard + mouse set
IT Hardware & Workstation	IT Hardware	Storage	Type SSD (SATA) · SSD (NVMe M.2) · HDD (SATA) · USB Flash Drive · External HDD	Capacity 256GB · 512GB · 1TB · 2TB · 4TB	Brand Samsung · ADATA · Seagate · WD · SanDisk	Show read/write speeds on SSD cards
IT Hardware & Workstation	IT Hardware	USB Hubs	Type Standard passive · Powered active · Programmable (controlled)	Ports 4-port · 7-port · 10-port	Standard USB 2.0 · USB 3.0 · USB-C	Programmable hub is speciality item for automated test — highlight
IT Hardware & Workstation	IT Hardware	WiFi Adapters	Standard Wi-Fi 5 (802.11ac) · Wi-Fi 6 (802.11ax) · Wi-Fi 6E	Interface PCIe · USB	Brand Intel · Generic	Show supported frequency bands on card
IT Hardware & Workstation	Workstation Storage & Tooling	PCB Racks	Slots 6-slot · 10-slot · 20-slot · Custom	Material Anti-static (ESD-safe) · Metal	Orientation Vertical · Horizontal	ESD-safe is essential — always call it out
IT Hardware & Workstation	Workstation Storage & Tooling	Solder Reel Racks	Tiers 2-tier · 4-tier · 6-tier	Material Steel · Aluminium	Reel Diameter Up to 7" · Up to 13" · Both	Show max reel capacity per tier
IT Hardware & Workstation	Workstation Storage & Tooling	Storage Bins	Colour Blue · Yellow · Red · Grey · Clear	Size Small (50x100mm) · Medium (100x200mm) · Large (200x300mm)	Set Individual · Set of 6 · Set of 12	ESD-safe variant — flag clearly if applicable
IT Hardware & Workstation	Workstation Storage & Tooling	Tool Boards	Type Pegboard · Shadow board · Magnetic	Size 400x600mm · 600x900mm · Custom	Material Steel · PP plastic	Hooks/accessories as add-on RFQ items
IT Hardware & Workstation	Workstation Storage & Tooling	PCB Stands	Size Small (up to 200mm PCB) · Medium · Large (up to 400mm PCB)	Material Anti-static (ESD-safe)	Type Fixed · Adjustable	Always ESD-safe — note ANSI/ESD S20.20 compliance
Labelling & Identification	Labels & Tags	Barcode Labels	Label Size 25x15mm · 50x25mm · 100x50mm · 100x150mm · Custom	Material Paper (standard) · Polyester (durable) · Polypropylene (waterproof)	Core Size 25mm · 76mm	Show compatible printer brands on card
Labelling & Identification	Labels & Tags	QC Labels	Status QC Approved · Rejected · Hold · WIP · Inspected · For Review · Quarantine	Colour Green (Approved) · Red (Rejected) · Yellow (Hold) · Blue (WIP)	Size 50x25mm · 75x50mm · Custom	Bundle: complete QC label set (all statuses) as one SKU
Labelling & Identification	Labels & Tags	FIFO Labels	Size 50x25mm · 75x50mm · 100x50mm	Colour Orange (standard FIFO)	Material Paper · Polyester	Show date field format on card
Labelling & Identification	Labels & Tags	Asset Tags	Material Paper · Polyester · Aluminium (metal) · Anodised	Serialised Yes · No	Adhesive Standard · Tamper-evident · Destructible	Serialised metal tags are high value — show unit vs bulk pricing
Labelling & Identification	Labels & Tags	RFID Labels	Frequency HF (13.56MHz) · UHF (860-960MHz)	Protocol ISO 15693 · ISO 14443 · EPC Gen2	Size 50x50mm · 100x50mm · Custom	Show read range and compatible reader on card
Labelling & Identification	Labels & Tags	Calibration Stickers	Type Calibration Due · Calibrated · Do Not Use · Void if Removed	Colour Scheme Green/Yellow/Red (traffic light) · Custom	Size 25mm round · 38mm round · Custom	Date field format — month/year writeable
Labelling & Identification	Labels & Tags	Thermal Ribbons	Ribbon Type Wax · Wax-Resin · Resin (full resin)	Width 40mm · 60mm · 80mm · 110mm	Length 300M · 450M · 600M	Filter by compatible printer first — critical for match
Labelling & Identification	Hardware	Industrial Label Printers	Brand Zebra · Honeywell · TSC · Sato	Resolution 203 DPI · 300 DPI · 600 DPI	Print Speed Up to 4"/sec · Up to 8"/sec · Up to 12"/sec	Show max label width and compatible ribbons on card
Labelling & Identification	Hardware	Desktop Label Printers	Brand Zebra · Brother · TSC · Generic	Print Method Direct Thermal · Thermal Transfer · Both	Max Label Width 4" (104mm) · 6" (152mm)	Bundle with matching ribbon and label roll

eFocus eCommerce — Complete Product Family Configurator (107 Families)	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5	Unnamed: 6
Labelling & Identification	Hardware	Barcode Scanners	Type Handheld (corded) · Handheld (wireless) · Fixed Mount · Mobile Computer	Scan Engine 1D laser · 2D imager (1D+2D+QR)	Interface USB · Bluetooth · RS232 · Wi-Fi	Honeywell Xenon is top seller — feature first
Labelling & Identification	Printing & Barcode Systems	RFID Readers	Type Fixed infrastructure · Handheld · PoE-powered	Frequency HF (13.56MHz) · UHF (860-960MHz)	Brand Impinj · Zebra · Generic	Show read range and antenna port count on card
Labelling & Identification	Printing & Barcode Systems	MAC Address Blocks	Block Size MA-S (4096 addresses) · MA-M (4096) · MA-L (16M addresses)	Issued By IEEE		Informational product — explain what it is in description; link to IEEE registration

Category Summary — 9 rows × 6 columns

eFocus eCommerce — Category & SKU Summary	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5
Cat No	Category	Sub-Categories	SKUs in Master	Product Families	Priority
01	SMT, Rework & Assembly	Soldering Consumables · Rework Systems · Test & Measurement (SMT) · Embedded Hardware	23	Soldering Stations · Tips · Solder Wire · BGA Rework · JTAG · Pogo Pins · Dev Boards	High
02	Cables & Connectivity	Industrial Networking · RF & Microwave · Fiber & Optical · IT Cables	31	SFP Modules · PoE Injectors · LAN Cables · RF Probes · RF Attenuators · Fiber Patch Cords · GPIB	High
03	Tools & MRO	Hand & Power Tools · Fixings & Consumables	12	Cable Ties · Ferrules · Heat Shrink · Crimping Tools · Torque Tools · Wire Strippers	Medium
04	Power & Electrical	Electrical & Power Components · Pneumatics & Fluid Control	15	DC Power Supplies · SMPS · Relays · Circuit Breakers · Solenoid Valves · Pneumatic Cylinders	Medium
05	ESD & RF	ESD Control · ESD Test & Measurement	17	Wrist Straps · ESD Bags · RF Shield Boxes · Surface Resistance Meters · Insulating Mats	High
06	Testing & Measurement	Electrical Instruments · Environmental · Mechanical & Force · Inspection	27	Multimeters · Signal Generators · Spectrum Analyzers · Thermal Imagers · Calipers · Microscopes	High
07	IT Hardware & Workstation	IT Hardware · Workstation Storage & Tooling	16	Workstations · Storage · USB Hubs · PCB Racks · Solder Reel Racks · Storage Bins	Low
08	Labelling & Identification	Labels & Tags · Hardware · Printing & Barcode Systems	15	Barcode Labels · QC Labels · Thermal Ribbons · Label Printers · Barcode Scanners · RFID	Medium