

SyncSafe

Service Concept, Prototyping and Testing

Service Development and Design

2025-2026

Carolina Almeida	202402836
Francisco Andrade	202409887
Gabriel Rosa	202402978
Rui Meneses	202401677
Sveva De Crescenzo	202503402

Recap of the Problem

We Are Exploring

Core Layer (Primary Targets)

- Partygoers who Consume
- Partygoers who Help

Middle Layer (Support Ring)

- Event Organizers
- Harm-Reduction NGOs

Outer Layer (Influence Ring)


- Regulators
- Tech Providers



SyncSafe Vision

- Discreet peer-alert wearable
- Detects early signs of loss of control
- Notifies trusted friends
- Puts safety back in the hands of the community

Methodology Findings



Personas

Profile

20-year-old student who enjoys letting loose and partying to de-stress.

Role

Consumer / Partygoer

Jobs to be done

Have fun, connect with friends, feel safe and free to enjoy the night.

Frictions

Vulnerability/Dependence.

Jessica



Partygoer

What she feels

"I usually ask friends for help."

Profile

22-year-old student who rarely consumes alcohol but loves parties.

Role

Non / light-consumer and responsible friend

Jobs to be done

Monitor friends state, avoid panic of losing someone and be the "safety net".

Frictions

Weight of responsibility/Doesn't want to feel authoritative.

Mario



Helper

What he feels

"I started to get really worried... thinking she had been mugged."


Customer Experience

Defining What to Tackle

SyncSafe Affinity Diagram					
Safety Concerns and Vulnerabilities	Social and Community Dynamics	Monitoring and Responsibility Challenges	Current Behaviors and Workarounds	Gaps in Existing Solutions	Opportunity Areas and Desired Outcomes
Risks, fears, and perceived vulnerabilities in nightlife	Group interactions, peer roles, and informal support	Burden and difficulty of keeping friends safe	Existing coping mechanisms and improvisations	Limitations of current tools	What SyncSafe could deliver
Feeling vulnerable when impaired or separated from group	Connecting with friends to enjoy the night freely	Weight of constantly monitoring friends' state	Using phone apps for location sharing (e.g., Find My Friends)	Passive monitors, no peer alerts/no group separation detection	Proactive, peer-first alerts without stigma
Dependence on friends for protection, leading to anxiety	Asking trusted peers for help as a first response	Avoiding panic when someone disappears in the crowd	Manual triggers like texting "I'm okay" or setting timers	Reactive apps require conscious action when impaired	Ephemeral data for privacy (e.g., 24h auto-delete)
Early signs of control loss (erratic movement) going unnoticed	Being the "safety net" without feeling authoritative or burdensome	Not wanting to ruin the fun by being too controlling	Relying on event staff or strangers in emergencies	No automatic biometric + movement detection combined	Integration with venues for maps and rendezvous points
Panic from assuming the worst (e.g., mugged or harmed)	Group separation in crowded venues causing stress	Difficulty tracking in high-density environments like concerts	Post-event recovery through informal advice from friends	Privacy issues with permanent data or surveillance feel	Community empowerment over outsourcing safety
Over-reliance on manual check-ins, which fail when intoxicated	Community-driven support preferred over authorities	Responsibility shifting to one person, leading to exhaustion	Avoiding consumption to stay alert as a helper	Stigma of wearing "monitoring" devices	Discreet wearables that blend into nightlife
Stigma of being monitored like a "child" in social settings	Sharing location or status informally via phones or shouts	Lack of tools for discrete, non-intrusive oversight	Checking in verbally during the night	Checking in verbally during the night	Post-night tips for recovery and reflection

Learning from Existing Solutions

What’s already out there for personal + peer + safety while going out?

Solution	Type	Key Features	How it works	Strengths	Gaps
Apple Watch (Fall Detection + SOS)		Fall detection, heart rate, emergency SOS	Auto-calls emergency if no response	Mature sensors, trusted brand	No peer-first alerts / group separation detection, calls authorities first
BACtrack Skyn		Transdermal BAC (real-time via app)	Measures alcohol through the skin	Accurate; passive skin monitoring.	No peer alerts (user-only); no movement cues; stigma as "monitor."
Noonlight		Manual trigger; shares location with authorities / friends	Button press / timer	Integrates with other apps (Uber)	Still manual, no automatic intoxication cues

The Value Proposition



SyncSafe is a **peer-first safety ecosystem** empowering young adults to **reclaim autonomy**.

Detecting vulnerability cues (such as erratic movement or separation) and triggers privacy-protected alerts to trusted friends, **fostering community-driven safety without stigma**.

Key User Benefits



Control

Users guarantee composure over their bodies through proactive detection.


Community

Safety is crowd-sourced to trusted peers, not outsourced to strangers

Confidentiality

Data is temporary and owned by the user, ensuring safety without surveillance.

Service Flower



Core Services

Vulnerability Detection & Peer Alerting

Facilitating Services

- **Information:** Indoor Venue Maps & Risk Zones.
- **Order Taking:** "Tap-to-Pair" Group Setup.
- **Billing:** ~~Freemium & Event Pass Models.~~
- **Payment:** ~~In-App Ride Integration.~~


Enhancing Services

- **Consultation:** Post-Night Recovery Tips.
- **Hospitality:** "Vibe Check" & Dark Mode UI.
- **Safekeeping:** Short-lived Data (24h Auto-Delete)
- **Exceptions:** Safe Escape & False Alarm Management.

From Service Concept to Integrated Prototype

1. SERVICE CONCEPT


Value Definition



- Value Proposition:** SyncSafe is a peer-first safety ecosystem empowering young adults to reclaim autonomy.
- Core Logic:** Shifts the paradigm from continuous monitoring to automated early-risk detection, fostering community-driven safety without stigma
- Key Drivers:** Built on principles of **trust within the peer-based community, confidentiality,** and **decentralized control.**

2. SERVICE SYSTEM


Resource Configuration



- Customer Value Constellation:** value is co-created through coordinated actions between wearers, trusted peers, and external partners (e.g., ride services).
- Service System Architecture:** defined how sensing, coordination, and escalation are distributed across devices, people and partners.
- Service blueprints:** used to further model front-stage and back-stage interactions, decision points, and escalation paths across scenarios.

3. PROTOTYPE EXPERIENCE

Touchpoint Realization



- Iterative, Multi-Fidelity Design:** User stories guided sketches, wireframes, and high-fidelity screens, iteratively validating roles, flows, and scenarios in Figma.
- System Coherence by Design:** Shared colour-coding and interaction patterns ensure consistent, calm communication across wearable and mobile touchpoints
- All screens and flows assembled in Figma to simulate the full service journey.
Prototype focuses on **experience orchestration and service behavior, not isolated UI usability.**

The Prototyping Process

User Stories

- 15 User Stories
- 7 User Flows
- 23 tasks mapped
- 2 perspectives (user+helper)



Lo-Fi Wireframes

- Rapid Sketches
- Layout Testing
- Flow Validation



Hi-Fi Mockups

- 58 screens total
- 50 app screens
- 8 wearable screens



Interface Flows

- State Management
- Navigation Logic
- Auto-advance timing




User Testing

- 8 participants
- Wizard-of-Oz
- ~40 min sessions



Low Fidelity Prototype



Design Research



Wearable Cutout




Sensor




Wearable Prototype



Wearable Warning



App Interface




App Warning



Scenario Mockup

Service System Mockup




Peer Alert – Friend Notification

As a **friend**, I want to be immediately notified when someone in my group may be at risk so I can respond quickly and appropriately.

Key Points

- Clear identification of who is at risk (Jessica).
- Essential context provided: time since alert and distance.
- Urgent but non-panic-inducing notification design.


CONTEXT- STORY BOARD




- Group separation
- Time-sensitive intervention
- Peer-to-peer support activation

DEVICE INTERACTION

WIREFRAME







FINAL UI



Alert Detection & Notification

When sensors detect vulnerability, both user and trusted friends are alerted simultaneously

Phone App




Peer Response Flow


Friends respond directly through the app, while the user receives real-time reassurance on their wearable

Phone App


Mario Doesn't Help :/



Mario Helps :D





Wearable



Indoor Navigation

Indoor navigation guides helpers through crowded venues using venue floor plans and proximity alerts





App 'Preferences' group configuration

Methodology Overview

User Testing Method

- Qualitative, scenario-based usability testing
- Moderated sessions with **think-aloud protocol**
- Combined with **semi-structured post-test interviews**

Testing Setup

- 30–40 min per participant
- Simulated real night-out scenario
- Interaction with:
 - SyncSafe mobile app
 - Wearable interface
 - Optional friend's perspective device

Test Phases

- **Onboarding & Setup** (permissions, wearable pairing, group creation, safety settings)
- **In-app Interaction & Alert Response** (vulnerability alert, peer notification, friend response)


Analysis Approach & Usability Metrics

Analysis Approach

- Qualitative thematic analysis of usability tests and interviews
- Cross-participant comparison (partygoers, helpers, non-consumers)
- Behavioral observations + self-reported ratings
- Quantitative scores used as **supporting indicators**, not statistics

Core Usability Metrics

- **Task completion:** 100% (core service flows)
- **Ease of use:** 3–5 / 5 (mostly 4)
- **App-wearable integration:** 4–5 / 5
- **Intent to use:** context-dependent (higher in high-risk settings)



Wearable “Are you ok?” detection

Key Frictions Identified

- High information density during onboarding
- Ambiguous terminology (e.g. “Extra Help”)
- Advanced settings often ignored at first use

Key Insights & Interpretation



Perceived Safety & Trust

- Peer-first safety logic clearly understood
- Alerts perceived as supportive, not controlling
- Trust increases when alert reasons are clearly explained



Cognitive Load & Automation

- Automatic detection reduces stress and vigilance effort
- Real-time maps and indoor navigation strongly valued
- Wearable seen as discreet sensor; app as “decision brain”



Adoption Drivers & Barriers

Drivers:

- Shared responsibility within the group
- Faster peer coordination
- Prevention before escalation

Barriers:

- Privacy concerns around biometric data
- Fear of false positives
- Setup effort vs. perceived risk level

Synthesis & Recommendations



What Worked Well

- Peer-first safety logic clearly understood and appreciated
- Automatic detection reduces cognitive and emotional load
- Real-time map & navigation strongly support peer coordination
- Service perceived as supportive, not controlling



Key Limitations

- Onboarding perceived as dense and cognitively demanding
- Some terminology and escalation rules unclear
- Concerns about false positives and biometric data privacy
- Limited autonomy of the wearable in urgent moments



Design Recommendations

- Simplify onboarding with progressive disclosure
- Enable key emergency actions directly on the wearable
- Clarify escalation and consent logic upfront
- Improve alert prioritization and distinction

Prototype Iteration




Why Iterate:

- Testing validated the core peer-first safety concept
- Frictions emerged around onboarding, wearable autonomy, alert clarity
- Iterations aim to reduce cognitive load and increase trust

1. Progressive Onboarding

"Why do I need to read so many settings right away?"

- Separate essential setup from advanced settings
- Introduce safety preferences gradually
- Reduce first-use friction



2. Wearable-First Emergency Actions

"I think it would be easier to reply right on the bracelet"

- Enable key actions directly on the wearable
- Reduce phone dependency in critical moments
- Strengthen app-wearable integration



3. Clear Alert & Escalation Logic

"So they ask me if I'm ok but still send an alert?"


- Differentiate safety alerts visually and haptically
- Explain why alerts are triggered
- Make escalation paths transparent and consent-based



4. Context-Aware Helper Coordination

"Why not alert the closest person first?"

- Suggest closest or most suitable helper
- Improve group coordination during rescue
- Reduce duplicated effort and confusion



References

Advancing Intoxication Detection: A Smartwatch-Based approach. (n.d.). <https://arxiv.org/html/2510.09916v1>

Audit, T. (2025, October 7). Top Wearable Alcohol Biosensors companies & How to Compare them (2025). <https://www.linkedin.com/pulse/top-wearable-alcohol-biosensors-companies-how-compare-them-mr7rf/>

BACtrack. (n.d.). BACtrack Skyn: Wearable alcohol biosensor. Retrieved November 27, 2025, from <https://skyn.bactrack.com/>

bSafe. (n.d.). bSafe - Never walk alone [Mobile app]. Apple App Store. <https://apps.apple.com/us/app/bsafe-never-walk-alone/id459709106>

Fairbairn, C. E., Han, J., Caumiant, E. P., Benjamin, A. S., & Bosch, N. (2024). A wearable alcohol biosensor: Exploring the accuracy of transdermal drinking detection. *Drug and Alcohol Dependence*, 266, 112519. <https://doi.org/10.1016/j.drugalcdep.2024.112519>

IDC. (2025, October 21). IDC - Wearable Devices Market Insights. <https://www.idc.com/promo/wearablevendor/>

Noonlight (n.d.). Noonlight - America's No. 1 Safety App. Retrieved November 27, 2025, from <https://www.noonlight.com/noonlight-app>

SOBRsafe. (n.d.). SOBRsure: Wearable alcohol monitor. Retrieved November 27, 2025, from <https://sobrsafe.com/products/sobrsure-device>

SyncSafe

Prototyping and
Testing

Thank You!
Q&A / Discussion

Carolina Almeida	202402836
Francisco Andrade	202409887
Gabriel Rosa	202402978
Rui Meneses	202401677
Sveva De Crescenzo	202503402

