

Lab 2

➤ User-Defined Functions

1. Create a function that takes actor_id and returns the concatenated first and last name of this actor.
2. Create a function that takes customer_id and returns the total count of rentals made by this customer.
3. Create a function that takes a DECIMAL value and returns it as a formatted string with a dollar sign (e.g., \$19.99).

➤ Stored Procedures

4. Create a stored procedure that takes customer_id and returns a result set containing the full name, email, full address, and city of that customer.
5. Create a stored procedure that takes a start_date and end_date and returns the total revenue generated by each store during that period.
6. Create a stored procedure that takes a partial string (e.g., 'dark') and returns all films whose titles contain that string, along with their ratings.
7. Create a stored procedure that takes customer_id and returns the name of the category (e.g., 'Action') that the customer rents most often.

➤ Trigger

8. Create a BEFORE UPDATE trigger on address table to set last_update = NOW() whenever a row is changed.
9. Create a trigger to prevent an UPDATE to the staff table if the username is changed to 'admin'.
10. Create a BEFORE INSERT trigger on the customer table to ensure that any email address entered contains both an @ and a . symbol.
11. Create a table film_price_history. Create an AFTER UPDATE trigger on the film table that records the old price, new price, and change date whenever the rental_rate is modified.