

Elsayed mohamed elsayed farg

Lab1

1-Install Apache HTTP server

```
sayedmohamed@sayedmohamed-Precision-3510: /etc/apache2  
sayedmohamed@sayedmohamed-Precision-3510:/etc/apache2$ apache2 -v  
Server version: Apache/2.4.58 (Ubuntu)  
Server built: 2025-08-11T11:10:09  
sayedmohamed@sayedmohamed-Precision-3510:/etc/apache2$
```

2-Create two simple html pages named “page1.html, page2.html” then use the suitable directive to automatically redirect from localhost/page1.html to localhost/page2.html.

#Question 2

Redirect /Lab1/question2/page1.html /Lab1/question2/page2.html

← → ↻ 127.0.0.1/Lab1/question2/

☰ | ☁ My files - One... 🔍 Search | M365... 👤 Activity | Micro... 👤 Elsayed_Moha... 🔑 Login

Index of /Lab1/question2

Name	Last modified	Size	Description
 Parent Directory		-	
 page1.html	2026-01-09 20:45	737	
 page2.html	2026-01-09 20:47	737	

Apache/2.4.58 (Ubuntu) Server at 127.0.0.1 Port 80

← → ↻ 127.0.0.1/Lab1/question2/page2.html

☰ | ☁ My files - One... 🔍 Search | M365... 👤 Activity | Micro... 👤 Elsayed_Moha... 🔑 Login

Page 2

3-Ask for user name and password when accessing a directory

```
sayedmohamed@sayedmohamed-Precision-3510:/var/www/html/Lab1/question3$ cat .htaccess
AuthType Basic
AuthName "Restricted question3"
AuthUserFile /var/www/html/Lab1/question3/.htpasswd
Require valid-user
sayedmohamed@sayedmohamed-Precision-3510:/var/www/html/Lab1/question3$ cat .htpasswd
sayedmohamed:$apr1$8AT40M9S$ZSCVFi6qz25IyilTyKYs0.
sayed:$apr1$BLNOwb8c$2WavPl80XZtj5d/Z69/A60
sayedmohamed@sayedmohamed-Precision-3510:/var/www/html/Lab1/question3$
```

```
GNU nano 7.2 /etc/apache2/sites-available/000-default.conf
VirtualHost *:80>
    <Directory /var/www/html/Lab1/question3>
        AllowOverride All
    </Directory>


    # The ServerName directive sets the request scheme, hostname and port that
    # the server uses to identify itself. This is used when creating
    # redirection URLs. In the context of virtual hosts, the ServerName
    # specifies what hostname must appear in the request's Host: header to
    # match this virtual host. For the default virtual host (this file) this
    # value is not decisive as it is used as a last resort host regardless.
    # However, you must set it for any further virtual host explicitly.
```

```
GNU nano 7.2 /etc/apache2/apache2.conf
# access here, or in any related virtual host.
<Directory />
    Options FollowSymLinks
    AllowOverride None
    Require all denied
</Directory>

<Directory /usr/share>
    AllowOverride None
    Require all granted
</Directory>

<Directory /var/www/>
    Options Indexes FollowSymLinks
    AllowOverride All
    Require all granted
</Directory>

#<Directory /srv/>
#     Options Indexes FollowSymLinks
```




Index of /Lab1/question3

Name	Last modified	Size	Description
 Parent Directory		-	

Apache/2.4.58 (Ubuntu) Server at 127.0.0.1 Port 80

4-Apply authentication before downloading PDF files.

```
#Question 4
<FilesMatch "\.pdf$">
    AuthType Basic
    AuthName "Restricted PDFS"
    AuthUserFile /var/www/html/Lab1/question4/.htpasswd
    Require valid-user
</FilesMatch>
```




5-Create a directory then allow access to one of your classmates only.

```
#Question 5
<Directory "/var/www/html/Lab1/question5">
    options Indexes FollowSymLinks
    AllowOverride None
    Require ip 192.168.1.5
</Directory>
```

6-Disable listing the directory content (hint use indexes)

```
#Question 6
#Any visitor accessing a folder with no index file will now
#see 403 Forbidden instead of a file list.
<Directory "/var/www/html/Lab1/question6">
    Options -Indexes
</Directory>
```




Forbidden

You don't have permission to access this resource.

Apache/2.4.58 (Ubuntu) Server at 127.0.0.1 Port 80

7-Change the default index page to be default.html instead of index.html (use DirectoryIndex)

```
#Question 7
<Directory "/var/www/html/Lab1/question7">
    DirectoryIndex default.html
</Directory>
```



default