



التاريخ: ١٩ / ١٢ / ٢٠٢٢

س: شركة جيزة للأبضحة - القطاع التجاري

المر: المقتض / حليم حسن

إدارة التطوير - هيئة قضاء السويس

الحياة الطيبة والهادئة.

أيداه إلى المنظمة المحللة لإرفاق ٣٥١٢/٥٠٠ كوزية وشراعية، واشغل كأمينات عرافية لتحفظات المياه بصل  
القاد الثلاثة، ثم ان تقدمت لبيدته بعض الاستفسارات الخاصة على النحو التالي:

إلا فيما يخص غرفة التحكم في محطة الاسماعيلية حيث أنها غير متبناة. لذا فراجع التوضيح عما إذا كان إنشاءها سيتم معرفة الهيئة أم أنه متضمن نطاق الأعمال المطلوبة كإعادة الشروط والمواصفات.

ثانياً معرفة النخلة في محطة اللوتس عليها سوف لن تكفي الشعب عند المعدات والأجهزة المطلوبة بالمحطة  
لذا أرجاء الإلهام

لأن المسافة بين الكسرات المطلوبة على السور في المحطة هي 1 إلى 2 متر و IR range للكسرات هو 20 متر، لذا فمخاض التوضيح عما إذا كان المطلوب هو زيادة عدد الكسرات لتصبح المسافة بينهم هي 20 متر على الأقل أم لا، يتم بنفس عدد الكسرات المذكور في الجدول.

بمجرد إتمام الإزالة، يتم إخراج الفيديو من تحليلات الفيديو. يمكنك أيضًا إخراج الفيديو من تحليلات الفيديو عن طريق حذف الفيديو من قائمة الفيديو. إذا قمت بحذف الفيديو من قائمة الفيديو، فسيتم إزالته من تحليلات الفيديو أيضًا. لا يمكن استرجاع الفيديو بعد إزالته من قائمة الفيديو. إذا كنت بحاجة إلى إخراج الفيديو من تحليلات الفيديو، فقم بحذف الفيديو من قائمة الفيديو.

خامساً: يوجد الإجراء بالقدنية (صفحة Fibrenetix Recording & Management Servers باللغة الالمانية)

وَتَكْفُرُوا بِالْأَيْدِي فَالِقُ الْأَحْزَامِ وَالْمُكَلِّمُ...

مجلسه استماع

عبدالله بن محمد بن عبد الوهاب

عشر قطاع كبار العملاء

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

## SUEZ CANAL WATER STATIONS SURVEILLANCE PROJECTS

## CLARIFICATIONS

- 1) For Video Analytics server specs (Optional Items), Please clarify the sizing criteria such as the number of cameras and the needed analytics for each camera to be able to size it correctly.
- 2) Please clarify if the analytics mentioned on Page 6/36 is the on edge analytics mentioned in camera specs.
- 3) Please confirm that there is no lighting works in the bidder scope except the control room.
- 4) Please confirm that the consoles mentioned on page 6/36 are the operator's desks.
- 5) Please provide us the network topology which is reflected the tender network BCD.
- 6) Please advise the connection method for the unified network and the required speed and media.
- 7) Please confirm that workstation with less than an 8GB Graphic card will not be accepted as specified.
- 8) For Outdoor fixed bullet cameras, please advise if 92 dB WdA is accepted since it will be very sufficient for outdoor application.
- 9) Please confirm that the battery with the same brand of UPS is accepted as the tender mentioned Ultra-cell UK/YUASA only.
- 10) Please confirm that the bidder should submit two Redundant UPS with the same KVA and each of them has a 30 min @ Full load.
- 11) Please advise, if the final acceptance test (القبول النهائي) will be released after one year as mentioned in Page 2/36 or after project warranty period (Two years.)
- 12) Please confirm that the certified training will be for Milestone and based in Egypt. For Servers and Storage, it will be included in the required on the job training.
- 13) Please send the SAT procedure test as per SCA standards.
- 14) If the additional cameras should be added as per the site survey and the analytics requirements as specified in the tender, please advise that the additional scope will be added as an optional item.
- 15) Please confirm that the bidder should comply with the Civil work specs pages 34,34' and 34--.
- 16) Please confirm that the Electrical network will be star topology, i.e. a separate power cable from MDP to each outdoor rack.
- 17) Please confirm that the stacking in power and data is mandatory.

Hazem Hassen

From: <Elshennawy Mohamed <Elshennawy.Mohamed@interactis.com>  
Sent: Monday, March 21, 2022 5:51 PM  
To: Hazem Hassen  
Cc: Mohamed Aly, Tamer Taha, Hussein Adel, Moamen Mostafa  
Subject: (توضيح وتركيب وتشغيل كاميرات مراقبة لمعدات المياه بعدد الفناء) 109-511

Dear Eng. Hazem,

Regarding the mentioned above tender, kindly we need your feedback for the below clarifications:

- 1: What is the type of manhole cover?
- 2: All pipes for the DVR is PVC?
- 3: Beside the crushed wall in small site we will dig and install manholes beside all "mast cameras" with Height 5 MTR, is it ok?
- 4: Camera's data outlets are preferred (metal box, module and patch cord 1m, net face plate or RJ?)
- 5: Are the three site locations will connect the monitor back to the control room or not?
- 6: Which type of CAT5E cable they need (UTP-S/UTP-T/FTP?)
- 7: How long the camera mastx or the antennas they need 3 or 5 meters?
- 8: Requested UPS will be tower or rack mounted?
- 9: Which loads will be supported by UPS to calculate power consumption?

Looking forward to hear from you.

Best regards,


Elshennawy Mohamed

Sr. Sales Account Manager - Public Sector  
4 Roushdy Street, Block ( 5-57) El-Saati El-Aashir  
Khan El-Maadi, Madiat  
Tel: +967 11 5589000  
Fax: +967 11 5460000  
Cell: +967 9484814 - 0127770430  
Website: [www.interactis.com](http://www.interactis.com)  
E-mail: [Elshennawy.Mohamed@interactis.com](mailto:Elshennawy.Mohamed@interactis.com)



DELL

PLATINUM PARTNER





Hazem Hassen

From: Eslam Nashaat <eslam@netcag.net>  
Sent: Thursday, March 3, 2022 2:35 AM  
To: procurement Department, Hazem Hassen: ahmedfathy983@hotmail.com  
Subject: Re: Surveillance Cameras For The 3 Water Stations In Canal Cities - ( Tender No: 3572/501-109 )

Hi Eng. Hazem,

Kindly reminder.

ايضا ليرجاء توضيح قطر و سماكة عازل PVC

On Sun, Feb 27, 2022 at 3:26 PM Eslam Nashaat <eslam@netcag.net> wrote:  
Hi Eng. Hazem,

We have some important inquiries regarding Tender No. 3572/501-109 as shown below :

يرجاء الرد على استفسارات الأعمال المنبثقة التالية :

- 1- ليرجاء توضيح إذا كان عرض مسار الحفر بين غرف التفتيش 60 سم أو أكثر
- 2- توضيح كميات ومواصفات الردم
- 3- فرشاة الخرسانة العادية ( 25 سم ) أسفل غرفة التفتيش فقط لا غير أم يحول العمود بأكمل المتصل بين غرف التفتيش
- 4 - محطة مياه الإسماعيلية : الجزء العلوي المتصل خلف الخزانات الحدية التي يوجد بها ( ما هو القرار الأخير للتثبيت ) ( ماسكات الكاميرات ) لأن الأرض غير مهيأة و لم يتم سفلتة الطريق لتثبيت القواعد - ليرجاء توضيح القرار النهائي بخصوص هذا الموضوع
- و ذلك لعدم توضيح هذا في كراسة المواصفات ( أعمال المسارات و غرفة التفتيش )

بسم الله الرحمن الرحيم  
الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

بسم الله الرحمن الرحيم

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

الحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله  
والحمد لله الذي هدانا لهذا الذي كنا لنهتدي لولا أن هدانا الله

Best Regard,

Eslam Nashaat

Chief Technology Officer (CTO) - PMP

[Eslam@Netced.net](mailto:Eslam@Netced.net)

Mobile : +2 0106 1220995

NETCeg

E-mail: [info@netced.net](mailto:info@netced.net)

[NETCeg.net](#) / [Facebook](#)



Best Regard,

Eslam Nashaat

Chief Technology Officer (CTO) - PMP

[Eslam@Netced.net](mailto:Eslam@Netced.net)

Mobile : +2 0106 1220995

NETCed

E-mail: [info@netced.net](mailto:info@netced.net)

[NETCed.net](http://NETCed.net) / [Facebook](https://www.facebook.com/NETCed.net)



@elshaymaa.nassar/7483



Hazem Hassen

---

From: Amena Khedr <Amena.Khedr@summit-mea.com>  
Sent: Thursday, March 17, 2022 6:23 PM  
To: procurement Department  
Cc: Hazem Hassen  
Subject: Water Stations CCTV

Dear Sir,

Appreciate providing AutoCAD layouts for the implementation sites (.dwg) and RFP document in word format to be able to submit full compliance sheet and design layouts in our offer.

Thanks and Best Regards,

Amena Khedr  
Sales Manager, Gov. Sector  
Summit Technology Solutions  
Mobile : +201003877890  
Direct : +20227597347  
Email : [amena.khedr@summit-mea.com](mailto:amena.khedr@summit-mea.com)