

Implementation and Performance Analyses of a Highly Efficient Algorithm for Pressure-Velocity Coupling

Implementierung und Untersuchung einer hoch effizienten Methode zur Druck-Geschwindigkeits-Kopplung

Master-Thesis von Fabian Nuraddin Alexander Gabel

Tag der Einreichung:

1. Gutachten: Prof. Dr. rer. nat. Michael Schäfer
2. Gutachten: Dipl.-Ing Ulrich Falk



TECHNISCHE
UNIVERSITÄT
DARMSTADT

Studienbereich CE
FNB

Implementation and Performance Analyses of a Highly Efficient Algorithm for Pressure-Velocity Coupling
Implementierung und Untersuchung einer hoch effizienten Methode zur Druck-Geschwindigkeits-Kopplung

Vorgelegte Master-Thesis von Fabian Nuraddin Alexander Gabel

1. Gutachten: Prof. Dr. rer. nat. Michael Schäfer
2. Gutachten: Dipl.-Ing Ulrich Falk

Tag der Einreichung:

Erklärung zur Master-Thesis

Hiermit versichere ich, die vorliegende Master-Thesis ohne Hilfe Dritter nur mit den angegebenen Quellen und Hilfsmitteln angefertigt zu haben. Alle Stellen, die aus Quellen entnommen wurden, sind als solche kenntlich gemacht. Diese Arbeit hat in gleicher oder ähnlicher Form noch keiner Prüfungsbehörde vorgelegen.

Darmstadt, den January 2, 2015

(F. Gabel)

Contents

1	Introduction	3
2	Fundamentals of Continuum Physics for Thermo-Hydrodynamical Problems	3
2.1	Conservation of Mass – Continuity Equation	3
2.2	Conservation of Momentum – Cauchy-Equations	3
2.3	Conservation of Angular Momentum	3
2.4	Closing the System of Equations – Newtonian Fluids	3
2.5	Conservation Law for Scalar Quantities	3
2.6	Necessary Simplification of Equations	3
2.6.1	Incompressible Flows	4
2.6.2	Variation of Fluid Properties – Boussinesq Approximation	4
2.7	Final Form of the Set of Equations	4
3	Finite Volume Method for Incompressible Flows – Theoretical Basics and Realisation in Code	4
3.1	Fundamentals of Discretization	4
3.1.1	Numerical Grid	4
3.1.2	Approximation of Integrals	4
3.2	Discretization of the Momentum Balance	4
3.2.1	Semi Discretized Linearized Form of the Navier-Stokes Equations	4
3.2.2	Treatment of Non-Orthogonality of Grid Cells – Deferred Correction Approach	4
3.2.3	Calculation of Mass Flux – Rhie-Chow Interpolation	4
3.2.4	Discretization of the Convective Term	4
3.2.5	Discretization of the Diffusive Term	4
3.2.6	Discretization of the Source Term	4
3.2.7	Assembly of Linear Systems – Final Form of Equations	4
3.3	Discretization of the Generic Transport Equation	4
3.4	Segregated Methods – the SIMPLE-Algorithm	4
3.4.1	Pressure Correction Equation	4
3.4.2	Characteristic Properties of Projection Methods	4
3.4.3	Coupling of Temperature Equation	5
3.5	Boundary Conditions on Domain and Block Boundaries	5
3.5.1	Dirichlet Boundary Condition	5
3.5.2	Neumann Boundary Condition	5
3.5.3	Symmetry Boundary Condition	5
3.5.4	Wall Boundary Condition	5
3.5.5	Block Boundary Condition	5
3.6	Coupled Solution of the Navier-Stokes Equations	5
3.6.1	Discretization of the Navier-Stokes Equations	5
3.6.2	Differences to the Segregated Approach – Implicit Coupling of Velocities, Pressure and Temperature	5
3.6.3	Assembly of Linear System	5
3.6.4	Boundary Conditions	5
3.7	Characteristic Properties of the Fully Coupled Solution Approach	5
3.8	Numerical Solution of Linear Systems	5
3.8.1	Stone’s SIP Solver	5
3.8.2	Krylov Subspace Methods	6
4	CAFFA Framework	6
4.1	PETSc Framework	6
4.1.1	About PETSc	6
4.1.2	Basic Data Types	6
4.1.3	KSP and PC Objects and Their Usage	6
4.1.4	Profiling	6
4.1.5	Common Errors	6
4.2	Grid Generation and Conversion	6
4.3	Preprocessing	6

4.4	Implementation Details of CAFFA	6
4.4.1	MPI Programming Model	6
4.4.2	Convergence Control	7
4.4.3	Modi of Calculation	7
4.4.4	Indexing of Variables and Treatment of Boundary Values	7
4.4.5	Field Interlacing	7
4.4.6	Domain Decomposition, Exchange of Ghost Values and Parallel Matrix Assembly	7
4.5	Postprocessing	7
5	Verification of CAFFA	7
5.1	Theoretical Discretization Error	7
5.2	Method of Manufactured Solutions	7
5.3	Exact and Manufactured Solutions for the Navier-Stokes Equations and the Energy Equation	8
5.4	Measurement of Error and Calculation of Order	8
5.4.1	Testcase on Single Processor on Orthogonal Grid	8
5.4.2	Testcase on Multiple Processors on Non-Orthogonal Grid	8
6	Comparison of Solver Concepts	8
6.1	Convergence Behaviour on Locally Refined Block Structured Grids	8
6.2	Parallel Performance	8
6.2.1	Employed Hardware and Software – The Lichtenberg-High Performance Computer	8
6.2.2	Measures of Performance	8
6.2.3	Preliminary Upper Bounds on Performance – The STREAM Benchmark	8
6.2.4	Discussion of Results for Parallel Efficiency	9
6.2.5	Speedup Measurement for Analytic Test Cases	9
6.3	Test Cases with Varying Degree of Non-Linearity	9
6.3.1	Transport of a Passive Scalar – Forced Convection	9
6.3.2	Buoyancy Driven Flow – Natural Convection	9
6.3.3	Flow with Temperature Dependent Density – A Highly Non-Linear Test Case	9
6.4	Realistic Testing Scenarios – Benchmarking	9
6.4.1	Flow Around a Cylinder 3D – Stationary	9
6.4.2	Flow Around a Cylinder 3D – Instationary	9
6.4.3	Heat-Driven Cavity Flow	9
6.5	Realistic Testing Scenario – Complex Geometry	9
7	Conclusion and Outlook	9

1 Introduction

This thesis is about.

2 Fundamentals of Continuum Physics for Thermo-Hydrodynamical Problems

2.1 Conservation of Mass – Continuity Equation

2.2 Conservation of Momentum – Cauchy-Equations

2.3 Conservation of Angular Momentum

2.4 Closing the System of Equations – Newtonian Fluids

2.5 Conservation Law for Scalar Quantities

Introduce the generic transport equation and give physical interpretation of coefficients. Species transport or Temperature. Check also Peric p12 or Bird et al. (1962).

2.6 Necessary Simplification of Equations

Negligible viscous dissipation and and pressure work source terms in the enery equation (vakilipour)

2.6.1 Incompressible Flows

2.6.2 Variation of Fluid Properties – Boussinesq Approximation

Talk about natural and forced convection. Differences for the solver algorithm. (s.a.) Peric P447 Talk about flows with variation in fluid properties -> mms has to map this behaviour (Buoyancy force driven, i.e. naturally convected fluid), mixed Convection Also talk about non-dimensional values like Prandtl number, Rayleigh and Reynolds

2.7 Final Form of the Set of Equations

Conservative and Non-Conservative Form

3 Finite Volume Method for Incompressible Flows – Theoretical Basics and Realisation in Code

3.1 Fundamentals of Discretization

3.1.1 Numerical Grid

3.1.2 Approximation of Integrals

3.2 Discretization of the Momentum Balance

3.2.1 Semi Discretized Linearized Form of the Navier-Stokes Equations

3.2.2 Treatment of Non-Orthogonality of Grid Cells – Deferred Correction Approach

Cite Jsak and make some pretty pictures. Motivate each technique for non-orthogonal correction.

3.2.3 Calculation of Mass Flux – Rhie-Chow Interpolation

3.2.4 Discretization of the Convective Term

3.2.5 Discretization of the Diffusive Term

3.2.6 Discretization of the Source Term

3.2.7 Assembly of Linear Systems – Final Form of Equations

Coefficients of matrices for momentum are identical except in case of different factors for under-relaxation (underrelaxation (Andersson))(when does this happen) for the main diagonal coefficient. Small example in code, then show image of assembled system.

3.3 Discretization of the Generic Transport Equation

3.4 Segregated Methods – the SIMPLE-Algorithm

3.4.1 Pressure Correction Equation

3.4.2 Characteristic Properties of Projection Methods

Under-relaxation, slow convergence, inner iterations outer iterations, relative tolerances, also talk about staggered and collocated variable positioning

3.4.3 Coupling of Temperature Equation

3.5 Boundary Conditions on Domain and Block Boundaries

Introduce chapter by talking about the nature of partial differential equations (Hackbusch). Always start with a simple implementation for the generic transport equation, then specialize to Navier-Stokes equation.

3.5.1 Dirichlet Boundary Condition

Only talk about dirichlet for velocities not for pressure.

3.5.2 Neumann Boundary Condition

Problematics of outlet boundary conditions

3.5.3 Symmetry Boundary Condition

3.5.4 Wall Boundary Condition

3.5.5 Block Boundary Condition

3.6 Coupled Solution of the Navier-Stokes Equations

3.6.1 Discretization of the Navier-Stokes Equations

3.6.2 Differences to the Segregated Approach – Implicit Coupling of Velocities, Pressure and Temperature

- Implicit treatment of Pressure Gradient
- Implicit Treatment of Temperature possible
- Boussinesq approximation brings velocity-to-temperature-coupling (vakilipour), Newton-Raphson Linearization
- Temperature dependent densities also possible

3.6.3 Assembly of Linear System

3.6.4 Boundary Conditions

- Dirichlet Velocities (implies Neumann for Pressure)
- Dirichlet Pressure (implies Neumann for Velocities)
- Symmetry and Outled Boundary Condition
- Wall Boundary Condition

3.7 Characteristic Properties of the Fully Coupled Solution Approach

Bad condition, singularity, usually faster convergence if efficient linear solver is chosen, coupling in Buoyancy flows (s.a. Peric page 448, Galpin Raithby) Design of algorithm does not need to inforce continuity (is inherently fullfilled because of the coupling of the equations)

3.8 Numerical Solution of Linear Systems

3.8.1 Stone's SIP Solver

Basic Idea as in Schäfer or Peric

3.8.2 Krylov Subspace Methods

- General concept of cyclic vector spaces of \mathbb{R}^n ,
- talk about bases of krylov subspaces and the arnoldi algorithm, talk about polynomials and linear combinations
- mention the two major branches (minimum residual approach, petrov and ritz-galerkin approach)
- name some representative ksp algorithms, importance of preconditioning, not as detailed as in bachelor thesis
- in cases there is a nonempty Nullspace what happens?

4 CAFFA Framework

4.1 PETSc Framework

Keep in mind not to copy the manual

4.1.1 About PETSc

Bell Prize, MPI Programming

4.1.2 Basic Data Types

Vec,Mat (Different Matrix Types and Their effect on complex methods)

4.1.3 KSP and PC Objects and Their Usage

Singularities

4.1.4 Profiling

PETSc Log

4.1.5 Common Errors

Optimization, Interfaces, (ROWMAJOR,COLUMNMAJOR), Compiler Errors not helpful, Preallocation vs. Mallocs

4.2 Grid Generation and Conversion

Generation of block structured locally refined grids with nonmatching block interfaces, neighbouring relations are represented by a special type of boundary conditions; Random number generator to move grid points within a epsilon neighbourhood while maintaining the grid intact. Show in a graph how preallocation impacts on runtime.

4.3 Preprocessing

Matching algorithm – the idea behind clipper and the used projection technique; alt.: Opencascade. Efficient calculation of values for discretization. Important for dynamic mesh refinement, arbitrary polygon matching

4.4 Implementation Details of CAFFA

4.4.1 MPI Programming Model

Basic idea of distributed memory programming model, emphasize the differences to shared memory model. Have a diagram at hand that shows how CAFFA sequentially works (schedule) and point out the locations where and of which type (global reduce, etc.) communication is, or when synchronization is necessary.

- after each solve
- pressure reference
- error calculation
- gradient calculation

Point out that one should try to minimize the number of this points such that parallel performance stays high. Better to calculate Velocity and Pressure Gradients at once not by separately calling this routine.

4.4.2 Convergence Control

Explain how the criterion for convergence is met

4.4.3 Modi of Calculation

there are different modi of calculation, (NS segregated, then scalar; NS and Scalar Segregated; NS coupled and Scalar segregated; Fully coupled (wath out with fully coupled, this term seems to have already another meaning)). Note that for comparison of solvers it is crucial to develop programs on the same basis. This establishes comparability.

4.4.4 Indexing of Variables and Treatment of Boundary Values

Describe MatZeroValues and how it is used to simplify the code. Also loose a word on PCREDISTRIBUTE its advantages and downsides. Compliance of PETSc zero based indexing and CAFFA indexing which considers boundary values. Problems with boundary entries

4.4.5 Field Interlacing

Realization through special arrangement of variables and the use of index sets (subvector objects) and/or preprocessor directives. Advantages (there was a paper I cited in my thesis). Note that not all variables are interlaced (Velocities are, but their gradients are not). Great impact on Matrix structure.

4.4.6 Domain Decomposition, Exchange of Ghost Values and Parallel Matrix Assembly

- Ghost values are stored in local representations of the global vector (state the mapping for those entries).
- Matrix coefficients are calculated on one processor and sent to the neighbour.
- Preallocation as crucial aspect for program performance. For the coupled system the matrix is assembled in a 2-3 step process to save memory for coefficients.
- Present a simple method for balancing the matrix related load by letting PETSc take care of matrix distribution.
- Use Spy function of Matlab to visualize the sparse matrices. Point out advantages of calculating coefficients for the neighbouring cells locally (no need to update mass fluxes, geometric data doesn't need to be shared, small communication overhead since processors assemble matrix parts that don't belong to them (visualize)).
- Paradigm: Each time new information is available perform global updates. Advantages of using matrices: Show structure of matrix when using arbitrary matching vs. higher memory requirements vs. better convergence

4.5 Postprocessing

Visualization of Results with Paraview and Tecplot Export matrices as binaries and visualize them using matlab scripts.

5 Verification of CAFFA

Different parts, describe incremental approach, only present final results. Refer to next section for Validation of CAFFA

5.1 Theoretical Discretization Error

present the Taylor-Series Expansion

5.2 Method of Manufactured Solutions

basically sum up the important points of salari's technical report, symmetry of solution/domain/grid is bad point out that mms is not able to detect errors in the physical model Also loose a word or two about discontinuous manufactured solutions

5.3 Exact and Manufactured Solutions for the Navier-Stokes Equations and the Energy Equation

Not always there is an exact solution. Divergence free approach. Presentation of the used manufactured solution. What if solution is not divergence free? Derivation of equations and modifications to continuity equation. analyze the problem of too complicated manufactured solutions. also use temperature dependent density function

- <http://scicomp.stackexchange.com/questions/6943/manufactured-solutions-for-incompressible-navier-stokes>
- <http://link.springer.com/article/10.1007/BF00948290>
- <http://physics.stackexchange.com/questions/60476/exact-solutions-to-the-navier-stokes-equations>
- <http://www.annualreviews.org/doi/pdf/10.1146/annurev.fl.23.010191.001111>

5.4 Measurement of Error and Calculation of Order

Different error measures (L2-Norm, completeness of function space, consistency etc.)

5.4.1 Testcase on Single Processor on Orthogonal Grid

5.4.2 Testcase on Multiple Processors on Non-Orthogonal Grid

Give a measure of the grid quality.

6 Comparison of Solver Concepts

6.1 Convergence Behaviour on Locally Refined Block Structured Grids

Show how the implicit treatment of block boundaries maintains (high) convergence rates. Plot Residual over number of iterations.

6.2 Parallel Performance

6.2.1 Employed Hardware and Software – The Lichtenberg-High Performance Computer

- Networking
- Mem Section and processes in between islands (calculating across islands)
- Versioning information (PETSc, INTEL COMPILERS, CLIPPER, MPI IMPLEMENTATION, BLAS/LAPACK)
- Software not designed to perform well on desktop PCs.

6.2.2 Measures of Performance

- Maße definieren
- Nochmal Hager, Wellein studieren
- Guidelines for measuring performance (bias through system processes or user interaction), only measure calculation time do not consider I/O in the beginning and the end
- Cite Schäfer and Peric with their different indicators for parallel efficiency, load balancing and numerical efficiency

6.2.3 Preliminary Upper Bounds on Performance – The STREAM Benchmark

Pinning of processes (picture), preliminary constraints by hardware and operating systems, identification of bottlenecks and explain possible workarounds, history and results of STREAM. Bandwidth as Bottleneck, how to calculate a Speedup estimate based on the measured bandwidth. PETSc Implementation of STREAM

6.2.4 Discussion of Results for Parallel Efficiency

6.2.5 Speedup Measurement for Analytic Test Cases

6.3 Test Cases with Varying Degree of Non-Linearity

As Peric says I want to prove that the higher the non-linearity of NS, the better relative convergence rates can be achieved with a coupled solver. Fi

6.3.1 Transport of a Passive Scalar – Forced Convection

6.3.2 Buoyancy Driven Flow – Natural Convection

6.3.3 Flow with Temperature Dependent Density – A Highly Non-Linear Test Case

Maybe I could consider two test cases, one with oscillating density and one with a quadratic polynomial. Interesting would be also to consider the dependence of convergence on another scalar transport equation

6.4 Realistic Testing Scenarios – Benchmarking

Also consider simple load balancing by distributing matrix rows equally

6.4.1 Flow Around a Cylinder 3D – Stationary

Describe Testing Setup (Boundary conditions and grid). Present results and compare them with literature.

6.4.2 Flow Around a Cylinder 3D – Instationary

- http://www.featflow.de/en/benchmarks/cfdbenchmarking/flow/dfg_flow3d/dfg_flow3d_configuration.html

Describe Testing Setup (Boundary conditions and grid). Present results and compare them with literature.

6.4.3 Heat-Driven Cavity Flow

- http://www.featflow.de/en/benchmarks/cfdbenchmarking/mit_benchmark.html

Describe Testing Setup (Boundary conditions and grid). Present results and compare them with literature.

6.5 Realistic Testing Scenario – Complex Geometry

7 Conclusion and Outlook

Turbulence (turbulent viscosity has to be updated in each iteration), Multiphase (what about discontinuities), GPU-Accelerators, Load-Balancing, dynamic mesh refinement, Counjugate Heat Transfer with other requirements for the numerical grid, grid movement, list some papers here) Identify the optimal regimes / conditions for maximizing performance. Each solver concept has its strengths and weaknesses. Try other variants of Projection Methods like SIMPLEC, SIMPLER, PISO or PIMPLE (OpenFOAM)

References

- [1] BALAY, S., ABHYANKAR, S., ADAMS, M. F., BROWN, J., BRUNE, P., BUSCHELMAN, K., ELJKHOUT, V., GROPP, W. D., KAUSHIK, D., KNEPLEY, M. G., MCINNES, L. C., RUPB, K., SMITH, B. F., AND ZHANG, H. PETSc users manual. Tech. Rep. ANL-95/11 - Revision 3.5, Argonne National Laboratory, 2014.
- [2] BALAY, S., ABHYANKAR, S., ADAMS, M. F., BROWN, J., BRUNE, P., BUSCHELMAN, K., ELJKHOUT, V., GROPP, W. D., KAUSHIK, D., KNEPLEY, M. G., MCINNES, L. C., RUPB, K., SMITH, B. F., AND ZHANG, H. PETSc Web page. <http://www.mcs.anl.gov/petsc>, 2014.
- [3] BALAY, S., GROPP, W. D., MCINNES, L. C., AND SMITH, B. F. Efficient management of parallelism in object oriented numerical software libraries. In *Modern Software Tools in Scientific Computing* (1997), E. Arge, A. M. Bruaset, and H. P. Langtangen, Eds., Birkhäuser Press, pp. 163–202.

-
- [4] CHEN, Z., AND PRZEKWAŚ, A. A coupled pressure-based computational method for incompressible/compressible flows. *Journal of Computational Physics* 229, 24 (2010), 9150 – 9165.
- [5] CHRISTON, M. A., GRESHO, P. M., AND SUTTON, S. B. Computational predictability of time-dependent natural convection flows in enclosures (including a benchmark solution). *International Journal for Numerical Methods in Fluids* 40, 8 (2002), 953–980.
- [6] DARWISH, M., SRAJ, I., AND MOUKALLED, F. A coupled finite volume solver for the solution of incompressible flows on unstructured grids. *Journal of Computational Physics* 228, 1 (2009), 180 – 201.
- [7] FALK, U., AND SCHÄFER, M. A fully coupled finite volume solver for the solution of incompressible flows on locally refined non-matching block-structured grids. In *Adaptive Modeling and Simulation 2013* (Barcelona, Spain, June 2013), J. P. M. de Almeida, P. Diez, C. Tiago, and N. Parež, Eds., pp. 235–246.
- [8] GALPIN, P. F., AND RAITHBY, G. D. Numerical solution of problems in incompressible fluid flow: Treatment of the temperature-velocity coupling. *Numerical Heat Transfer* 10, 2 (1986), 105–129.
- [9] GALPIN, P. F., AND RAITHBY, G. D. Numerical solution of problems in incompressible fluid flow: Treatment of the temperature-velocity coupling. *Numerical Heat Transfer* 10, 2 (1986), 105–129.
- [10] GRESHO, P. M., AND SANI, R. L. On pressure boundary conditions for the incompressible navier-stokes equations. *International Journal for Numerical Methods in Fluids* 7, 10 (1987), 1111–1145.
- [11] HUI, W. Exact solutions of the unsteady two-dimensional navier-stokes equations. *Journal of Applied Mathematics and Physics ZAMP* 38, 5 (1987), 689–702.
- [12] JASAK, H. *Error Analysis and Estimation for the Finite Volume Method with Applications to Fluid Flows*. PhD thesis, Imperial College of Science, Technology and Medicine, Jun 1996.
- [13] LI, W., YU, B., WANG, X.-R., AND SUN, S.-Y. Calculation of cell face velocity of non-staggered grid system. *Applied Mathematics and Mechanics* 33, 8 (2012), 991–1000.
- [14] MAJUMDAR, S. Role of underrelaxation in momentum interpolation for calculation of flow with nonstaggered grids. *Numerical Heat Transfer* 13, 1 (1988), 125–132.
- [15] MILLER, T. F., AND SCHMIDT, F. W. Use of a pressure-weighted interpolation method for the solution of the incompressible navier-stokes equations on a nonstaggered grid system. *Numerical Heat Transfer* 14, 2 (1988), 213–233.
- [16] PERIC, M. Analysis of pressure-velocity coupling on nonorthogonal grids. *Numerical Heat Transfer* 17 (Jan. 1990), 63–82.
- [17] RAMAMURTI, R., AND LÖHNER, R. A parallel implicit incompressible flow solver using unstructured meshes. *Computers & Fluids* 25, 2 (1996), 119 – 132.
- [18] RHIE, C. M., AND CHOW, W. L. Numerical study of the turbulent flow past an airfoil with trailing edge separation. *AIAA Journal* 21 (Nov. 1983), 1525–1532.
- [19] SALARI, K., AND KNUPE, P. Code verification by the method of manufactured solutions. Tech. Rep. SAND2000-1444, Sandia National Labs., Albuquerque, NM (US); Sandia National Labs., Livermore, CA (US), Jun 2000.
- [20] SCHÄFER, M., AND TUREK, S. Recent benchmark computations of laminar flow around a cylinder, 1996.
- [21] SHEU, T. W. H., AND LIN, R. K. Newton linearization of the incompressible navier–stokes equations. *International Journal for Numerical Methods in Fluids* 44, 3 (2004), 297–312.
- [22] VAKILIPOUR, S., AND ORMISTON, S. J. A coupled pressure-based co-located finite-volume solution method for natural-convection flows. *Numerical Heat Transfer, Part B: Fundamentals* 61, 2 (2012), 91–115.
- [23] VAN DOORMAAL, J. P., AND RAITHBY, G. D. Enhancements of the simple method for predicting incompressible fluid flows. *Numerical Heat Transfer* 7, 2 (1984), 147–163.
- [24] ZHANG, S., ZHAO, X., AND BAYYUK, S. Generalized formulations for the rhie–chow interpolation. *Journal of Computational Physics* 258, 0 (2014), 880 – 914.