


CONTENTS - IPB

Figure Number	Figure Title	Chapter/Section Number	Page Number
76-1	Controls installation, power lever.....	76-99-00	2
76-2	Controls installation, power lever.....	76-99-00	6
76-3	Controls installation, droop compensator	76-99-00	10



212_IPB_76_0001

Figure 76-1. Controls Installation, Power Lever

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		Figure 76-1. Controls Installation, Power Lever			
	212-060-700-003	CONTROLS INSTL, POWER LEVER (S/N 30504 THRU 30553) (SEE FIG. 2 FOR BALANCE OF BREAKDOWN).....	1	NP	
	212-060-700-005	CONTROLS INSTL, POWER LEVER (S/N 30554 THRU 30849) (SEE FIG. 2 FOR BALANCE OF BREAKDOWN).....	1	NP	
	212-060-700-011	CONTROLS INSTL, POWER LEVER (S/N 30850 THRU SUB) (SEE FIG. 2 FOR BALANCE OF BREAKDOWN).....	1	NP	
1	MS17826-3	.NUT (REPLACED BY MS14145L3)	2	NP	
1	MS14145L3	.NUT (REPLACES MS17826-3)	2	SP	
2	AN960PD10	.WASHER (REPLACED BY AN960JD10)	2	P	
2	AN960JD10	.WASHER (REPLACES AN960PD10) (REPLACED BY NAS1149D0363J).....	2	P	
2	NAS1149D0363J	.WASHER (REPLACES AN960JD10)	2	SP	
3	AN173-10	.BOLT	2	SP	
4	MS17826-3	.NUT (REPLACED BY MS14145L3)	4	NP	
4	MS14145L3	.NUT (REPLACES MS17826-3)	4	SP	
5	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	4	P	
5	AN960JD10L	.WASHER, FLAT (REPLACES AN960PD10L) (REPLACED BY NAS1149D0332J).....	4	P	
5	NAS1149D0332J	.WASHER, FLAT (REPLACES AN960JD10L)	4	SP	
6	AN173-10	.BOLT	4	SP	
7	212-060-724-015	.TUBE ASSY	1	SP	
8	204-061-717-003	..BEARING	2	SP	
9	212-060-724-017	.TUBE ASSY	1	SP	
10	204-061-717-003	..BEARING	2	SP	
11	MS17826-4	.NUT (REPLACED BY MS14145L4)	2	P	
11	MS14145L4	.NUT (REPLACES MS17826-4)	2	SP	
12	AN960PD416	.WASHER (REPLACED BY AN960JD416)	2	NP	
12	AN960JD416	.WASHER, FLAT (REPLACES AN960PD416) (REPLACED BY NAS1149D0463J).....	2	P	
12	NAS1149D0463J	.WASHER (REPLACES AN960JD416)	2	SP	
13	AN174-15	.BOLT	2	SP	
14	212-060-713-001	.BELLCRANK ASSY	2	SP	
15	DELETED				
16	MS17826-3	.NUT (REPLACED BY MS14145L3)	4	NP	
16	MS14145L3	.NUT (REPLACES MS17826-3)	4	SP	
17	AN960JD10	.WASHER (REPLACED BY NAS1149D0363J)	4	P	
17	NAS1149D0363J	.WASHER (REPLACES AN960JD10)	4	SP	
18	AN173-10	.BOLT	4	SP	
19	AN737TW30	.CLAMP	1	SP	
20	AN737TW22	.CLAMP	1	SP	
21	212-060-724-019	.TUBE ASSY	2	SP	
22	204-061-717-003	..BEARING	2	SP	
23	MS17826-4	.NUT (REPLACED BY MS14145L4)	2	P	
23	MS14145L4	.NUT (REPLACES MS17826-4)	2	SP	
24	AN960PD416	.WASHER (REPLACED BY AN960JD416)	2	NP	
24	AN960JD416	.WASHER, FLAT (REPLACES AN960PD416) (REPLACED BY NAS1149D0463J).....	2	P	
24	NAS1149D0463J	.WASHER (REPLACES AN960JD416)	2	SP	
25	AN174-14	.BOLT	2	SP	

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		Figure 76-1. Controls Installation, Power Lever (Cont'd)			
26	212-060-740-001	.BELLCRANK ASSY	2	SP	
27	DW4K	..BEARING (REPLACED BY MS27647-4) (ALTERNATE PART)	1	NP	
27	MS27647-4	..BEARING (REPLACES DW4K)	1	SP	
27	DW4	..BEARING	1	SP	
28	NAS679A3	.NUT (REPLACED BY MS21042L3)	6	P	
28	MS21042L3	.NUT, SELF-LOCKING (REPLACES NAS679A3)	6	SP	
29	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	6	P	
29	AN960JD10L	.WASHER, FLAT (REPLACES AN960PD10L) (REPLACED BY NAS1149D0332J)	6	P	
29	NAS1149D0332J	.WASHER, FLAT (REPLACES AN960JD10L)	6	SP	
30	MS27039-1-09	.SCREW	6	SP	
31	212-060-715-001	.MOUNT (S/N 30504 THRU 30849)	1		
31	212-060-715-101	.MOUNT (S/N 30850 THRU SUB) (REPLACED BY 212-060-715-103)	1	NP	
31	212-060-715-103	.MOUNT (REPLACES 212-060-715-101)	1	P	
32	MS17826-3	.NUT (REPLACED BY MS14145L3)	2	NP	
32	MS14145L3	.NUT (REPLACES MS17826-3)	2	SP	
33	AN960PD10	.WASHER (REPLACED BY AN960JD10)	2	P	
33	AN960JD10	.WASHER (REPLACES AN960PD10) (REPLACED BY NAS1149D0363J)	2	P	
33	NAS1149D0363J	.WASHER (REPLACES AN960JD10)	2	SP	
34	AN173-10	.BOLT	2	SP	
35	212-060-724-021	.TUBE ASSY	1	SP	
36	AN316-4R	..NUT	1	SP	
37	AN960PD416	..WASHER (REPLACED BY AN960JD416)	1	NP	
37	AN960JD416	..WASHER, FLAT (REPLACES AN960PD416) (REPLACED BY NAS1149D0463J)	1	P	
37	NAS1149D0463J	..WASHER (REPLACES AN960JD416)	1	SP	
38	204-061-717-001	..BEARING	1	SP	
39	212-060-724-025	.TUBE ASSY	1	SP	
40	AN316-4R	..NUT	1	SP	
41	AN960PD416	..WASHER (REPLACED BY AN960JD416)	1	NP	
41	AN960JD416	..WASHER, FLAT (REPLACES AN960PD416) (REPLACED BY NAS1149D0463J)	1	P	
41	NAS1149D0463J	..WASHER (REPLACES AN960JD416)	1	SP	
42	204-061-717-001	..BEARING	1	SP	
43	MS17826-3	.NUT (REPLACED BY MS14145L3)	2	NP	
43	MS14145L3	.NUT (REPLACES MS17826-3)	2	SP	
44	AN960PD10	.WASHER (REPLACED BY AN960JD10)	2	P	
44	AN960JD10	.WASHER (REPLACES AN960PD10) (REPLACED BY NAS1149D0363J)	2	P	
44	NAS1149D0363J	.WASHER (REPLACES AN960JD10)	2	SP	
45	AN173-10	.BOLT	2	SP	
46	MS27039-1-09	.SCREW	3	SP	
47	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	3	P	
47	AN960JD10L	.WASHER, FLAT (REPLACES AN960PD10L) (REPLACED BY NAS1149D0332J)	3	P	
47	NAS1149D0332J	.WASHER, FLAT (REPLACES AN960JD10L)	3	SP	
48	NAS679A06	.NUT (REPLACED BY MS21042L06)	4	P	

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		Figure 76-1. Controls Installation, Power Lever (Cont'd)			
48	MS21042L06	.NUT (REPLACES NAS679A06)	4	SP	
49	AN960C6L	.WASHER (REPLACED BY NAS1149CN616R)	4	SP	
49	NAS1149CN616R	.WASHER (REPLACES AN960C6L)	4	SP	
50	MS35206-227	.SCREW	4	SP	
51	MS20218-1	.BEARING	1	SP	
	212-060-749-005	.JACKSHAFT ASSY	1	SP	
52	NAS43DD1-13	..SPACER	1	SP	
52A	NAS1738B4-5	..RIVET (REPLACED BY M7885/6-4-05)	1	SP	
52A	M7885/6-4-05	..RIVET (REPLACES NAS1738B4-5)	1	SP	
52B	212-060-749-011	..TUBE	1	P	
53	212-060-755-001	..LEVER	1	SP	
54	212-060-756-001	..SHAFT	1	SP	
55	BJ24TF32A16Z	..BEARING (S/N 30886 THRU 31311, 35001 THRU SUB)	1	P	
		(ALTERNATE PART)			
55	DBA12-030	..BEARING (S/N 30680 THRU 30885)	1	SP	
56	AN320-4	..NUT	1	SP	
57	AN970-4	..WASHER	1	SP	
58	212-060-712-001	..MOUNT	1	SP	
59	AN960-416	..WASHER (REPLACED BY NAS1149F0463P)	1	NP	
59	NAS1149F0463P	..WASHER (REPLACES AN960-416)	1	SP	
60	212-060-751-005	..FITTING	1	SP	
61	AN320-4	..NUT	1	SP	
62	AN960PD416	..WASHER (REPLACED BY AN960JD416)	1	NP	
62	AN960JD416	..WASHER, FLAT (REPLACES AN960PD416) (REPLACED BY NAS1149D0463J)	1	P	
62	NAS1149D0463J	..WASHER (REPLACES AN960JD416)	1	SP	
63	NAS6204-17D	..BOLT	1	SP	
64	AN960-1016L	..WASHER (REPLACED BY NAS1149F1032P)	1	P	
64	NAS1149F1032P	..WASHER (REPLACES AN960-1016L)	1	SP	
65	212-060-750-003	..LEVER	1	NP	
66	212-060-754-001	..TUBE ASSY	1	SP	
67	B538DD	...BEARING (REPLACED BY MS27646-38) (REPLACED BY MS27646-38)	1	NP	
67	MS27646-38	...BEARING (REPLACED BY MS27646-38) (REPLACES B538DD)	1	SP	
67	MS27646-38	...BEARING (REPLACES B538DD)	1	SP	
		AVAIL CODE DEFINITION			
		P Procurable			
		NP Non Procurable			
		SP Normal Stock/Procurement			
		See introduction on availability codes for additional information.			




Figure 76-2. Controls Installation, power lever

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		FIGURE: 76-2. Controls installation, power lever			
	212-060-700-003	CONTROLS INSTL, POWER LEVER (S/N 30504 THRU 30553) . (SEE FIG. 1 FOR BALANCE OF BREAKDOWN)	1		
	212-060-700-005	CONTROLS INSTL, POWER LEVER (S/N 30554 THRU 30849) . (SEE FIG. 1 FOR BALANCE OF BREAKDOWN)	1		
	212-060-700-011	CONTROLS INSTL, POWER LEVER (S/N 30850 THRU SUB) . . . (SEE FIG. 1 FOR BALANCE OF BREAKDOWN)	1		
1	MS17826-3	.NUT (REPLACED BY MS14145L3)	8		
1	MS14145L3	.NUT (REPLACES MS17826-3)	8		
2	AN960PD10	.WASHER (REPLACED BY AN960JD10)	8		
2	AN960JD10	.WASHER (REPLACES AN960PD10)	8		
3	AN173-10	.BOLT	8		
4	212-060-724-029	.TUBE ASSY	1		
5	204-061-717-003	..BEARING	2		
6	212-060-724-031	.TUBE ASSY	1		
7	204-061-717-003	..BEARING	2		
8	212-060-724-041	.TUBE ASSY	2		
9	204-061-717-003	..BEARING	2		
10	MS27039-1-10	.SCREW	2		
11	MS27039-1-08	.SCREW	4		
12	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	6		
12	AN960JD10L	.WASHER (REPLACES AN960PD10L)	6		
13	212-060-720-001	.MOUNT ASSY	2		
14	MS27645-4	..BEARING	1		
15	MS27039-1-10	.SCREW	2		
16	MS27039-1-08	.SCREW	2		
17	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	4		
17	AN960JD10L	.WASHER (REPLACES AN960PD10L)	4		
18	212-060-771-001	.MOUNT	1		
19	MS17826-4	.NUT (REPLACED BY MS14145L4)	1		
19	MS14145L4	.NUT (REPLACES MS17826-4)	1		
20	AN970-4	.WASHER	1		
21	212-060-775-001	.JACKSHAFT ASSY	1		
22	MS17826-4	.NUT (REPLACED BY MS14145L4)	1		
22	MS14145L4	.NUT (REPLACES MS17826-4)	1		
23	AN960PD416	.WASHER (REPLACED BY AN960JD416)	1		
23	AN960JD416	.WASHER (REPLACES AN960PD416)	1		
24	AN174-15	.BOLT	1		
25	212-060-777-001	.BELLCRANK ASSY	1		
25A	DW4K	..BEARING (REPLACED BY MS27647-4)	1		
25A	MS27647-4	..BEARING (REPLACES DW4K) (ALTERNATE PART)	1		
25A	DW4	..BEARING	1		
26	AN737TW82	.CLAMP	4		
27	MS16624-4081	.RETAINER	2		
28	204-060-767-001	.RETAINER	2		
29	204-060-769-001	.BUSHING	2		
30	204-060-776-001	.BOOT ASSY (S/N 30504 THRU 30553) (REPLACED BY 20-045-1)	2		
30	20-045-1	.BOOT ASSY (REPLACES 204-060-776-001)	2		
31	MS17826-4	.NUT (REPLACED BY MS14145L4)	4		

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		FIGURE: 76-2. Controls installation, power lever (Cont'd)			
31	MS14145L4	.NUT (REPLACES MS17826-4)	4		
32	AN970-4	.WASHER	4		
33	MS27039-1-09	.SCREW	8		
34	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	8		
34	AN960JD10L	.WASHER (REPLACES AN960PD10L)	8		
35	212-060-718-001	.PILLOW BLOCK ASSY	4		
35A	MS27645-4	..BEARING	1		
36	212-060-737-005	.TUBE ASSY, TORQUE, LH.	1		
37	212-060-737-007	.TUBE ASSY, TORQUE, RH.	1		
38	MS24693C270	.SCREW (REPLACED BY MS24693-C270)	8		
38	MS24693-C270	.SCREW (REPLACES MS24693C270)	8		
39	120-032-12-7	.SHIM	8		
40	209-062-761-001	.SOLENOID	2		
41	MS27039-1-23	.SCREW	8		
42	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	8		
42	AN960JD10L	.WASHER (REPLACES AN960PD10L)	8		
43	DELETED			
44	NAS43DD3-46	.SPACER	7		
45	NAS43DD3-46	.SPACER (S/N 30504 THRU 31294)	1		
45	NAS43DD3-42	.SPACER (S/N 31295 THRU SUB)	1		
46	MS21919WDG9	.CLAMP (S/N 31295 THRU SUB)	1		
47	AN960-10	.WASHER	4		
48	204-060-797-001	.BRACKET ASSY (REPLACED BY 204-060-797-005)	2		
48	204-060-797-005	.BRACKET ASSY (REPLACES 204-060-797-001)	2		
49	85B7B20-12-18	..BUSHING (REPLACED BY 22-007B20-12-18) (USBL ON 204-060-797-001)	1		
49	22-007B20-12-18	..BUSHING (REPLACES 85B7B20-12-18) (USBL ON 204-060-797-001)	1		
49	22-007B20-12-18	..BUSHING (USBL ON 204-060-797-005)	1		
50	205-060-772-001	.BASE	2		
51	MS17826-3	.NUT (REPLACED BY MS14145L3)	4		
51	MS14145L3	.NUT (REPLACES MS17826-3)	4		
52	AN960PD10	.WASHER (REPLACED BY AN960JD10)	4		
52	AN960JD10	.WASHER (REPLACES AN960PD10)	4		
53	AN173-10	.BOLT	4		
54	212-060-724-033	.TUBE ASSY.	1		
55	AN316-4R	..NUT	1		
56	AN960PD416	..WASHER (REPLACED BY AN960JD416)	1		
56	AN960JD416	..WASHER (REPLACES AN960PD416)	1		
57	204-061-717-001	..BEARING	1		
58	212-060-724-037	.TUBE ASSY.	1		
59	AN316-4R	..NUT	1		
60	AN960PD416	..WASHER (REPLACED BY AN960JD416)	1		
60	AN960JD416	..WASHER (REPLACES AN960PD416)	1		
61	204-061-717-001	..BEARING	1		
62	AN737TW82	.CLAMP	4		
63	204-060-776-005	.BOOT ASSY (S/N 30504 THRU 30553) (REPLACED BY 20-045-3)	2		
63	20-045-3	.BOOT ASSY (REPLACES 204-060-776-005)	2		
64	212-060-741-001	.RETAINER	2		

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		FIGURE: 76-2. Controls installation, power lever (Cont'd)			
65	MS16624-4093	.RETAINER	2		
66	212-060-739-009	.BUSHING	2		
67	NAS679A3	.NUT (REPLACED BY MS21042L3)	7		
67	MS21042L3	.NUT (REPLACES NAS679A3)	7		
68	AN960C10L	.WASHER	7		
69	MS27039-1-06	.SCREW	5		
70	MS24694S48	.SCREW (REPLACED BY MS24694-S48)	2		
70	MS24694-S48	.SCREW (REPLACES MS24694S48)	2		
71	212-060-717-011	.HOUSING (S/N 30504 THRU 30553) (REPLACED BY 212-060-717-023)	1		
71	212-060-717-023	.HOUSING (REPLACES 212-060-717-011)	1		
72	NAS679A3	.NUT (REPLACED BY MS21042L3)	5		
72	MS21042L3	.NUT (REPLACES NAS679A3)	5		
73	AN960C10L	.WASHER	5		
74	MS27039-1-06	.SCREW	5		
75	212-060-717-017	.HOUSING (S/N 30504 THRU 30553) (REPLACED BY 212-060-717-027)	1		
75	212-060-717-027	.HOUSING (REPLACES 212-060-717-017)	1		
76	MS17826-4	.NUT (REPLACED BY MS14145L4)	1		
76	MS14145L4	.NUT (REPLACES MS17826-4)	1		
77	AN970-4	.WASHER	1		
78	212-060-768-001	.LINK ASSY	1		
79	204-061-717-001	..BEARING	1		
80	AN951-REB3N	..BEARING	1		
		(ALTERNATE PARTS)			
80	MS21153-1	..BEARING	1		
80	FV34-14MBH	..BEARING	1		
81	MS27039-1-10	.SCREW (S/N 30504 THRU 35064)	4		
81	MS27039-1-12	.SCREW (S/N 35065 THRU SUB)	4		
82	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	4		
82	AN960JD10L	.WASHER (REPLACES AN960PD10L)	4		
83	212-060-721-001	.MOUNT ASSY	1		
84	MS27261KSP4	..BEARING (REPLACED BY MS27645-4)	1		
84	MS27645-4	..BEARING (REPLACES MS27261KSP4)	1		
85	MS27039-1-10	.SCREW (S/N 30504 THRU 35064)	2		
85	MS27039-1-12	.SCREW (S/N 35065 THRU SUB)	2		
86	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	2		
86	AN960JD10L	.WASHER (REPLACES AN960PD10L)	2		
87	MS27039-1-11	.SCREW	2		
88	AN960PD10L	.WASHER (REPLACED BY AN960JD10L)	2		
88	AN960JD10L	.WASHER (REPLACES AN960PD10L)	2		
89	212-060-722-001	.MOUNT ASSY	1		
90	MS27645-4	..BEARING	1		
91	212-060-774-001	.JACKSHAFT ASSY	1		
92	212-060-762-003	..STUD	1		
93	212-060-767-001	..LEVER	1		
94	212-060-769-001	..PIN	1		




Figure 76-3. Controls installation, droop compensator

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		FIGURE: 76-3. Controls installation, droop compensator			
	212-062-701-001	CONTROLS INSTL, DROOP COMPENSATOR	1		
1	MS17826-3	.NUT (REPLACED BY MS14145L3)	2	0	
1	MS14145L3	.NUT (REPLACES MS17826-3)	2	1	
2	AN960PD10	.WASHER (REPLACED BY AN960JD10)	2		
2	AN960JD10	.WASHER (REPLACES AN960PD10) (REPLACED BY NAS1149D0363J)	2		
2	NAS1149D0363J	.WASHER (REPLACES AN960JD10)	2		
3	AN173-10	.BOLT	2	1	
4	DELETED			
5	212-060-724-013	.TUBE ASSY	1	1	
6	204-061-717-003	..BEARING	1	1	
7	209-001-053-001	..BEARING	1	1	
8	MS17826-4	.NUT (REPLACED BY MS14145L4)	2		
8	MS14145L4	.NUT (REPLACES MS17826-4)	2	1	
9	AN970-4	.WASHER	2	1	
10	DELETED			
11	AN525-10R8	.SCREW	6	1	
12	212-060-742-001	.MOUNT	2	1	
13	212-060-747-001	.IDLER ASSY	1	1	
14	212-060-724-011	.TUBE ASSY	1	1	
15	204-061-717-003	..BEARING	2	1	
16	212-060-745-001	.BELLCRANK ASSY	1	1	
16A	MS20470B3	..RIVET	1		
17	MS17826-3	.NUT (REPLACED BY MS14145L3)	1	0	
17	MS14145L3	.NUT (REPLACES MS17826-3)	1	1	
18	AN960C10	.WASHER (REPLACED BY NAS1149C0363R)	1		
18	NAS1149C0363R	.WASHER (REPLACES AN960C10)	1		
19	AN173-10	.BOLT	1	1	
20	DELETED			
21	212-060-724-007	.TUBE ASSY (REPLACED BY 212-060-724-043)	1		
21	212-060-724-043	.TUBE ASSY (REPLACES 212-060-724-007)	1	1	
22	204-061-717-001	..BEARING	1	1	
23	AN316-4R	..NUT	1	1	
24	AN960PD416	..WASHER (REPLACED BY AN960JD416)	1		
24	AN960JD416	..WASHER (REPLACES AN960PD416) (REPLACED BY NAS1149D0463J)	1		
24	NAS1149D0463J	..WASHER (REPLACES AN960JD416)	1		
	212-060-724-009	..TUBE ASSY (USBL ON 212-060-724-007)	1	1	
	212-060-724-045	..TUBE ASSY (USBL ON 212-060-724-043)	1	6	
25	204-061-717-003	...BEARING	1	1	
26	AN737TW82	.CLAMP	2	1	
27	204-060-776-001	.BOOT ASSY (REPLACED BY 20-045-1)	1		
27	20-045-1	.BOOT ASSY (REPLACES 204-060-776-001)	1		
28	MS16624-4118	.RETAINER	1	1	
29	212-060-739-001	.BUSHING	1	1	
30	212-060-741-003	.RETAINER	1	1	
31	MS27039-1-14	.SCREW	4	1	
32	AN960C10L	.WASHER (REPLACED BY NAS1149C0332R)	4		
32	NAS1149C0332R	.WASHER (REPLACES AN960C10L)	4	1	
33	212-060-717-001	.HOUSING ASSY	1	1	

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		FIGURE: 76-3. Controls installation, droop compensator (Cont'd)			
34	212-060-717-007	..DOUBLER ASSY	1	1	
35	NAS1068A3	..NUTPLATE (REPLACED BY MS21075L3)	4	0	
35	MS21075L3	..NUTPLATE (REPLACES NAS1068A3)	4		
36	MS17826-3	..NUT (REPLACED BY MS14145L3)	1	0	
36	MS14145L3	..NUT (REPLACES MS17826-3)	1	1	
37	AN960C10L	..WASHER (REPLACED BY NAS1149C0332R)	1		
37	NAS1149C0332R	..WASHER (REPLACES AN960C10L)	1	1	
38	AN173-11	..BOLT	1	1	
39	DELETED			
40	MS27039-1-09	..SCREW	4	1	
41	AN960C10L	..WASHER (REPLACED BY NAS1149C0332R)	4		
41	NAS1149C0332R	..WASHER (REPLACES AN960C10L)	4	1	
42	212-062-702-001	..CAMBOX ASSY	1	1	
43	MS17826-3	..NUT (REPLACED BY MS14145L3)	1	0	
43	MS14145L3	..NUT (REPLACES MS17826-3)	1	1	
44	AN960C10	..WASHER (REPLACED BY NAS1149C0363R)	2		
44	NAS1149C0363R	..WASHER (REPLACES AN960C10)	2		
45	AN23-12	..BOLT	1	1	
46	DELETED			
47	MS17826-3	..NUT (REPLACED BY MS14145L3)	1	0	
47	MS14145L3	..NUT (REPLACES MS17826-3)	1	1	
48	AN960C10	..WASHER (REPLACED BY NAS1149C0363R)	2		
48	NAS1149C0363R	..WASHER (REPLACES AN960C10)	2		
49	AN23-13	..BOLT	1	1	
50	DELETED			
51	MS17826-3	..NUT (REPLACED BY MS14145L3)	1	0	
51	MS14145L3	..NUT (REPLACES MS17826-3)	1	1	
52	AN960C10	..WASHER (REPLACED BY NAS1149C0363R)	2		
52	NAS1149C0363R	..WASHER (REPLACES AN960C10)	2		
53	120-007C11-7	..SHIM	4	1	
54	AN173-14	..BOLT	1	1	
55	DELETED			
56	212-062-712-001	..MOUNT ASSY	1	1	
57	212-062-709-001	..HOUSING	1	1	
58	204-060-785-001	..PIN	1	1	
59	MS20201KP3A	..BEARING (REPLACED BY MS27641-3)	1	0	
59	MS27641-3	..BEARING (REPLACES MS20201KP3A)	1	1	
60	212-062-710-001	..SLIDER ASSY	1	1	
61	212-062-710-003	..KEY	1	1	
62	212-062-710-005	..SLIDER	1		
62A	MS20427F4	..RIVET	1	0	
63	212-060-785-003	..CAM	1	1	
64	212-062-711-001	..BELLCRANK ASSY (REPLACED BY 212-062-711-005)	1		
64	212-062-711-005	..BELLCRANK ASSY (REPLACES 212-062-711-001)	1	1	
65	DELETED			
66	MS17826-3	..NUT (REPLACED BY MS14145L3)	1	0	
66	MS14145L3	..NUT (REPLACES MS17826-3)	1	1	
67	AN960PD10L	..WASHER (REPLACED BY AN960JD10L)	2		

(1) INDEX NUMBER	(2) PART NUMBER	(3) ITEM NAME	(4) UNIT PER ASSY	(5) A V A I L	(6) U O C
		FIGURE: 76-3. Controls installation, droop compensator (Cont'd)			
67	AN960JD10L	.WASHER (REPLACES AN960PD10L) (REPLACED BY NAS1149D0332J)	2		
67	NAS1149D0332J	.WASHER (REPLACES AN960JD10L)	2		
68	AN173-11	.BOLT	1	1	
69	204-060-762-005	.ACTUATOR (ALTERNATE PART)	1		
69	204-060-762-103	.ACTUATOR	1	1	
70	212-062-713-001	.BOOT ASSY (REPLACED BY 212-062-713-101)	1	1	
70	212-062-713-101	.BOOT ASSY (REPLACES 212-062-713-001)	1	1	
71	MS16624-4081	..RETAINER	1	1	
72	212-062-707-001	..BUSHING, SPLIT	1	1	
73	212-062-714-001	..RETAINER ASSY (USBL ON 212-062-713-001)	1	1	
73	412-060-004-101	.RETAINER, BOOT DROOP COMPENSATOR (USBL ON 212-062-713-101)	1	6	
74	MS21043-3	..NUT	4	1	
75	AN960C10L	..WASHER (REPLACED BY NAS1149C0332R)	4		
75	NAS1149C0332R	..WASHER (REPLACES AN960C10L)	4	1	
76	MS27039C1-10	..SCREW	4	1	
77	212-062-717-001	..CLAMP HALF	4	1	
78	212-062-715-001	..COLLAR ASSY (USBL ON 212-062-713-001)	1	1	
78	412-060-005-101	..COLLAR, DROOP COMPENSATOR (USBL ON 212-062-713-101)	1	1	
79	212-062-716-001	..BOOT ASSY	1	1	

