

CHAPTER 9 — TOWING

CONTENTS — ILLUSTRATED PARTS BREAKDOWN

Figure Number		Chapter/Section Number	Page Number
9-1	Wheel Assembly, Ground Handling (204-050-200)	. 9-99-00	2
9-2	Wheel Assembly, Ground Handling (212-050-200)	. 9-99-00	8
9-3	Wheel Assembly, Ground Handling (214-706-104)	. 9-99-00	12
9-4	Wheel Assembly, Ground Handling (BDW-245B-1801)	. 9-99-00	16






Figure 9-1. Wheel Assembly, Ground Handling (204-050-200)

9-99-00 Page 2

Rev. 8 30 APR 2010



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A L	U O C
		Figure 9-1. Wheel Assembly, Ground Handling (204-050-200)			
	204-050-200-005	GEAR ASSY, GROUND HANDLING (NOTE 1)	2	NP	
	204-050-200-015	(S/N 30501 THRU 30553) (REPLACED BY 204-050-200-015) GEAR ASSY, GROUND HANDLING (NOTE 1) (S/N 30554 THRU 30795) (REPLACES 204-050-200-005)	2	NP	
	212-050-200-005	(REPLACED BY 212-050-200-005)	2	NP	
	212-050-200-101	GEAR ASSY, GROUND HANDLING (NOTE 2, 3)	2	NP	
	212-050-200-105	(SEE FIG. 9-2 FOR BREAKDOWN)	2	NP	
	212-050-200-107	GEAR ASSY, GROUND HANDLING (NOTE 2, 3) (SEE FIG. 9-2 FOR BREAKDOWN)	2	Р	
	214-706-104-001	WHEEL ASSY, GROUND HANDLING (NOTE 2, 3) (SEE FIG. 9-3 FOR BREAKDOWN)	REF	NP	
	214-706-104-015	WHEEL ASSY, GROUND HANDLING (NOTE 2, 3) (SEE FIG. 9-3 FOR BREAKDOWN)	REF	NP	
	214-706-104-107	WHEEL ASSY, GROUND HANDLING (NOTE 2, 3) (SEE FIG. 9-3 FOR BREAKDOWN)	REF	NP	
	214-706-104-105	WHEEL ASSY, GROUND HANDLING (NOTE 2, 3) (SEE FIG. 9-3 FOR BREAKDOWN) (REPLACED BY BDW-245B-1801)	REF	NP	
	BDW-245B-1801	(REPLACED BY BDW-243B-1601)	2	SP	
1	MS24665-446	PIN, COTTER	2	SP	
1A	AN320-20	NUT	2	SP	
2	204-050-165-001	. RETAINER	2	SP	
3	204-050-200-011	. GEAR ASSY (USBL ON 204-050-200-005)	2	Р	
3 4	204-050-200-017	. WHEEL ASSY (USBL ON 204-050-200-015)	2	NP	
4	9532186 9531924	WHEEL (REPLACED BY 9531924)	1	NP NP	
4	D30665	WHEEL ASSY	1	Р	
4 4	A1180 9531924	WHEEL (REPLACED BY 9531924)	1	NP NP	
4 5	9531924 7.00X6	WHEEL (REPLACES A1180)	1	NP NP	
5	6.00-6	TUBE (USBL ON 204-050-200-011)	1	NP	
5	6.00 X 6 (TY 3 CL 1)	TUBE (USBL ON 204-050-200-017) (REPLACES 6.00-6)	1	Р	
6	7.00X6 6 PLY	TIRE (USBL ON 204-050-200-011)	1	NP	
6	6.00 X 6-8 PLY TYP 3	TIRE (USBL ON 204-050-200-017)	1	NP	
7	204-050-230-001	SUPPORT ASSY	1	NP	
7 7	NAS679A3 MS21042L3	NUT, SELF-LOCKING (REPLACED BY MS21042L3)	2 2	NP SP	
8	MS21042L3 AN960-10	NUT, SELF-LOCKING (REPLACES NAS679A3)	4	P	
8	NAS1149F0363P	WASHER (REPLACED BY NAS1149F0363P)	4	SP	
9	AN3-6A	BOLT	2	SP	
Ŭ				٥.	



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U O C
		Figure 9-1. Wheel Assembly, Ground Handling (204-050-200) (Cont'd)			
10	204-050-228-001	CLAMP ASSY	2	Р	
11	AN310C4	NUT	2	SP	l
12	AN960C416	WASHER, FLAT (REPLACED BY NAS1149C0463R)	2	Р	
12 13	NAS1149C0463R AN43BC20	WASHER, FLAT (REPLACES AN960C416)	2	SP P	l
13	AN43B-C20	EYEBOLT (REPLACES AN43BC20)	2	P	l
14	BLC3R05N	PIN (REPLACED BY NAS1353DC7C05D)	2	NP	l
14	NAS1353DC7C05D	PIN (REPLACES BLC3R05N)	2	SP	l
15	204-050-231-001	SUPPORT ROD	1	NP	l
15	204-050-231-003	SUPPORT ROD	1	Р	l
16 17	204-050-200-013 MS15001-4	. PIN ASSY	2	SP SP	
18	204-050-162-001	FITTING	1	SP	
19	AN960-616L	. WASHER (REPLACED BY NAS1149F0632P)	2	P	l
19	NAS1149F0632P	. WASHER (REPLACES AN960-616L)	2	SP	
20	AN565D624H6	. SETSCREW	2	SP	l
21	204-050-155-005	RAM ASSY	2	SP	l
22 23	204-050-170-001 AN565E1032H12	CLEVIS ASSY	1	SP SP	
23	AN303E 1032H 12	(ALTERNATE PART)	'	SF	l
23	AN565D1032H12	(ALTERNATE PART)	1	SP	l
24	204-050-170-003	CLEVIS (REPLACED BY 204-050-170-001)	1	P	
24	204-050-170-001	CLEVIS ASSY (REPLACES 204-050-170-003)	1	SP	l
25	BU954	RAM ASSY (REPLACED BY BU0954B)	1	NP	l
25	BU0954B	RAM ASSY (REPLACES BU954)	1	SP	
25	CD4000 00 00	(ALTERNATE PART)	,	ND	
25 26	CB1003-38-02 330575	RAM ASSY	1	NP SP	l
27	330617	PISTON	1	SP	l
28	330618	SEAL	1	SP	l
29	330656	RING	1	SP	l
30	204-050-161-001	. TRUNNION	1	SP	l
31 31A	124545-4-0082 129241	. HOSE ASSY (NOTE 5) (REPLACED BY 129241, AE1004696E0120)	2	NP SP	l
31A 31A	AE1004696E0120	. HOSE ASSY (NOTE 5) (REPLACES 124545-4-0082)	2	NP	
32	MS20822-4-4	. ELBOW (NOTE 5) (USBL ON 129241, AE1004696E0120)	2	NP	l
		(REPLACED BY MS20822-4-4J)			l
32	MS20822-4-4J	. ELBOW (NOTE 5) (USBL ON 129241, AE1004696E0120)	2	NP	
	ANIQ40 4	(REPLACES MS20822-4-4)			
33	AN912-1	BUSHING (NOTE 5) (USBL ON 124545-4-0082)	1	SP	l
33A 33B	MS20825-4 MS20825-6	TEE (NOTE 5) (USBL ON 124545-4-0082)	1	P NP	l
000	WIG20023 0	MS20825-6J)	'	141	l
33B	MS20825-6J	. TEE (USBL ON 129241, AE1004696E0120) (REPLACES MS20825-6)	1	NP	
34	NAS679A4	NUT (REPLACED BY MS21042L4)	4	Р	
34	MS21042L4	. NUT (REPLACES NAS679A4)	4	SP	
35	AN960-416L	. WASHER (REPLACED BY NAS1149F0432P)	4	Р	
35 36	NAS1149F0432P 330570	. WASHER (REPLACES AN960-416L)	4	SP SP	
36	SP8086-1	CLAMP (USE WITH BU953B AND BU0953B PUMP)	1	Р	
37	330571	. U-BOLT (USE WITH BU953B AND BU0953B PUMP)	1	SP	
37	SP8086-2	. CLAMP (USE WITH HP9902-41-10 PUMP)	1	Р	
38	BU953	. PUMP ASSY (NOTE 6) (REPLACED BY BU0953B)	1	NP	
38	BU0953B	. PUMP ASSY (NOTE 6) (REPLACES BU953)	1	SP	l
20	UD0002 44 40	(ALTERNATE PART)	4	ND	
38 38A	HP9902-41-10 RBU0953	. PUMP ASSY	1 REF	NP P	
55/1		NEI AIR KIT (CODE ON DOUGGOD) (KEI LACED DI KDOUGGOD).	'		l




(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U O C
		Figure 9-1. Wheel Assembly, Ground Handling (204-050-200) (Cont'd)			
38A 38A 39	RBU0953B KH9000 AL-S-55	REPAIR KIT (USBL ON BU0953B) (REPLACES RBU0953) REPAIR KIT (USBL ON HP9902-41-10)	REF REF 1	SP SP NP	
39 40	204-050-200-101 204-050-226-009	SPACER	1 1	P NP	
40	204-050-226-013	(REPLACED BY 204-050-226-013)	1	SP	
41 42 43 44 45 46 47 48 49 50 51 51 52 53 54 54 55 55 55 55 55 56 66 66 66 66 66 66 66	NAS679A6 MS21042L6 AN960-616L NAS1149F0632P 204-050-167-001 205-050-158-011 205-050-158-012 204-050-160-001 204-050-159-001 MS15001-2 MS15002-1 204-050-163-001 204-050-163-003 204-050-154-001 204-050-154-001 204-050-134-003 212-050-219-101 204-050-157-007 204-050-157-007 204-050-157-005 21-010B15.5-51 204-050-200-019 18-1-C MS51844-22 204-050-200-019 18-1-C MS51844-22 204-050-200-019 204-050-226-011	(REPLACES DAY MS21042L6) . NUT (REPLACED BY MS21042L6) . NUT (REPLACED BY MS21042L6) . WASHER (REPLACED BY NAS1149F0632P) . WASHER (REPLACES AN960-616L) . BOLT . AXLE, LH . AXLE, RH . ARM . BUSHING . FITTING . PIN (USBL ON 204-050-200-005) . PIN RELEASE (USBL ON 204-050-200-015) . PIN . PIN . SPRING . PIN (REPLACED BY NAS561P5-22) . PIN (REPLACED BY 212-050-219-101) . PIN (REPLACES MS9048-142) . PIN (REPLACED BY 212-050-219-101) . PIN (REPLACED BY 21-010B15.5-51) . BUSHING (REPLACED BY 21-050-200-015) . SLEEVE (USBL ON 204-050-200-015) (REPLACED BY MS51844-22) . SLEEVE (USBL ON 204-050-200-015) . SLEEVE (REPLACED BY MS51844-22) . SLEEVE (REPLACED BY MS51844-22) . SLEEVE (REPLACED BY 204-050-200-019) . LANYARD ASSY (REPLACES 204-050-200-021) . DECAL (TIRE PRESSURE) (USBL ON 204-050-200-015) . NOTE 1: GROUND HANDLING WHEEL ASSEMBLY TO BE USED WITH SKID TUBE EYEBOLT ATTACHMENT MEASUREMENT OF APPROXIMATELY 17.96 INCHES (45.6 CM). NOTE 2: GROUND HANDLING WHEEL ASSEMBLY TO BE USED WITH SKID TUBE EYEBOLT ATTACHMENT MEASUREMENT OF APPROXIMATELY 17.96 INCHES (45.6 CM).	4 4 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	£\$^^\$	



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U 0 C
		Figure 9-1. Wheel Assembly, Ground Handling (204-050-200) (Cont'd)			
		NOTE 3: GROUND HANDLING GEAR 214-706-104-001/-015/-105/ -107 MAY BE USED AS AN ALTERNATE TO 212-050-200 SERIES GEAR FOR HIGH GROSS WEIGHT TOWING. HOWEVER, BECAUSE OF ITS LARGER TIRE SIZE, THIS GEAR IS NOT COMPATIBLE WITH 212 HELICOPTERS THAT HAVE EMERGENCY FLOAT BAGS INSTALLED.			
		NOTE 4: GROUND HANDLING WHEEL ASSEMBLY BDW-245B-1801 HAS A UNIVERSAL END BLOCK THAT ACCEPTS BOTH MEASUREMENTS FOR THE SKID TUBE EYEBOLT ATTACHMENTS.			
		NOTE 5: FOR SPARES REPLACEMENT OF HOSE ASSEMBLY 124545-4-0082, USE AS A UNIT TWO HOSE ASSEMBLIES 129241 OR TWO HOSE ASSEMBLIES AE1004696E0120 WITH ONE TEE MS20825-6 AND TWO ELBOWS MS20822-4-4.			
		NOTE 6: ATTACHING U-BOLTS ARE FURNISHED WITH PUMP BU0953B.			
		AVAIL CODE DEFINITION			
		P Procurable NP Non Procurable SP Normal Stock/Procurable			
		Please see Chapter 1 for additional information on availability codes as well as general use of the Illustrated Parts Breakdown Manual.			





212_IPB_09_0002

Figure 9-2. Wheel Assembly, Ground Handling (212-050-200)

9-99-00 Page 8

Rev. 8 30 APR 2010



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	4 > 4 _ L	U 0 C
		Figure 9-2. Wheel Assembly, Ground Handling (212-050-200)			
	212-050-200-005	GEAR ASSY, GROUND HANDLING (NOTE 1, 2) (S/N 30796 THRU 31288) (REPLACED BY 212-050-200-105) (ALTERNATE PART)	2	NP	
	212-050-200-101 212-050-200-105	(ALTERNATE PART) GEAR ASSY, GROUND HANDLING (NOTE 1, 2)	2 2	NP NP	
	212-050-200-107 214-706-104-001	GEAR ASSY, GROUND HANDLING (NOTE 1, 2)	2 REF	P NP	
	214-706-104-015	(SEE FIG. 9-3 FOR BREAKDOWN)	REF	NP	
	214-706-104-107	(SEE FIG. 9-3 FOR BREAKDOWN)	REF	NP	
	214-706-104-105	(ALTERNATE PART) WHEEL ASSY, GROUND HANDLING (NOTE 1, 2) (SEE FIG. 9-3 FOR BREAKDOWN)	REF	NP	
	BDW-245B-1801	(REPLACED BY BDW-245B-1801)	2	SP	
	212-050-202-007	(S/N 35104 THRU SUB) (SEE FIG. 9-4 FOR BREAKDOWN)	2	NP	
1 1A 2	212-050-202-001 212-050-202-009 MS24665-441 MS21025-16 212-050-028-001	(ALTERNATE PARTS) . WHEEL INSTL (NOTE 4)	2 2 1 1 1	NP NP SP SP SP	
2 3 3 3	A-25-84 212-050-202-003 212-050-202-005 212-050-202-011	COLLAR	1 1 1	NP P NP P	
4 4	3-979 A1280-1	(USBL ON 212-050-202-009)	1	P NP	
4 4 4 4 5 5 6 7	ALS189-0 ALS-189-0 040-15500 40-112 A2190 12.5X4.5 10PLY TY7 12.5X4.5-10PRTL TY7 12.5 X 4.5	WHEEL ASSY (USBL ON 212-050-202-005) WHEEL ASSY (TUBELESS) (USBL ON 212-050-202-011) TIRE (NOTE 5) (USBL ON 212-050-202-003 AND -005) TIRE (TUBELESS) (USBL ON 212-050-202-011) TUBE (USBL ON 212-050-202-003 AND -005)	1 1 1 1 1 1 1	P P P P P P P P P P P P P P P P P P P	
7 8 8 9 10 10	204-050-200-013 AN960-616 NAS1149F0632P MS21042L AN960-616 NAS1149F0632P MS21250-06030	PIN ASSY WASHER (REPLACED BY NAS1149F0632P) WASHER (REPLACES AN960-616L) NUT WASHER (REPLACED BY NAS1149F0632P) WASHER (REPLACES AN960-616L) BOLT	2 4 4 1 2 2	SP SP SP SP SP SP SP	
12 13 13 14	MS21042L AN960-516 NAS1149F0532P LWB22-5-34	NUT	1 2 2 1	SP P SP NP	




(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U 0 C
		Figure 9-2. Wheel Assembly, Ground Handling (212-050-200) (Cont'd)			
15	214-050-014-001	. RETAINER	1	SP	
16	212-050-206-001	. AXLE	1	SP	
17	212-050-206-003	. AXLE (NOTE 6) (REPLACED BY BDW-245B-1801)	1	SP	
17	BDW-245B-1801	. GROUND HANDLING WHEEL ASSY (REPLACES 212-050-206-003)	1	SP	
18	AN565D624H6	. SETSCREW	2	SP	
19	214-050-012-001	. TRUNNION	1	SP	
20	MS15002-1	. FITTING	2	NP	
21	212-050-200-007	. LANYARD	1	SP	
22	18-1-C	. SLEEVE (REPLACED BY MS51844-22)	2	NP	
22	MS51844-22	. SLEEVE (REPLACES 18-1-C)	2	SP	
23	NAS1338C5C24D	. PIN (REPLACED BY NAS1338C3C24D)	1	SP	
23	NAS1338C3C24D	. PIN (REPLACES NAS1338C5C24D)	1	SP	
24	129241	. HOSE ASSY (USBL ON 212-050-200-005 AND -105)	2	SP	
24	AE2463302E0120	. HOSE ASSY (USBL ON 212-050-200-101 AND -107)	2	Р	
		(ALTERNATE PART)			
24	129241	. HOSE ASSY	REF	SP	
25	MS20825-6	. TEE (REPLACED BY MS20825-6J)	1	NP	
25	MS20825-6J	. TEE (REPLACES MS20825-6)	1	NP	
26	AN912-1	. BUSHING	2	SP	
26A	MS20823-4	. ELBOW (REPLACED BY MS20823-4J)	2	NP	
26A	MS20823-4J	ELBOW (REPLACES MS20823-4)	2	SP	
27	MS21042L	. NUT	4	SP	
28	AN960-416	. WASHER (REPLACED BY NAS1149F0432P)	4	NP	
28	NAS1149F0432P	. WASHER (REPLACES AN960-416L)	4	SP SP	
28A 29	AN4-12 330571	BOLT (USBL ON 212-050-200-101 AND -107)	1	SP	
30	214-050-020-001	. U-BOLT (USBL ON 212-050-200-005 AND -105)	1	SP	
31	BU953	U-BOLT	1	NP	
31	D0999		'	INI	
31	BU0953B	(REPLACED BY BU0953B)	1	SP	
31	B00993B		'	OI.	
31A	RBU0953	(REPLACES BU953B)	REF	Р	
31A	RBU0953B	DEDAIR KIT (USBL ON BUU993B) (REPLACED BY RBUU993B).	REF	SP	
31B	SD0-3032-006	REPAIR KIT (REPLACES RBU0953)	1	Р	
315	000 3032 000	,	'	•	
31B	61780	(ALTERNATE PART)	1	SP	
31C	82068	PUMP ASSY (USBL ON 212-050-200-101 AND -107)	REF	NP	
31C	300590	REPAIR KIT (USBL ON SD0-3032-006)	REF	Р	
32	212-050-205-001	DECAL (GROUND HANDLING GEAR SERVICE)	1	SP	
33	204-050-170-001	CLEVIS ASSY	2	SP	
33A	204-050-170-003	CLEVIS	1	P	
34	AN565E1032H12	SETSCREW	1	SP	
		(ALTERNATE PART)			
34	AN565D1032H12	SETSCREW	1	SP	
35	MS9048-142	PIN (REPLACED BY NAS561P5-22)	1	NP	
35	NAS561P5-22	PIN (REPLACES MS9048-142)	1	SP	
36	214-050-013-001	. PIN (USBL ON 212-050-200-005 AND -101)	1	NP	
		(REPLACED BY 212-050-219-101)			
36	212-050-219-101	. PIN (USBL ON 212-050-200-105 AND -107)	1	SP	
		(REPLACES 214-050-013-001)			
	214-050-011-001	. CRADLE ASSY (16.41 INCHES)	1	SP	
37	214-050-011-005	BUSHING	1	SP	
38	214-050-011-007	BUSHING	1	SP	
39	214-050-011-009	BUSHING	1	SP	
40	214-050-011-011	BUSHING	1	NP	
41	214-050-011-003	CRADLE	1	Р	
42	214-050-104-001	. RAM ASSY (USBL ON 212-050-200-101 AND -107)	2	NP	l



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U C
	214-050-104-103 SKR214KIT SKR214-03 SKR212-04	Figure 9-2. Wheel Assembly, Ground Handling (212-050-200) (Cont'd) RAM ASSY (USBL ON 212-050-200-005 AND -105) REPAIR KIT (USBL ON 214-050-104-103) PACKING BACK-UP RING NOTE 1: GROUND HANDLING WHEEL ASSEMBLY TO BE USED WITH SKID TUBE EYEBOLT ATTACHMENT MEASUREMENT OF APPROXIMATELY 16.41 INCHES (41.7 CM). NOTE 2: GROUND HANDLING GEAR 214-706-104-001/-015/-105/-107 MAY BE USED AS AN ALTERNATE TO 212-050-200 SERIES GEAR FOR HIGH GROSS WEIGHT TOWING. HOWEVER, BECAUSE OF ITS LARGER TIRE SIZE, THIS GEAR IS NOT COMPATIBLE WITH 212 HELICOPTERS THAT HAVE EMERGENCY FLOAT BAGS INSTALLED.		L SP	
		BDW-245B-1801 HAS A UNIVERSAL END BLOCK THAT ACCEPTS BOTH MEASUREMENTS FOR THE SKID TUBE EYEBOLT ATTACHMENTS. NOTE 4: DO NOT MIX 212-050-202-001, 212-050-202-007, OR 212-050-202-009 ON SAME GEAR ASSEMBLY. NOTE 5: MAY USE TUBELESS TIRE BUT MUST BE ABLE TO USE WITH TUBE. NOTE 6: PART NUMBER IS NO LONGER AVAILABLE. CUSTOMERS SHOULD PURCHASE GEAR ASSEMBLY BDW-245B-1801.			
		AVAIL CODE DEFINITION P Procurable NP Non Procurable SP Normal Stock/Procurable Please see Chapter 1 for additional information on availability codes as well as general use of the Illustrated Parts Breakdown Manual.			





212_IPB_09_0003

Figure 9-3. Wheel Assembly, Ground Handling (214-706-104)

9-99-00 Page 12

Rev. 8 30 APR 2010



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U 0 C
		Figure 9-3. Wheel Assembly, Ground Handling (214-706-104)			
	214-706-104-001	WHEEL ASSY, GROUND HANDLING KIT (NOTE 1, 2)	REF	NP	
	214-706-104-015 214-706-104-107	WHEEL ASSY, GROUND HANDLING KIT (NOTE 1, 2)	REF REF	NP NP	
	214-706-104-105	WHEEL ASSY, GROUND HANDLING KIT (NOTE 1, 2) (REPLACED BY BDW-245B-1801)	REF	NP	
	BDW-245B-1801	GROUND HANDLING WHEEL ASSY (SEE FIG. 9-4 FOR BREAKDOWN) (REPLACES 214-706-104-107)	REF	SP	
1	214-706-104-003	. WHEEL ASSY, GROUND HANDLING (NOTE 1)	1	NP	
2	MS24665-441	PIN, COTTER	1	SP	
2A	AN320-20	NUT	2	SP	
3	204-050-165-001	RETAINER	2	SP	
4 5	214-050-002-001	WHEEL ASSY	2	Р	
5 5	18X5.5 TIRE 18X5.5 TY7CL1	TIRE (REPLACED BY 18X5.5 TY7CL1)	1	NP NP	
5 6	18X5.5 TUBE	TIRE (REPLACES 18X5.5 TIRE)		NP	
6	18X5.5	TUBE (REPLACES 18X5.5 TUBE)	1	NP	
7	40-117A	WHEEL ASSY (NOTE 3)	l i	SP	
8	AN960-616L	WASHER (REPLACED BY NAS1149F0632P)	4	Р	
8	NAS1149F0632P	WASHER (REPLACES AN960-616L)	4	SP	
9	204-050-200-013	PIN ASSY`	2	SP	
10	MS15001-4	FITTING	1	SP	
11	204-050-162-001	PIN	1	SP	
12	MS21042L6	NUT	1	SP	
13 13	AN960-616L NAS1149F0632P	WASHER (REPLACED BY NAS1149F0632P)	2	P SP	
14	MS21250-06030	WASHER (REPLACES AN960-616L)	1	SP	
15	MS21042L5	NUT, SELF-LOCKING	1	SP	
16	AN960-516L	WASHER (REPLACED BY NAS1149F0532P)	2	P	
16	NAS1149F0532P	WASHER (REPLACES AN960-516L)	2	SP	
17	LWB22-5-34	BOLT	1	NP	
18	214-050-014-001	RETAINER	1	SP	
19	214-050-022-003	(ALTERNATE PART)	1	NP	
19	214-050-021-003	AXLE	1	SP	
20	214-050-022-001	(ALTERNATE PART)	1	NP	
20	214-050-021-001	AXLE	1	SP	
21	129241	HOSE ASSY (ALTERNATE PART)	2	SP	
21	AE2463302E0120	HOSE ASSY	2	Р	
22	MS20822-4-4	ELBOW (REPLACED BY MS20822-4-4J)	2	NP	
22	MS20822-4-4J	ELBOW (REPLACES MS20822-4-4)	2	NP	
23 23	MS20825-6 MS20825-6J	TEE (REPLACED BY MS20825-6J)	1	NP NP	
23	204-050-170-001	TEE (REPLACES MS20825-6)	2	SP	
25	AN565E1032H12	SETSCREW	1	SP	
26	AN565D624H6	SETSCREW	2	SP	
27	214-050-104-001	RAM ASSY (USBL ON 214-706-104-003 AND -105)	2	NP	
27	214-050-104-101	RAM ASSY (USBL ON 214-706-104-107)	2	NP	
27	214-050-104-001	RAM ASSY	2	NP	
27	214-050-104-103	RAM ASSY (NOTE 4)	2	SP	
27A	SKR214KIT	REPAIR KIT (NOTE 4)	REF	SP	
27A	SKR214-03	PACKING	1	NP	
27A	SKR214-04	BACKUP RING	1	NP	
28	214-050-012-001	TRUNNION	1	SP	1



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U 0 C
		Figure 9-3. Wheel Assembly, Ground Handling (214-706-104)			
29	MS21042L4	NUT	4	SP	
30	AN960-416L	WASHER (REPLACED BY NAS1149F0432P)	4	Р	
30	NAS1149F0432P	WASHER (REPLACES AN960-416L)	4	SP	
31	330571	U-BOLT (USBL ON 214-706-104-003 AND -105)	1	SP	
32	214-050-020-001	U-BOLT	1	SP	
33	AN4-12A	BOLT (USBL ON 214-706-104-107)	2	SP	
34	ALS-57	SPACÉR (USBL ON 214-706-104-003 AND -107)	1	Р	
34	214-706-104-115	SPACER (USBL ON 214-706-104-003 AND -107)	1	NP	
35	BU0953B	PUMP ASSY (USBL ON 214-706-104-003 AND -105)	1	SP	
35	SD0-3032-006	PUMP ASSY (USBL ON 214-706-104-107)	1	Р	
35	61780	PUMP ASSY	1	SP	
35A	300590	REPAIR KIT (USBL ON 61780)	REF	Р	
36	204-050-226-015	DECAL (HYD SERVICE INSTRUCTIONS AND TIRE PRESSURE) (USBL ON 214-706-104-003)	1	SP	
37	204-050-226-017	DECAL (TIRE PRESSURE) (USBL ON 214-706-104-003)	1	NP	
37	204-050-226-101	(REPLACED BY 204-050-226-101)	1	SP	
38	MS9048-142	(REPLACES 204-050-226-017)	1	NP	
38	NAS561P5-22	PIN (REPLACED BY NAS561P5-22)		SP	
39	214-050-013-001	PIN (REPLACES MS9048-142)	1	NP	
39 39	212-050-013-001	PIN (REPLACED BY 212-050-219-101)	1	SP	
40	18-1-C	PIN (REPLACES 214-050-013-001)	2	NP	
40	MS51844-22	SLEEVE (NOTE 5) (REPLACED BY MS51844-22)	2	SP	
41	214-706-104-013	SLEEVE (NOTE 5) (REPLACES 18-1-C)	1	SP	
		(ALTERNATE PART)			
41	CL-21-KA-10.0LR	CABLE ASSY (NOTE 5)	1	SP	
42	NAS1338C5C24D	PIN (USBL ON 214-706-104-003)	1	SP	
		(REPLACED BY NAS1338C3C24D)			
42	NAS1338C3C24D	PIN (USBL ON 214-706-104-003 AND -107) (REPLACES NAS1338C5C24D)	1	SP	
43	MS15002-1	. FITTING	2	NP	
	214-050-011-001	CRADLE ASSY (16.41 INCHES)	1	SP	
44	214-050-011-003	CRADLE	1	Р	
45	214-050-011-011	BUSHING	1	NP	
46	214-050-011-007	BUSHING	1	SP	
47	214-050-011-005	BUSHING	1	SP	
48	214-050-011-009	BUSHING	1	SP	
		NOTE 1: UNLESS OTHERWISE NOTED, ALL DETAILS ARE USED ON THE 214-706-104-001, -003, -105 AND -107.			
		NOTE 2: GROUND HANDLING GEAR 214-706-104-001/-015/-105/ -107 MAY BE USED AS AN ALTERNATE TO 212-050-200 SERIES GEAR FOR HIGH GROSS WEIGHT TOWING. HOWEVER, BECAUSE OF ITS LARGER TIRE SIZE, THIS GEAR IS NOT COMPATIBLE WITH 212 HELICOPTERS THAT HAVE EMERGENCY FLOAT BAGS INSTALLED.			
		NOTE 3: PROCURABLE AS SPECIAL ORDER ONLY.			
		NOTE 4: FOR RAM ASSEMBLY REPAIR KIT, ORDER SKR214KIT. ONE KIT PER RAM.			



(1)	(2)	(3)	(4)	(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U 0 C
		Figure 9-3. Wheel Assembly, Ground Handling (214-706-104)			
		NOTE 5: AS AN ALTERNATE FOR LANYARD 214-706-104-013 AND SLEEVES 18-1-C, USE CABLE ASSEMBLY CL-21-KA-10.0LR.			
		AVAIL CODE DEFINITION			
		P Procurable NP Non Procurable SP Normal Stock/Procurable			
		Please see Chapter 1 for additional information on availability codes as well as general use of the Illustrated Parts Breakdown Manual.			







Figure 9-4. Wheel Assembly, Ground Handling (BDW-245B-1801) (Sheet 1 of 2)

9-99-00 Page 16

Rev. 8 30 APR 2010



212_IPB_09_0004b

Figure 9-4. Wheel Assembly, Ground Handling (BDW-245B-1801) (Sheet 2 of 2)



BDW-245B-1801 GROUND HANDLING WHO (S/N 35104 THRU SUB WELDED FRAME ASSY AXLE GUIDE SET SUBSTITUTE OF STREET OF SET SUBSTITUTE OF SUBSTITUTE OF SET SUBSTITUTE OF SUBST	1 2 2 2 4 4 1 1 2 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 2 1	A > A - L S P P P P P P P P P P P P P P P P P P	U O C
BDW-245B-1801 GROUND HANDLING WHO (S/N 35104 THRU SUB WELDED FRAME ASSY AXLE GUIDE	EEL ASSY (NOTE 1) 1 2 2 2 2 4 4 1 1 2 1 1 1 1 1 1 1 1	NP N	
BDW-245B-1801 GROUND HANDLING WH (S/N 35104 THRU SUE WELDED FRAME ASSY W-245B-04 AXLE GUIDE AXLE GUIDE BET GUIDE AXLE GU	1 2 2 4 1 1 1 1 1 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 2 1	NP N	
1 W-245B-00	1 2 2 2 4 4 1 1 2 1 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1	NP NP NP NP NP NP NP NP NP	
20	1 1 24 24 24 24 24 38 38 32 35 32 35 30 31 31 31 31 31 31 31 31 31 31 31 31 31	\$	



(1)	(1) (2) (3)			(5)	(6)
INDEX NUMBER	PART NUMBER	ITEM NAME	UNIT PER ASSY	A V A I L	U 0 C
		Figure 9-4. Wheel Assembly, Ground Handling (BDW-245B-1801) (Cont'd)			
		AVAIL CODE DEFINITION			
		P Procurable NP Non Procurable SP Normal Stock/Procurable			
		Please see Chapter 1 for additional information on availability codes as well as general use of the Illustrated Parts Breakdown Manual.			