

L^AT_EX class and style files for papers published in the journal HSSA

Dominik Wujastyk

October 18, 2022

Contents

1	Documentation for authors using L^AT_EX	4
2	Documentation for L^AT_EX hackers converting incoming files to HSSA	5
2.1	Prelims	5
2.1.1	Metadata	5
2.2	HSSA user macros	5
2.2.1	AD, BC, etc.	6
2.2.2	Environments for ślokas and mini-editions	6
2.2.3	Citing manuscripts	6
2.2.4	Making a lexical index	7
2.2.5	Language-switching	7
2.2.6	Citation commands	7
2.2.7	Bibliography and index outputs	7
2.2.8	Miscellaneous	8
2.2.9	Rotating pages for big tables and figures	8
2.3	Standard L ^A T _E X sectioning and similar commands	9
2.4	What you get for nothing	9
3	Macros in the class file for the HSSA journal: hssa.cls	10
3.1	Set the geometry for the pages	11
3.2	Front matter	12
3.3	Running headers and footers	12
3.4	Fancy headers and footers	13

3.5	Fancy-plus-DOI style	13
3.6	Link colours	14
3.7	Output the preliminary matter	14
3.8	Output the final pages that come after the article	15
3.9	Arrange the appendix	15
3.10	Set up the alignment and fonts of title and author names	15
3.11	The content of the cover page	16
3.12	The the content of the copyright page	17
3.13	The content of the back cover page	19
3.14	Tweak captions → footnotesize	20
3.15	Page layout dimensions	20
3.16	Misc layout settings	20
3.17	Journal-specific user-facing macros	21
3.18	Customizing the sectioning commands	22
3.19	Collecting the page-number information	22
3.20	Creative Commons logo	22
3.21	Tweak tabular layout	22
3.22	Not used	23
3.23	PDF metadata	23
3.24	Hypertext links	23
3.25	Simple indented, environment for Sanskrit verses	24
3.26	Diatop	24
3.26.1	Unknown	25
3.27	Mini edition environment	25
3.28	Index of Manuscripts	26
4	Style file for HSSA journal: hssa.sty	27
4.1	Load basic macros for reledmac (footnote cols)	27
4.2	Set up the langages and fonts, Polyglossia-style	27
4.2.1	British English, Greek, Sanskrit	27
4.2.2	T _E X Gyre Pagella, the default roman font for HSSA	27
4.2.3	Sanskrit input in Devanagari script	27
4.2.4	Sanskrit input in IAST script, output in Devanagari	27
4.2.5	Chinese	28
4.2.6	Greek font	28
4.3	Local generic author-facing macros	28
4.4	Math mode with Unicode fonts	28
4.5	Two-column footnote formatting	29

5	Biblatex settings for HSSA	30
5.1	Load Biblatex	30
5.2	Settings for oyear	31
5.3	Bibliography sorting	31
5.4	Positioning of the notes	31
5.5	Tweak the citation style	32
5.6	Unused code	32
5.7	URL formatting in the bibliography	32
5.7.1	Buddhist Digital Resource Center	32
5.7.2	ARK	32
5.7.3	Archive.org	32
5.7.4	Academia.edu	33
5.7.5	Digital Library of India	33
5.7.6	JSTOR	33
5.7.7	Jainelibrary	33
5.7.8	DOI	33
5.8	Tweaks to make the citation form:- Author date: page	33
5.9	"Forthcoming" hacks	34
5.10	Tighten up URL date	34
5.11	Hyperlink magic	34
6	Indexing for HSSA	35
6.1	English-Sanskrit indexes	35
7	Commands for citing and indexing manuscripts	36
	Index of macro definitions	37

1 Documentation for authors using L^AT_EX

If you are writing with L^AT_EX please observe the following guidelines:

- Use Unicode encoding for your files (i.e., for XeL^AT_EX or LuaT_EX)
- Use the standard features of L^AT_EX as documented in the standard manual, *L^AT_EX: A Document Preparation System* by Leslie Lamport, or in *The Very Short Guide to Typesetting with L^AT_EX* by Peter Flynn and Silmaril Consultants (part of the T_EXlive distribution and at [CTAN](#)).
- Use logical markup, not presentational markup. That means you mark things as `\chapter{xxx}`, `\footnote{xxx}`, `\sanskrit{xxx}`, `\title{xxx}`, etc., and not `\textbf{xxx}`, `\vspace{5ex}`.
- Do not use `\newcommand` or `\def` to make private commands. If this appears to be unavoidable, please contact the journal editor before proceeding.
- Provide your bibliography entries in BibT_EX format. The journal uses BibL^AT_EX, which is flexible. So please do not use any special formatting commands or non-standard bst files. Just use `\cite{xxx}` etc. in the simplest manner.
- If you have tables, keep them simple and don't spend time putting in many horizontal and vertical lines. They will be reformatted for the journal, in any case.

The above advice is also given on the [HSSA website](#).

2 Documentation for L^AT_EX hackers converting incoming files to HSSA

2.1 Prelims

Start off each HSSA article L^AT_EX file with the following macros:

```
\RequirePackage{snapshot}  
\documentclass{hssa}  
\usepackage{hssa,  
hssa-biblatex}  
\addbibresource{\jobname.bib}
```

Note that the article's bibliography should have the same name as the article, with the extension .bib.

2.1.1 Metadata

Next, use the following commands to capture the metadata for this article:

```
\HSSAissuenum{999}  
\HSSAissuedate{2999}  
\HSSAarticletitle{A Title}  
\HSSAauthorname{A. N. Author}  
\HSSAauthoraddress{University of University}  
\HSSAfirstpage{000}  
\HSSAlastpage{999}  
\DOI{1.2/3.4.5}
```

These commands generate the right text for the front page, the copyright page and the article's title and running header.

If the running header is too long (author's love long titles), use

```
\HSSAshortarticletitle{An abbreviated title}
```

2.2 HSSA user macros

Here follow various commands for use in HSSA articles that aren't part of standard L^AT_EX.

2.2.1 AD, BC, etc.

`\CE` There are shortcuts for expressing the eras CE and BCE. These macros also
`\BCE` get the fonts right. There are synonyms: use any of the following and the
output will look right:

`\bce`
`\BC`
`\BCE`
`%`
`\ce`
`\CE`
`\AD`

Don't forget to handle the space after these macros appropriately.

`\q` Use this to make a loud, obnoxious marginal note in bright yellow box.
Use it to annotate the PDF proofs for communicating with the author.

`\q{}` stands for “query,” and is a tailored version of `todonotes`. In addition to the yellow box in the margin, it can also build a page index of the notes that you can print at the end of the article with `\listoftodos`.

2.2.2 Environments for ślokas and mini-editions

`miniedition (env.)` An environment for making apparatus notes to a single śloka or two.
`sloka (env.)` An environment for typesetting Sanskrit verses; pretty much the same as verse.

2.2.3 Citing manuscripts

`\MScite` Cite your manuscripts using the pattern “City, Library, accession number.”
The `\MScite` macro will print the right thing in your text, while also writing an entry to an alphabetical index of manuscripts that appears at the end of your article. Saying `\MScite{London, Wellcome, α999}` will print “MS London, Wellcome α 999 in your text.

`\MS` `\MS` is a synonym for `\MScite`

`\MSnocite` If you want to put an entry in your index of manuscripts, but you don't want the entry printed in the main text where you're writing, use `\MSnocite`.

`\MSsilent` A synonym for `\MSnocite`.

2.2.4 Making a lexical index

`\saneng` If you say `\saneng{pūpa}{cake}` then you'll get "cake (*pūpa*)" printed in your main text. Also, an entry will be written to a lexical page index, both Sanskrit-English and English-Sanskrit.

`\ssaneng` `\ssaneng` is a silent version of the same macro that writes the index entries but puts nothing in the main text.

2.2.5 Language-switching

`\textgreek` See the documentation for [Polyglossia](#) for details of how these are used.
`\textenglish` These macros switch to the respective languages and scripts (e.g., Devanagari for `\textsanskrit`{}).
`\dev` `\dev` is just an abbreviation for the `\textsanskrit` macro.
`\cjk` This is just a switch, so say `{\cjk X}` where X is a Chinese character.

2.2.6 Citation commands

HSSA uses the Bib_{La}T_EX macros, and the Oxref style for formatting according to the Oxford Hart's Rules guidelines. The NatBib conventions are also loaded, so you can use `\cite`, `\citep` `\citet` in the standard ways, as well as Bib_{La}T_EX's `\footcite`, `\cites`, `\parencites`, etc.

2.2.7 Bibliography and index outputs

Say `\printbibliography` at the end of the document.

Here are examples from the end of Speziale's 2019 paper that do more elaborate things.

Index prologue

```
\setlength{\shorthandwidth}{.25\textwidth}
```

```
\indexprologue{\centering\emph{References are to page numbers in this
article.}}
```

Index of manuscripts As indexed using `\MScite` etc.

```
\printindex[manuscripts] % ditto for manuscripts
```

```
\printshorthands % uses features of biblatex-manuscripts-philology
```

```
[title=Primary Sources in Manuscripts,
type=manuscript,
% env=details,
%sorting=special,
]
```

Index of editions

```
\printshorthands %
[title=Primary Sources in Printed Editions,
keyword=edition, % flagged as such in the bib file
%prenote=blurb01,
%sorting=special,
]
```

Index of references

```
\printbibliography
[title=Secondary Sources and Translations,
sorting=nyt,
%keyword=secondary,
notkeyword=edition,
nottype=manuscript,
] % keep the editions in the Text Editions section only
```

2.2.8 Miscellaneous

`\diatop` Puts more than one accent over a letter. This isn't available in standard \LaTeX , but we philologists sometimes need it. Say, for example, `\diatop[\'|{\o}]` to get \acute{o} .

`\PreliminaryNote` For that zeroth footnote at the beginning of an article that gives acknowledgments or abbreviations. I prefer to put this material at the end of an article, in a section called "Acknowledgements."

2.2.9 Rotating pages for big tables and figures

`rotating (env.)` That's pretty much it.

You might want to add `\usepackage[figuresright]{rotating}` if you have some tables to go sideways.

2.3 Standard \LaTeX sectioning and similar commands

`\section` Just use the normal `\section{}` commands, down to `\paragraph`.
`\lettrine` The first line after a section is formatted with an initial drop-cap and small caps, using `\lettrine`. The three arguments are 1. line-drop and over height (always the same), 2. the drop-capital itself, and 3. the remaining letters of the word and some more words up to the end of a phrase. For example

```
\lettrine[lines=2,loversize=.1]{T}{he} object of this contribution is ...
```

How much you include in the phrase is up to you. E.g.,

```
\lettrine[lines=2,loversize=.1]{T}{he object of this contribution} is ...
```

Note that *all* the letters of the phrase should be lowercase. They will be turned into small caps, and uppercase letters won't look right. E.g.,

```
\lettrine[lines=2,loversize=.1]{T}{he mahābhārata and the rāmāyana both feature kṛṣṇa  
%% ...
```

2.4 What you get for nothing

In addition to setting up the above commands, the class and style files below will handle the

- colour and layout of the front and back matter,
- the title and section headings,
- the running headers and footers,
- the two-column footnotes
- the use of \TeX Gyre Pagella or other Unicode font in \TeX math mode.

3 Macros in the class file for the HSSA journal: hssa.cls

This is `hssa.cls` by Dominik Wujastyk, a class file for the HSSA journal.

This documentation is created by running `hssa-documentation.dtx`, which calls `hssa.cls` and `hssa.sty`, etc.

See <http://tug.org/pracjourn/2005-3/asknelly/> for a nice statement of the difference between `.cls` and `.sty` files. Here in `hssa.cls`, I'm keeping the code that is part of the core of HSSA's design. I would not expect to change things here much after 2019.

`\NeedsTeXFormat` Declare that we are using the main L^AT_EX2e format.

```
1 \NeedsTeXFormat{LaTeX2e}
```

`\LoadClass` HSSA is based on an 11pt article style:

```
2 \LoadClass[11pt]{article}
```

`\RequirePackage` Here come the packages that HSSA assumes are present.

```
3 \usepackage{hssa-indexing} % has to be loaded before hyperref
4 \RequirePackage{ %
5   graphicx,
6   amsmath,
7   amsfonts,
8   amssymb,
9   textcomp, % arcane LaTeX/NFSS system for subsetting encodings. Needed for Sigma.
10  wasysym,
11  polyglossia,
12  hyperxmp, % to embed XMP metadata in the PDF
13  hyperref,
14  geometry,
15  array,
16  longtable,
17  polyglossia, % polyglossia calls fontspec
18  multicol,
19  booktabs, % better table spacing, \toprule etc.
20  textcase, % to get \MakeTextLowercase for tweaking the running footer
21  fancyhdr
22 }
```

`xcolor` Settings for the `xcolor` package

```
23 \RequirePackage{xetex,
24   dvipdfmx,
25   hyperref,
```

```

26     svgnames,
27     table]
28     {xcolor}

```

`enumitem` To control the spacing around itemized lists.

```

29 \usepackage{enumitem} % supersedes mdwlist: does it globally
30 \setlist{noitemsep,
31     %labelindent=\parindent,
32     %leftmargin=*,
33 }

```

`\q` Issue notes to the author in the margins of the page proofs. It uses the `todonotes` package.

Define `\q` to be `\empty` for the final run to suppress the display of notes. Put a `\newpage \listoftodos` just before `\end{document}` to help the author with an indexed list to the marginal notes.

```

34 \setlength{\marginparwidth}{2cm} %todonotes manual, section 1.6.5
35 \usepackage[colorinlistoftodos,
36 %     disable,
37 textsize=tiny,
38 loadshadowlibrary,
39 shadow,
40 backgroundcolor=yellow]{todonotes}
41 \setuptodonotes{fancyline}
42 %
43 \newcommand{\q}[1]{{}\todo{#1}{}}

```

`\PreliminaryNote` A preliminary numberless “footnote” for abbreviations, grant references, and other general initial statements. But commonly, put this in a little “Acknowledgements” section at the end of the paper.

```

44 \newcommand{\PreliminaryNote}[1]{%
45     {\def\thefootnote{\relax }%
46         \footnotetext{\hspace*{-2.3em} %only if not using \hangfootnotes
47             #1}}}
48 %
49 %DW ?
50 \skip\footins=24pt
51 %DW ?

```

3.1 Set the geometry for the pages

`geometry` Set the geometry for the pages DW

```

52 \geometry{twoside,

```

```

53 paperwidth=210mm,
54 paperheight=297mm,
55 textheight=562pt,
56 textwidth=384pt,
57 centering,
58 headheight=30pt,
59 headsep=18pt,
60 footskip= 42pt, %24pt,
61 footnotesep=24pt plus 2pt minus 12pt,
62 }

```

3.2 Front matter

```

\title I thought about doing something like this:
\author \newenvironment{frontmatter}{}{\maketitle}
\date but then gave that up.

\title
63 \title{\LARGE \@HSSAarticletitle }

\author Put the author's address in a parbox because it may have hard linebreaks
(\\) that can cause trouble. This happened in Speziale 2019. I still don't
know why the linebreak is allowed after the authorname but not in the ad-
dress.
64 \author{\@HSSAauthorname\\ [1ex]
65 \parbox{\textwidth}{\small\centering\emph{\@HSSAauthoraddress}}
66 }

\date No date.
67 \date{\relax }

```

3.3 Running headers and footers

```

\HSSAfooter Variable that collects the text for the footer.
68 \def\HSSAfooter#1 %*%
69 {\gdef\@HSSAfooter{#1}}

\@HSSAtitle Define the title for use on the title page.
70 \newcommand{\@HSSAtitle}{History of Science in South Asia}

\HSSAverso Variable that collects the page header of the verso pages.
71 \def\HSSAverso#1{\gdef\@HSSAverso{#1}}

```

`\HSSArecto` Ditto for the recto, and initialize them both to nothing.

```
72 \def\HSSArecto#1{\gdef\@HSSArecto{#1}}
73 \let\@HSSAverso\@empty
74 \let\@HSSArecto\@empty
```

Now the HSSA journal running headers, footers and cover citation. Set the shorttitle to be the same as `\HSSAverso` unless the author redefines it in the document preamble.

```
75 \HSSAverso{\@HSSAarticletitle }
76 \let\HSSAshorttitle\HSSAverso
77 \HSSArecto{\@HSSAauthorname }
```

`\@HSSAheaderfooterfont` Set up the font that will be used for running headers and footers. Small caps, and a bit of extra space, 7%, of the font's point size, between each letter (LetterSpace is from fontspec).

```
78 \def\@HSSAheaderfooterfont{\scshape\addfontfeature{LetterSpace=7}}
```

`\HSSAfooter` Use the `\MakeTextLowercase` macro from the textcase package and construct the running footer for each page.

```
79 \HSSAfooter{\MakeTextLowercase{\@HSSAtitle}\ \@HSSAissuenum\
80      (\@HSSAissuedate) \thefirstpage--\thelastpage}
```

3.4 Fancy headers and footers

Now the fancy header setup, which should be done after the geometry setup.

```
81 %\usepackage{fancyhdr} % after the geometry setup
82 \pagestyle{fancy}
83 \fancyhead{}
84 \fancyhead[CO]{\textenglish{\@HSSAheaderfooterfont\MakeTextLowercase{\@HSSArecto}}}
85 \fancyhead[CE]{\textenglish{\@HSSAheaderfooterfont\MakeTextLowercase{\@HSSAverso}}}
86 \fancyhead[RO]{\textenglish{\@HSSAheaderfooterfont\thepage}}
87 \fancyhead[LE]{\textenglish{\@HSSAheaderfooterfont\thepage}}
88 \fancyfoot[L]{ }
89 \fancyfoot[C]{\textenglish{\@HSSAheaderfooterfont\@HSSAfooter}}
90 \fancyfoot[R]{ }
91 \renewcommand{\headrulewidth}{0pt}
92 \renewcommand{\footrulewidth}{0pt}
```

3.5 Fancy-plus-DOI style

`\fancypage` Make a style for the first page that has the DOI in the bottom right

```

93 \fancypagestyle{fancy-plus-DOI}{%
94 \fancyhead{}
95 \fancyhead[R]{}
96 \fancyfoot[L]{\copy\cclogobox\ \tiny\textenglish{\@HSSAheaderfooterfont
97 \href{http://doi.org/\@DOI}{doi: \@DOI}}}
98 \fancyfoot[C]{\textenglish{\@HSSAheaderfooterfont\@HSSAfooter}}
99 \fancyfoot[R]{}
100 }

```

3.6 Link colours

`\definecolor` This is the colour that will be used for the URL links; it's dark, so that it doesn't disturb the reading as much as the standard blue would do. It depends on the `xcolor` package.

```

101 \definecolor{darkbrown}{rgb}{0.4, 0.26, 0.13} % from http://latexcolor.com/

```

3.7 Output the preliminary matter

These commands depend on `hyperref`, but that is always loaded so there's no need to check.

```

\AtBeginDocument
102 \AtBeginDocument{%
103 \coverpage
104 \copyrightspage
105 %
106 \setcounter{page}{0}
107 \maketitle
108 \thispagestyle{fancy-plus-DOI}
109 \setcounter{page}{\thefirstpage}
110 %
111 \def\@linkcolor{darkbrown}
112 \def\@anchorcolor{darkbrown}
113 \def\@citecolor{darkbrown}
114 \def\@filecolor{darkbrown}
115 \def\@urlcolor{darkbrown}
116 \def\@menucolor{darkbrown}
117 \def\@pagecolor{darkbrown}
118 %
119 \selectbackgroundlanguage{english}
120 }

```

It would have been convenient to `\input{sanskrit-hyphenations}` at this too, but for some reason this doesn't work. These hyphenations have to be

`\input after \begin{document}.`

3.8 Output the final pages that come after the article

`\AtEndDocument`

```
121 \AtEndDocument{%
122     \newpage
123     \coverlastpage
124 }
```

3.9 Arrange the appendix

`appendix`

```
125 % Consider using \RequirePackage[title]{appendix}
126 %
127 \def\appendixname{Appendix}
128 \renewcommand\appendix{\par
129     \setcounter{section}{0}%
130     \setcounter{subsection}{0}%
131     \setcounter{equation}{0}
132     \addtocontents{toc}{\string\let\string\numberline\string\tmptocnumberline}{}}
133 }
```

`Last page` Define the last page number and set it to 100

```
134 \def\LastPage#1{\gdef\@LastPage{#1}}
135 \LastPage{100}
```

3.10 Set up the alignment and fonts of title and author names

`\aufont`

```
\titlefont 136 \def\titlealign#1{\gdef\@titlealign{#1}}
\footerfont 137 \let\@titlealign\centering
\footeraddress 138 \def\aualign#1{\gdef\@aualign{#1}}
139 \let\@aualign\centering
140 \def\titlefont#1{\gdef\@titlefont{#1}}
141 \def\aufont#1{\gdef\@aufont{#1}}
142 \def\@titlefont{\fontsize{20}{24}}
143 \def\@aufont{\fontsize{10}{12}}
144 %
145 % Footer font
146 %
147 \def\footerfont#1{\gdef\@footerfont{#1}}
148 \footerfont{\fontsize{7}{8}}
```

```

149 %
150 % Footer address
151 %
152 \def\footeraddress#1{\gdef\@footeraddress{#1}}
153 \let\@footeraddress\@empty

```

3.11 The content of the cover page

```

\coverpage
154 \long\def\coverpage{%
155     \thispagestyle{empty}
156     \begingroup
157     \parindent0pt
158     \pagecolor{pagecolor}
159     \color{Maroon!20}
160     \hspace*{-.05\linewidth}%
161     \begin{minipage}{1.1\linewidth}%
162         \vspace*{-18pt}%
163         \includegraphics[width=50mm]{logo.eps}\par
164         \vskip-12pt
165         \fontsize{30}{36}\selectfont
166         History of Science in South Asia\par\medskip
167         \footnotesize\itshape
168         A journal for the history of all forms of scientific thought and
169         action, ancient and modern, in all regions of South Asia\par
170     \end{minipage}
171     \par
172     \vfill
173     \begin{minipage}{\linewidth}
174         \raggedright
175         \LARGE
176         \@HSSAspecialissuedetails
177     \end{minipage}
178     \par
179     \vfill
180     \par
181     \begin{minipage}{\linewidth} % Here's the main title and author and affiliation
182         \raggedright
183         \LARGE
184         \@HSSAarticletitle
185         \par\vspace*{10mm}
186         \large
187         \@HSSAauthorname\par
188         \vspace{.8\baselineskip}

```



```

189         \normalsize
190         \emph{\@HSSAauthoraddress}
191         \par\vspace*{10mm}
192     \end{minipage}
193     \par
194     \vfill
195     \par
196     \hspace*{-.05\linewidth}%
197     \begin{minipage}{1.1\linewidth}
198         \rule{\linewidth}{.1pt}
199         \footnotesize
200         {\tiny MLA} style citation form: \thecovercitation \[3pt]
201         Online version available at: {\def\@urlcolor{Maroon!20}%
202             \href{http://hssa-journal.org}{http://hssa-journal.org}}
203     \end{minipage}
204 \endgroup
205     \vspace{-10mm}
206     \newpage
207 } % end coverpage

```

3.12 The the content of the copyright page

\copyrightspage

```

208 \long\def\copyrightspage{%
209     \begingroup
210     \pagecolor{white}
211     \normalcolor
212     \thispagestyle{empty}
213     \footnotesize
214     \begin{minipage}[t][.98\textheight][t]{\linewidth}
215         {\addfontfeature{LetterSpace=8}\bfseries
216             HISTORY OF SCIENCE IN SOUTH ASIA}\
217         A journal for the history of all forms of scientific thought and action,
218         ancient and modern, in all regions of South Asia, published online
219         at \href{http://hssa-journal.org}{http://hssa-journal.org}
220
221         \vfill
222
223         ISSN 2369-775X
224
225         \vfill
226
227         \textit{Editorial Board:}\
228         \begin{itemize}

```

229 \leftmargini=1em
 230 \item Dominik Wujastyk, University of Alberta, Edmonton, Canada
 231 \item Kim Plofker, Union College, Schenectady, United States
 232 % \item Dhruv Raina, Jawaharlal Nehru University, New Delhi, India
 233 \item Clemency Montelle, University of Canterbury,
 234 Christchurch, New Zealand
 235 \item Fabrizio Speziale, School of Advanced Studies in the
 236 Social Sciences (EHSS), Paris, France
 237 \item Michio Yano, Kyoto Sangyo University, Kyoto, Japan
 238 \item Gudrun Bühnemann, University of Wisconsin-Madison, USA
 239 \item Anuj Misra, University of Copenhagen, Denmark
 240 \item Aditya Kolachana, Indian Institute of Technology, Madras, India
 241 \item Dagmar Wujastyk, University of Alberta, Edmonton, Canada
 242 \end{itemize}
 243
 244 \medskip
 245
 246 \textit{Publisher:}\[4pt]
 247 History of Science in South Asia
 248
 249 \medskip
 250
 251 \textit{Principal Contact:}\[4pt]
 252 Dominik Wujastyk, Editor, University of Alberta\
 253 Email: \$\langle\$wujastyk@ualberta.ca\$\rangle\$
 254
 255 \medskip
 256
 257 \textit{Mailing Address:}\[4pt]
 258 History of Science in South Asia,\
 259 Department of History, Classics and Religion,\
 260 2--81 HM Tory Building,\
 261 University of Alberta,\
 262 Edmonton, AB, T6G 2H4\
 263 Canada
 264
 265 \medskip
 266
 267 This journal provides immediate open access to its content on the
 268 principle that making research freely available to the public supports
 269 a greater global exchange of knowledge.
 270
 271 \medskip
 272
 273 Copyrights of all the articles rest with the respective authors and

```

274     published under the provisions of
275     \href{http://www.creativecommons.org/licenses/by-sa/4.0/}{Creative Commons
276         Attribution-ShareAlike 4.0} License.
277
278     \medskip
279
280     The electronic versions were generated from sources marked up in
281     \href{http://www.latex-project.org/}{\LaTeX{}} in a computer running
282     \textsc{gnu/linux} operating system. \textsc{pdf} was typeset
283     using \href{http://tug.org/xetex/}{\XeTeX{}} from
284     \href{http://tug.org/texlive/}{\TeX Live}.
285     The base font used for Latin script and oldstyle numerals was
286     \href{http://www.gust.org.pl/projects/e-foundry/tex-gyre/pagella}{\TeX{}}
287         Gyre Pagella} developed by
288     \href{http://www.gust.org.pl}{\textsc{gust}}, the Polish
289     \TeX{} Users Group.
290 \end{minipage}
291 \endgroup
292
293 \pagecolor{white}
294 \normalcolor
295 } % end \copyrightpage

```

3.13 The content of the back cover page

\coverlastpage

```

296 \long\def\coverlastpage{\newpage\parindent=0pt
297     \thispagestyle{empty}
298     \pagecolor{pagecolor}
299     \parskip=0pt
300     \mbox{}
301     \vfill
302     \par
303     \color{endscriptcolor}
304     \colorlet{urlcolor}{endurlcolor}
305     \rule[3pt]{\textwidth}{.2pt}
306     {\normalfont\scriptsize\raggedright Please write to
307         \href{mailto:wujastyk@ualberta.ca}
308         {\color{white}$\langle$wujastyk@ualberta.ca$\rangle$}
309         to file bugs/problem reports, feature requests and to get involved. \\
310         % \addfontfeature{LetterSpace=6}%
311         \href{http://hssa-journal.org}
312         {\color{white}The History of Science in South Asia}
313         \textbullet\

```

```

314      Department of History and Classics,
315      2--81 HM Tory Building, University of Alberta,
316      Edmonton, AB, T6G 2H4,
317      Canada.}%
318      \vspace*{-20pt}
319 }

```

3.14 Tweak captions → footnotesize

\@makecaption

```

320 % originally for Speziale
321 \long\def\@makecaption#1#2{%
322     \vskip\abovecaptionskip
323     \footnotesize % added footnotesize
324     \sbox\@tempboxa{#1: #2}%
325     \ifdim \wd\@tempboxa >\hsize
326     #1: #2\par
327     \else
328     \global \@minipagefalse
329     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
330     \fi
331     \vskip\belowcaptionskip}

```

3.15 Page layout dimensions

DW can this be superseded by the geometry package?

pagelayout

```

332 \renewcommand\topfraction{1}
333 \renewcommand\bottomfraction{.8}
334 \renewcommand\textfraction{0}
335 \renewcommand\floatpagefraction{.8} % 0.95 better ???
336 \renewcommand\dbltopfraction{1}
337 \renewcommand\dblfloatpagefraction{.8}
338 \renewcommand\topfraction{1}
339 \renewcommand\bottomfraction{.8}
340 \renewcommand\textfraction{0.1}
341 \renewcommand\floatpagefraction{0.95} % was 0.8 changed 1

```

3.16 Misc layout settings

```

342 \lefthyphenmin=3
343 \righthyphenmin=3
344 %\RequirePackage[hang]{footmisc}

```

```

345 %\setlength\footnotemargin{.8em}
346
347 %\geometry{footskip=42pt}
348
349 \RequirePackage{lettrine}
350 \RequirePackage[normalem]{ulem}

```

3.17 Journal-specific user-facing macros

`HSSAspecialissuedetails` Only for for guest-edited single-theme issues.

```

351 \def\HSSAspecialissuedetails#1{\gdef\@HSSAspecialissuedetails{#1}}
352 \HSSAspecialissuedetails{\empty }

```

`\HSSAissuenum` Provide user command `\HSSAissuenum`.

```

353 \def\HSSAissuenum#1{\gdef\@HSSAissuenum{#1}}
354 \HSSAissuenum{999}

```

`\HSSAarticletitle` Provide user command `\HSSAarticletitle`

```

355 \def\HSSAarticletitle#1{\gdef\@HSSAarticletitle{#1}\hypersetup{pdftitle=#1}}
356 \HSSAarticletitle{My Life}

```

Provide user command `\HSSAauthorname`

```

357 \def\HSSAauthorname#1{\gdef\@HSSAauthorname{#1}\hypersetup{pdfauthor=#1}}
358 \HSSAauthorname{Joe Bloggs}

```

Provide user command `\HSSAissuedate`

```

359 \def\HSSAissuedate#1{\gdef\@HSSAissuedate{#1}}
360 \HSSAissuedate{1900}

```

Provide user command `\HSSAauthoraddress`

```

361 \def\HSSAauthoraddress#1{\gdef\@HSSAauthoraddress{#1}}
362 \HSSAauthoraddress{Timbuktu}

```

Collect DOI info when ready and print it in covercitation Provide DOI when we have it.

```

363 \def\DOI#1{\gdef\@DOI{#1}}
364 \gdef\@DOI{\empty}
365 %%\newtoks\DOI
366 \newcommand{\printDOI}{\ifx\@DOI\empty\relax
367   \else
368     {\def\@urlcolor{Maroon!20}
369       \textsc{doi:} \href{https://doi.org/\@DOI}{\@DOI}. \fi }
370 }

```

Say `\DOI{xxx}`, and then later `\printDOI` where you want it printed.

`\covercitation` Gather the required information for the MLA cover citation and format it for output

```

371 \def\covercitation#1{\gdef\thecovercitation{#1}}
372 %
373 \covercitation{\@HSSAauthorname. "\@HSSAarticletitle."
374   \emph{\@HSSAtitle}, \@HSSAissuenum\ (\@HSSAissuedate):
375   \thefirstpage--\thelastpage. \printDOI }
376 %/DW

377 \def\fspace#1{\addfontfeature{LetterSpace=#1}}

```

3.18 Customizing the sectioning commands

`\section`

```

378 \setcounter{secnumdepth}{1}
379 \renewcommand\section{\@startsection {section}{1}{\z@}%
380   {-18\p@ \@plus 6\p@ \@minus 3\p@}%
381   {9\p@ \@plus 6\p@ \@minus 3\p@}%
382   {\normalsize\centering\fspace{10}\MakeUppercase}}
383 \renewcommand\subsection{\@startsection{subsection}{2}{\z@}%
384   {-15\p@ \@plus 6\p@ \@minus 3\p@}%
385   {6\p@ \@plus 6\p@ \@minus 3\p@}%
386   %           {\normalfont\footnotesize\fspace{10}\centering\MakeUppercase}}
387   {\normalfont\large\scshape\fspace{8}\centering\MakeLowercase}}
388 \renewcommand\subsubsection{\@startsection{subsubsection}{3}{\z@}%
389   {-15\p@ \@plus 6\p@ \@minus 3\p@}%
390   {\p@}%
391   {\normalfont\normalsize\itshape\centering}}

```

3.19 Collecting the page-number information

```

392 \def\HSSAfirstpage#1{\gdef\thefirstpage{#1}}
393 \def\HSSAlastpage#1{\gdef\thelastpage{#1}}
394 % Initialize the values:
395 \HSSAfirstpage{000}
396 \HSSAlastpage{999}

```

3.20 Creative Commons logo

```

397 \newbox\cclogobox
398 \global\setbox\cclogobox=\hbox{%
399   \includegraphics[width=10mm]{/home/dom/Dropbox/localtexmf/tex/HSSA/cc-by-sa.eps}}

```

3.21 Tweak tabular layout

```

400 \newcommand\arraybslash{\let\\\@arraycr}
401 \setlength\tabcolsep{1mm}
402 \renewcommand\arraystretch{1.3}

403 \RequirePackage{xltextra}
404 \emergencystretch=.1\columnwidth

```

3.22 Not used

Legacy code to be thought about and probably weeded out.

```

405 %\HSSAJournalAbbrev{Hist.~Sci.~South Asia}
406 \definecolor{bg}{HTML}{600000}
407 \colorlet{pagecolor}{bg}
408 \colorlet{urlcolor}{black!50}
409 \colorlet{endurlcolor}{pagecolor!30}
410 \colorlet{linkcolor}{black!50}
411 \colorlet{endscriptcolor}{pagecolor!20}

```

3.23 PDF metadata

Commented out because it interferes with other stuff.

```

412 % \pdfstringdef{\@temppdftitle}{\@HSSAarticletitle}
413 % \pdfstringdef{\@temppdfauthor}{\@HSSAauthorname}
414 % \pdfinfo{
415 %     % copying out title because of macro expansion problems
416 %     /Title (\@temppdftitle)
417 %     /Author (\@temppdfauthor)
418 %     /Keywords (DOI: https://doi.org/\@DOI)
419 % }
420 %}

```

The pdfx package clashes with using \hypersetup to embed XMP data.
Commented out.

```

421 %\usepackage[a-1b]{pdfx} % get an archival PDF
422 % optionally, create a file \jobname.xmpdata with \Author{} \Title{} \Copyright{}
423 % \CopyrightURL{} \Keywords{}

```

3.24 Hypertext links

\hypersetup Settings for hypertext links, used by hyperref. These settings also include hyperxmp settings to embed XMP metadata in the PDF. The \@ macros don't expand at the right time. A problem for another day. In any case, hyperxmp seems to get more or less the right data from \author etc.

```

424 \hypersetup{colorlinks=true,

```

```

425     bookmarksopen=false,
426     pdfpagescrop={39 62 554 759},
427     % now hyperxmp settings:
428 %     pdfauthor={\@HSSAauthorname},
429 %     pdftitle={\@HSSAarticletitle},
430     pdfcopyright={\copyright\ The Author},
431 %     pdfdoi={\@DOI },
432 %     pdfurl={https://doi.org/\@DOI},
433     pdfissn={2369-775X},
434     pdflicenseurl={https://creativecommons.org/licenses/by-sa/4.0/},
435     pdfpublication={History of Science in South Asia},
436     pdfcaptionwriter={Dominik Wujastyk},
437     pdfurl={https://journals.library.ualberta.ca/hssa/},
438     pdfpublisher={University of Alberta Library},
439     pdfpubtype={journal},
440     pdfpubstatus={VoR}, % Version of Record
441 }

```

3.25 Simple indented, environment for Sanskrit verses

```

\beginsloka
442 %\newenvironment{sloka}
443 % {\list{}{\rightmargin\leftmargin}%
444 %     \item\relax}
445 %{\endlist}
446 %
447 \newenvironment{sloka} % tweaked from verse
448 {\let\\\@centercr
449     \parindent 1em
450     \leavevmode \hskip-.03em
451     %     \rightmargin \leftmargin
452     %     \advance \leftmargin 10em
453     %     \advance\leftskip 2em
454     %     \advance\rightskip 2em
455     %\narrower
456 }
457 {\relax }

```

3.26 Diatop

`\diatop` `\diatop`, used for r underdot overbar (\bar{r} , F6, 246) See Conference Proceedings, *TeXniques* no.5, p. 11.

```

458     \def\diatop[#1|#2]{\leavevmode{\setbox1=\hbox{\{#1\}}\setbox2=\hbox{\{#2\}}}%
459         \dimen0=\ifdim\wd1>\wd2\wd1\else\wd2\fi%

```



```

460      \dimen1=\ht2\advance\dimen1by-1ex%
461      \setbox1=\hbox to1\dimen0{\hss#1\hss}%
462      \rlap{\raise1\dimen1\box1}%
463      \hbox to1\dimen0{\hss#2\hss}}}%

```

E.g. of use: `\diatop[\`|\{=\o}]` gives o macron acute.

3.26.1 Unknown

Again, what's this? "get rid of the alphabetic headers"?

```

464      \newcommand{\lettergroup}[1]{\smallskip }

```

3.27 Mini edition environment

miniedition Documented at [the Cikitsā blog](#).

First make a hanging footnote setup to use for these minipage notes:

```

465 % nice hanging-indent footnotes. LaTeX Companion, p.73:
466 \def\hangfootnotes{%
467     \renewcommand{\@makefnmark}[1]{\setlength{\parindent}{0pt}%
468         \begin{list}{}{\setlength{\labelwidth}{1.5em}%
469             \setlength{\leftmargin}{\labelwidth}%
470             \setlength{\labelsep}{3pt}\setlength{\itemsep}{0pt}%
471             \setlength{\parsep}{0pt}\setlength{\topsep}{0pt}%
472             \footnotesize\item[\hfill\@makefnmark]##1%
473         \end{list}}%
474 }

475 \newenvironment{miniedition}
476     {\begin{quote}
477         \addtolength{\textwidth}{-2\rightmargin} % width of the quote environment
478         \begin{minipage}{\textwidth}
479             \let\footnoterule\relax % if you want a rule, comment out this line.
480             \hangfootnotes
481             % \let\footnote\originalfootnote
482         }
483     {\end{minipage}
484     \end{quote}
485 }

```

Resetting `\footnote` to `\originalfootnote` is no longer needed. Standard non-reledmac L^AT_EX footnotes are now restored by the `\@minipagerestore` hook in the file `hssa-reledmac.sty`.

3.28 Index of Manuscripts

`\MScite` The command `\MScite` is defined in `hssa-indexing.sty` that is loaded earlier in this file.

Usage:

```
\MScite{City Library Accession no.}  
\MScite{London Wellcome Indic alpha 23}  
\printindex[manuscripts]
```

4 Style file for HSSA journal: hssa.sty

Style file for the HSSA journal.¹ Here in hssa.sty, I'm keeping the code that is not part of the core of HSSA's design, including calls to other style files that might or might not be included for different articles.

4.1 Load basic macros for reledmac (footnote cols)

```
486 \usepackage{hssa-reledmac} % journal home style, two-col footnotes
```

We don't load hssa-biblatex as an option here because it is already loaded in hssa.cls; it's a permanent feature of HSSA.

4.2 Set up the languages and fonts, Polyglossia-style

4.2.1 British English, Greek, Sanskrit

```
487 \setdefaultlanguage[variant=british]{english}
488 %\setotherlanguage{japanese} % still experimental in Polyglossia
489 \setotherlanguage{greek}
490 \setotherlanguage{sanskrit}
```

4.2.2 T_EX Gyre Pagella, the default roman font for HSSA

```
491 \setmainfont[Ligatures=TeX,
492 Mapping=tex-text,
493 Numbers=OldStyle]{TeX Gyre Pagella}
494 %\setmainfont[Scale=1.05]{Alegreya} % quite nice; superscripts not smaller
495 %\setmainfont{Libertinus Serif} % looks good; does math
```

4.2.3 Sanskrit input in Devanagari script

```
496 \newfontfamily\sanskritfont[Script=Devanagari,
497 %Mapping=RomDev,
498 FakeStretch=1.08, % improves Sanskrit 2003
499 AutoFakeBold=1.5,
500 ]
501 {Sanskrit 2003}
502 % {Murty Sanskrit}
503 \let\dn\sanskritfont %for legacy Velthuis-encoded documents
```

4.2.4 Sanskrit input in IAST script, output in Devanagari

```
504 % Sanskrit input in IAST
505 \newfontfamily\devanagarifont[Script=Devanagari,
506 Mapping=RomDev,
```

¹See <http://tug.org/pracjourn/2005-3/asknelly/> for a nice statement of the difference between .cls and .sty files.

```

507 FakeStretch=1.08, % improves Sanskrit 2003
508 AutoFakeBold=2.5,
509 ]
510 % {Murty Sanskrit}
511 {Sanskrit 2003}
512 \newcommand{\dev}[1]{\devanagarifont#1}
513 %\newcommand{\dev}[1]{\textdevanagari{#1}}
514 \newcommand{\largesloka}[1]{\raggedright \devanagarifont\large #1\par}}

```

4.2.5 Chinese

```

515 \newfontfamily\cjk[Script=CJK,Mapping=tex-text,Scale=MatchLowercase]
516 %\IPAexMincho % missing
517 %\TakaoPGothic}
518 {Yu Mincho}
519 %

```

4.2.6 Greek font

```

520 % Greek
521 \newfontfamily\greekfont{Gentium Plus}[Script=Greek,
522     Mapping=tex-text,
523     Scale=MatchUppercase]
524 %
525 %\Old Standard}
526 %\GFS Porson}
527 %\GFS Didot}
528 %\Galatia SIL}
529 %\Linux Libertine O}

```

See [Stackexchange about Greek fonts](#).

4.3 Local generic author-facing macros

```

\bce
\ce 530 \def\bce{\textsc{bce}} % I took out the final \xspace
\BCE 531 % because it's behaviour is hard to predict - DW
\CE 532 \def\ce{\textsc{ce}} % ditto.
533 \let\BC\bce \let\BCE\bce \let\AD\ce \let\CE\ce

```

4.4 Math mode with Unicode fonts

```

534 \usepackage{unicode-math} % must load after amsmath; see manual ch. 3
535 %\setmathfont{texgyrepagella-math.otf} % doesn't have old style numerals.
536 \setmathfont{Asana Math}[Numbers=OldStyle]

```

4.5 Two-column footnote formatting

With help from [EDMAC](#) and [Stackexchange](#).

```
537 \usepackage[nocritical,
538     noend,
539     %noeledsec,
540     %noledgroup,
541     series={A,B}]{reledmac}
542 \usepackage{setspace}
543 %\let\footnoteruleA=\relax % do we want a footnoterule?
544 \def\thempfootnote{{\itshape\@alph\c@mpfootnote}} % from latex.ltx
545 \arrangementX[A]{twocol}
546 \arrangementX[B]{twocol} % for occasional use in the \verb|miniedition| environment
547 \colalignX{\relax } % looks better. But should we optimize narrow columns
548 %by going \verb"\raggedright"?
549 \beforenotesX{2em plus 1.5em minus 1.5em} % spacing above notes
550 \renewcommand*{\normalfootfootmarkX}[1]{%
551     \@nameuse{@thefnmark#1}\hspace*{.5em}}
```

`\footnote` `\footnote` is not going to be the standard L^AT_EX footnote. So store the standard version. Then restore the standard `\footnote` when inside minipage environment.

Finally, make the command `\footnote` into the `reledmac` two-column command.

```
552 \let\originalfootnote=\footnote % store this for use in minipages
553 \def\@minipagerestore{\let\footnote\originalfootnote} % restore standard \footnote
554 % Now change \verb"\footnote" to the reledmac version:
555 \let\footnote=\footnoteA
```

[Stackexchange help](#).

```
556 \usepackage{microtype}
```

5 Biblatex settings for HSSA

Don't need this at present:

```
557% \usepackage[%  
558% tools={manuscripts},  
559% bibstyle={authoryear},  
560% ]{biblatex-multiple-dm} % for biblatex-manuscripts-philology
```

5.1 Load Biblatex

```
561 \usepackage[%  
562 backend=biber,  
563 %bibstyle=multiple-dm, % for biblatex-manuscripts-philology  
564 %citestyle=authoryear-comp,  
565 %  
566 % now oxref:  
567 style=oxyear,  
568 dashed=true,  
569 usetranslator=true,% see oxref documentation para 2.1.10  
570 %ibidtracker=constrict,  
571 %ibidpage=false,  
572 %pagetracker=page,  
573 %idemtracker=constrict,  
574 sorting=ynt,
```

(on ynt, see [Cikitsā blog post](#).)

```
575 sortcites=true,  
576 backref=false,  
577 date=comp,  
578 datecirca=true,  
579 dateuncertain=true,  
580 bibencoding=auto,  
581 hyperref=auto,  
582 isbn=true,  
583 doi=true,  
584 language=auto,  
585 natbib=true,  
586 texencoding=auto,  
587 url=true,  
588 urldate=short,  
589 useprefix=true,  
590 %refsection=section,  
591 maxbibnames=10]{biblatex}
```

5.2 Settings for oyear

```
592 \ExecuteBibliographyOptions[% for biblatex-oyear
593 book,
594 mvbook,
595 mvcollection,
596 inbook,
597 incollection,
598 inreference,
599 collection,
600 reference,
601 mvreference]{useeditor=true,usetranslator=true}
602 \AtBeginDocument{\assignrefcontextentries[]{*}}
```

See [Cikitsā blog post](#) for further explanation of the above.

5.3 Bibliography sorting

To avoid saying `\newrefcontext[sorting=nyt]` before `\printbibliography` in every document redefine `\printbibliography`

`\printbibliography` (from biblatex.sty):

```
603 \renewrobustcmd*{\printbibliography}{%
604   \newrefcontext[sorting=nyt] % added this line
605   \begingroup
606   \delimcontext{bib}%
607   \edef\on@line{\on@line}%
608   \ifnextchar[%
609     {\blx@printbibliography}
610     {\blx@printbibliography[]}%
611 }
```

5.4 Positioning of the notes

To make bibtex notes print last, like addendums from [Stackexchange](#).

```
612 \DeclareSourceMap{
613   \maps[datatype=bibtex]{
614     \map{
615       \step[fieldsource=note, final]
616       \step[fieldset=addendum, origfieldval, final]
617       \step[fieldset=note, null]
618     }
619   }
620 }
```

5.5 csquotes

The `american` option with `csquotes` gives double quotes in article titles in the bibliography.

```
621 \usepackage[american]{csquotes}
```

5.6 Tweak the citation style

Remove the “p.” and “pp.” from, for example, `\volcite`:

```
622 \DefineBibliographyStrings{english}{%
623     page          = {},
624     pages          = {},
625     volume = {},
626     volumes = {},
627 }
```

5.7 Unused code

Biblatex documentation 4.11. and macros from `biblatex.def` Enable hot URLs for PDFs at Archive.org and Academia.edu etc.

Make URLs smaller:

```
628 %\DeclareFieldFormat{url}{\textsc{url:} {\small \href{#1}{\nolinkurl{#1}}}}
629 %\DeclareFieldFormat{doi}{\textsc{doi:} {\small \href{#1}{\nolinkurl{#1}}}}
```

5.8 URL formatting in the bibliography

5.8.1 Buddhist Digital Resource Center

```
630 \DeclareFieldFormat{eprint:tbrc}{%
631     \textsc{TBRC}\space
632     \ifhyperref
633     {\href{https://www.tbrc.org/\#!rid=#1}{\nolinkurl{#1}}}
634 {\nolinkurl{#1}}}
```

5.8.2 ARK

```
635 \DeclareFieldFormat{eprint:ark}{%
636     \textsc{ark:}\space
637     \ifhyperref
638     {\href{https://n2t.net/#1}{\nolinkurl{#1}}}
639 {\nolinkurl{#1}}}
```

5.8.3 Archive.org

```
640 \DeclareFieldFormat{eprint:archive}{%
```



```

641 Internet Archive\addcolon\space
642 \ifhyperref
643 {\href{http://archive.org/details/#1}{\nolinkurl{#1}}}
644 {\nolinkurl{#1}}}
645 \DeclareFieldAlias{eprint:archiveorg}{eprint:archive}

```

5.8.4 Academia.edu

```

646 \DeclareFieldFormat{eprint:academia}{%
647 Academia.edu\addcolon\space
648 \ifhyperref
649 {\href{http://www.academia.edu/#1}{\nolinkurl{#1}}}
650 {\nolinkurl{#1}}}
651 \DeclareFieldAlias{eprint:academia.edu}{eprint:academia}

```

5.8.5 Digital Library of India

```

652 \DeclareFieldFormat{eprint:dli}{%
653 DLI\addcolon\space
654 \ifhyperref
655 {\href{http://www.dli.gov.in/cgi-bin/DBscripts/allmetainfo.cgi?barcode=#1/}{\nolinkurl{#1}}}
656 {\nolinkurl{#1}}}
657 \DeclareFieldAlias{eprint:DLI}{eprint:dli}

```

5.8.6 JSTOR

```

658 \DeclareFieldFormat{eprint:jstor}{%
659   \ifhyperref
660   {\href{http://www.jstor.org/stable/#1}{\small JSTOR}}}
661   {\nolinkurl{#1}}}

```

5.8.7 Jainelibrary

```

662 \DeclareFieldFormat{eprint:jainlibrary}{%
663 Jain eLibrary\addcolon\space
664 \ifhyperref
665 {\href{http://www.jainlibrary.org/book.php?file=#1}{\nolinkurl{#1}}}
666 {\nolinkurl{#1}}}

```

5.8.8 DOI

```

667 \DeclareFieldFormat{doi}{%
668   \textsc{doi}\addcolon\space
669   \ifhyperref
670   {\href{https://doi.org/#1}{\nolinkurl{#1}}}
671   {\nolinkurl{#1}}}

```

5.9 Tweaks to make the citation form:- Author date: page

```

672 \DeclareFieldFormat{postnote}{#1}
673 \renewcommand{\postnotedelim}{:\,}
674 \renewcommand{\nameyear delim}{ }

```

5.10 “Forthcoming” hacks

Biblatex hacks to get pubstate (“forthcoming” etc.) behaving as it should
 Biblatex manual 4.5.10

```

675 \DeclareLabeldate{%
676   \field{date}
677   \field{year}
678   \field{pubstate}
679   \field{eventdate}
680   \field{origdate}
681   \field{urldate}
682   \literal{nodate}
683 }

```

5.11 Tighten up URL date

```

684 \DeclareFieldFormat{urldate}{%
685   (on
686   \thefield{urlday}\addspace%
687   \mkbibmonth{\thefield{urlmonth}}\addspace%
688   \thefield{urlyear})\isdot}

```

5.12 Hyperlink magic

Some magic from “moewe” at [Stackexchange](#) that makes hyperlinks work
 from citations to a list of abbreviations.

```

689 \DeclareFieldFormat{shorthandwidth}{%
690   \bibhypertarget{shorthand:\thefield{entrykey}}
691   {#1}}
692
693 \DeclareFieldFormat{bibhyperref}{%
694   \iffieldundef{shorthand}
695   {\bibhyperref{#1}}
696   {\bibhyperlink{shorthand:\thefield{entrykey}}{#1}}}

```

TeX stops reading here.

6 Indexing for HSSA

Formerly used xindy; now updated to use xindex

```
697 \usepackage[imakeidx]{xindex}
698 % \PassOptionsToPackage{nonewpage}{imakeidx}
699 %
700 \indexsetup{level=\section*,
701     noclearpage,
702     firstpagestyle=fancy
703 }
704 %
705 \makeindex[name=lexical,
706 title=Lexical Index,
707 columns=3,
708 options= --config iast --no_casesensitive --noheadings, % nocasesensitive,
709 %noheadings
710 ]
711 %
712 \makeindex[name=manuscripts,
713 title=Index of Manuscripts,
714 options= --config iast --no_casesensitive --noheadings,
715 columns=1]
716 %
```

Before the `\printindex` command say
“`\indexprologue{References are to page numbers.}`”

6.1 English-Sanskrit indexes

Command for English words to be followed by Sanskrit in parentheses, and both to be sent to the lexical index.

```
\saneng
717 \newcommand{\saneng}[2]
718 % #1 = Sanskrit
719 % #2 = English
720 {#2 (\sansk{#1})%
721     \index[lexical]{#2!#1@\emph{#1}}%
722     \index[lexical]{#1@\emph{#1}!#2}}
```

`\ssaneng` A “silent” version of `\saneng` that sends items to the index but prints nothing in the main text.

```
723 \providecommand{\ssaneng}[2]{% silent index entry
724 % #1 = Sanskrit
```

```

725 % #2 = English
726 {\index[lexical]{#2!#1@\emph{#1}}}%
727     \index[lexical]{#1@\emph{#1}!#2}}

```

Tidy up the index spacing:

```

728 \renewcommand\@idxitem{\par\hangindent 15\p@ }% from sanmed.sty

```

7 Commands for citing and indexing manuscripts

\MS

```

729 \newcommand{\MS}[1]{MS #1\index[manuscripts]{#1}}
730     \let\MScite=\MS

```

And a silent version (data to index; nothing in text):

```

731 \newcommand{\MSsilent}[1]{\index[manuscripts]{#1}}
732     \let\MSnocite=\MSsilent

```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\# 620	\@empty ... 70, 71, 159	\addcolon 628,
\, 660	\@filecolor 119	634, 640, 650, 655
\@DOI 98,	\@footeraddress ..	\addfontfeature ..
369, 370, 372, 158, 159	. 75, 221, 316, 383
375, 424, 437, 438	\@footerfont 153	\addspace ... 673, 674
\@HSSAarticletitle	\@idxitem 715	\addtocontents .. 138
... 60, 72, 190,	\@ifnextchar 601	\addtolength 472
361, 379, 418, 435	\@ifpackageloaded 115	\advance
\@HSSAauthoraddress	\@linkcolor 116	458, 459, 460, 466
..... 62, 196, 367	\@makecaption ... 326	\Appendix 131
\@HSSAauthorname .	\@menucolor 121	\appendix 134
... 61, 74, 193,	\@minipagefalse . 334	\appendixname ... 133
363, 379, 419, 434	\@minipagerestore 546	\arrangementX ... 539
\@HSSAfooter 66, 86, 99	\@minus 386,	\arraybslash 406
\@HSSAheaderfooterfont	387, 390, 391, 395	\arraystretch ... 408
..... 75,	\@nameuse 544	\assignrefcontextentries
81, 82, 83, 84,	\@pagecolor 122 595
86, 93, 94, 97, 99	\@plus 386,	\AtBeginDocument .
\@HSSAissuedate ..	387, 390, 391, 395 106, 595
..... 77, 365, 380	\@startsection ...	\AtEndDocument .. 127
\@HSSAissuenum 385, 389, 394	\aalign 144
..... 76, 359, 380	\@tempboxa 330, 331, 335	\aufont 142
\@HSSArecto	\@temppdfauthor ..	\Author 428
.... 69, 71, 81, 93 419, 423	\author 61
\@HSSAspecialissuedetails	\@temppdftitle 418, 422	
..... 182, 357	\@titlealign . 142, 143	B
\@HSSAtitle 67, 76, 380	\@titlefont . 146, 148	\baselineskip ... 194
\@HSSAverso	\@urlcolor 120, 207, 374	\BC 527
.... 68, 70, 82, 94	\\ . 61, 97, 206, 222,	\BCE 524
\@LastPage 140	233, 252, 257,	\bce 524
\@alph 538	258, 263, 264,	\beforenotesX ... 542
\@anchorcolor ... 117	265, 266, 267,	\begin 167,
\@arraycr 406	268, 315, 406, 454	179, 187, 203,
\@aalign ... 144, 145	_ ... 76, 319, 380, 436	220, 234, 473, 474
\@aufont 147, 149		\begingroup
\@centercr 454	A 162, 215, 598
\@citecolor 118	\abovecaptionskip 328	\begin{sloka} ... 448
	\AD 527	\belowcaptionskip 337

<code>\bfseries</code>	221	627, 633, 639,	F
<code>\bibhyperlink</code> . . .	683	645, 649, 654,	<code>\fancyfoot</code> . . . 85,
<code>\bibhyperref</code>	682	659, 671, 676, 680	86, 87, 97, 99, 100
<code>\bibhypertarget</code> .	677	<code>\DeclareLabeldate</code> 662	<code>\fancyhead</code> . 80, 81,
<code>\blx@printbibliography</code>		<code>\DeclareSourcemap</code> 605	82, 83, 84, 91,
.	602, 603	<code>\def</code> . . 40, 42, 65, 68,	92, 93, 94, 95, 96
<code>\bottomfraction</code> . .		69, 75, 116, 117,	<code>\fancypage</code> 90
.	339, 345	118, 119, 120,	<code>\fancypagestyle</code> . . 90
<code>\box</code>	335, 468	121, 122, 133,	<code>\fi</code> 336, 375, 465
		140, 142, 144,	<code>\field</code> . . . 663, 664,
C		146, 147, 148,	665, 666, 667, 668
<code>\c@mpfootnote</code> . . .	538	149, 153, 158,	<code>\floatpagefraction</code>
<code>\cclogobox</code> 97, 403, 404		160, 207, 214, 341, 347
<code>\CE</code>	524	302, 327, 357,	<code>\fontsize</code>
<code>\ce</code>	524	359, 361, 363,	148, 149, 154, 171
<code>\centering</code>		365, 367, 369,	<code>\footeraddress</code> . . 142
. . 62, 143, 145,		374, 377, 383,	<code>\footerfont</code> 142
388, 392, 393, 397		398, 399, 464,	<code>\footins</code> 47
<code>\CJK</code>	509	524, 526, 538, 546	<code>\footnote</code> . . . 476, 545
<code>\colalignX</code>	540	<code>\definecolor</code> . 104, 412	<code>\footnoteA</code> 548
<code>\color</code> 165, 309, 314, 318		<code>\delimcontext</code> . . . 599	<code>\footnotemargin</code> . 351
<code>\colorlet</code> 310, 413,		<code>\dev</code> 506, 507	<code>\footnoterule</code> . . . 475
414, 415, 416, 417		<code>\devanagarifont</code> . .	<code>\footnoteruleA</code> . . 537
<code>\columnwidth</code>	410 500, 506, 508	<code>\footnotesize</code> . 173,
<code>\copy</code>	97	<code>\diatop</code> 464	205, 219, 329, 392
<code>\Copyright</code>	428	<code>\dimen</code> 465,	<code>\footnotetext</code> 43
<code>\copyright</code>	436	466, 467, 468, 469	<code>\footrulewidth</code> 89, 102
<code>\copyrightpage</code> . .	301	<code>\dn</code> 498	<code>\fspace</code> 383, 388, 392, 393
<code>\copyrightspage</code> . .		<code>\DOI</code> 369, 371	
.	108, 214		G
<code>\CopyrightURL</code> . . .	429	E	<code>\gdef</code> 66,
<code>\covercitation</code> . .	377	<code>\edef</code> 600	68, 69, 140, 142,
<code>\coverlastpage</code> 129, 302		<code>\else</code> 333, 373, 465	144, 146, 147,
<code>\coverpage</code> . . 107, 160		<code>\emergencystretch</code> 410	153, 158, 357,
		<code>\emph</code> . . 62, 196, 380,	359, 361, 363,
D		708, 709, 713, 714	365, 367, 369,
<code>\date</code>	64	<code>\empty</code> . . . 358, 370, 372	370, 377, 398, 399
<code>\dblfloatpagefraction</code>		<code>\end</code> 176,	<code>\geometry</code> . 49, 49, 353
.	343	183, 198, 209,	<code>\global</code> 334, 404
<code>\dbltopfraction</code> .	342	248, 296, 478, 479	<code>\greekfont</code> 515
<code>\DeclareFieldAlias</code>		<code>\endgroup</code> . . . 210, 297	
. . . . 632, 638, 644		<code>\endlist</code> 451	H
<code>\DeclareFieldFormat</code>		<code>\enumitem</code> 27	<code>\hangfootnotes</code> . . . 43
.	615,	<code>\ExecuteBibliographyOptions</code> 585	<code>\hangindent</code> 715
616, 617, 622,			<code>\hb@xt@</code> 335

<code>\hbox</code> 404, 464, 467, 469	<code>\index</code> ... 708, 709,	M
<code>\headrulewidth</code> 88, 101	713, 714, 716, 718	<code>\makeindex</code> .. 692, 699
<code>\hfil</code> 335	<code>\indexsetup</code> 687	<code>\MakeLowercase</code> .. 393
<code>\href</code> .. 98, 208, 225,	<code>\input</code> 125	<code>\MakeTextLowercase</code>
281, 287, 289,	<code>\isdot</code> 675 19, 76, 81, 82
290, 292, 294,	<code>\item</code> 236,	<code>\maketitle</code> 111
313, 317, 375,	237, 238, 239,	<code>\MakeUppercase</code> 388, 392
615, 616, 620,	241, 243, 244,	<code>\map</code> 607
625, 630, 636,	245, 246, 247, 450	<code>\maps</code> 606
642, 647, 652, 657	<code>\itshape</code> . 173, 397, 538	<code>\marginparwidth</code> .. 32
<code>\hsize</code> 331, 335	J	<code>\mbox</code> 306
<code>\hskip</code> 456	<code>\jobname</code> 428	<code>\medskip</code>
<code>\hspace</code> 43, 166, 202, 544	K	. 172, 250, 255,
<code>\hss</code> 467, 469	<code>\Keywords</code> 429	261, 271, 277, 284
<code>\HSSAarticletitle</code> 361	L	<code>\miniedition</code> 471
<code>\HSSAauthoraddress</code>	<code>\langle</code> 259, 314	<code>\mkbibmonth</code> 674
..... 367, 368	<code>\LARGE</code> 60, 181, 189	<code>\MS</code> 716
<code>\HSSAauthorname</code> ..	<code>\large</code> ... 192, 393, 508	<code>\MScite</code> 481, 717
..... 363, 364	<code>\largesloka</code> 508	<code>\MSnocite</code> 719
<code>\HSSAfirstpage</code> 398, 401	<code>\LastPage</code> 140	<code>\MSSilent</code> ... 718, 719
<code>\HSSAfooter</code> ... 65, 76	<code>\LastPage</code> ... 140, 141	N
<code>\HSSAissuedate</code> 365, 366	<code>\LaTeX</code> 287	<code>\nameyear delim</code> .. 661
<code>\HSSAissuenum</code> ... 359	<code>\leavevmode</code> . 456, 464	<code>\narrower</code> 461
<code>\HSSAjournalAbbrev</code> 411	<code>\lefthyphenmin</code> .. 348	<code>\NeedsTeXFormat</code> ... 1
<code>\HSSAlastpage</code> 399, 402	<code>\leftmargin</code>	<code>\newbox</code> 403
<code>\HSSArecto</code> 69, 74 449, 457, 458	<code>\newcommand</code>
<code>\HSSAshorttitle</code> .. 73	<code>\leftmargini</code> 235	41, 67, 372, 406,
<code>\HSSAspecialissuedetails</code>	<code>\leftskip</code> 459	470, 506, 507,
..... 357	<code>\let</code> 70, 71, 73,	508, 704, 716, 718
<code>\HSSAverso</code> . 68, 72, 73	138, 143, 145,	<code>\newenvironment</code> ..
<code>\ht</code> 466	159, 406, 454, 448, 453, 471
<code>\hypersetup</code>	475, 476, 498,	<code>\newfontfamily</code> ...
.... 361, 363, 430	527, 537, 545,	492, 500, 509, 515
I	546, 548, 717, 719	<code>\newpage</code> . 128, 212, 302
<code>\ifdim</code> 331, 465	<code>\lettergroup</code> 470	<code>\newrefcontext</code> .. 597
<code>\iffieldundef</code> ... 681	<code>\linewidth</code> ... 166,	<code>\newtoks</code> 371
<code>\ifhyperref</code>	167, 179, 187,	<code>\nolinkurl</code> ... 615,
. 619, 624, 629,	202, 203, 204, 220	616, 620, 621,
635, 641, 646, 656	<code>\list</code> 449	625, 626, 630,
<code>\ifhyperrefsloka</code> 651	<code>\literal</code> 669	631, 636, 637,
<code>\ifx</code> 372	<code>\LoadClass</code> 2	642, 643, 648,
<code>\includegraphics</code> .	<code>\long</code> 160, 214, 302, 327	652, 653, 657, 658
..... 169, 405		<code>\normalcolor</code> . 217, 300

<code>\titlealign</code>	142	481, 482, 528,	W
<code>\titlefont</code>	142	531, 536, 549,	<code>\wd</code> 331, 465
<code>\tmptocnumberline</code>	138	550, 554, 614, 684	
<code>\todo</code>	40	V	X
<code>\topfraction</code> .	338, 344	<code>\verb</code> 541, 547	<code>\xcolor</code> 22
<code>\toprule</code>	18	<code>\vfill</code> . . . 178, 185,	<code>\XeTeX</code> 289
		200, 227, 231, 307	<code>\xspace</code> 524
U		<code>\vskip</code> . . . 170, 328, 337	
<code>\usepackage</code> . .	27,	<code>\vspace</code> . . 168, 191,	Z
33, 78, 104, 427,		194, 197, 211, 324	<code>\z@</code> 385, 389, 394