

Vero Status: user guide


A small program: double-click it and a dashboard opens in your browser, showing whether Vero is available and which model it uses.

Start it

- 1 You need Python 3.8 or newer. If it is missing, install it from Software Center or python.org. Nothing else is needed.
- 2 Put the `vero-status` folder somewhere fixed, for example `C:\Tools\vero-status`. If you received the source PDF, let your AI assistant rebuild the folder first (see *Rebuild from the PDF* below).
- 3 Double-click **Vero Status.pyw**. Your browser opens `http://127.0.0.1:8767`. No command window appears. The first check takes about a minute.
- 4 Optional: right-click **Vero Status.pyw** and choose *Send to > Desktop (create shortcut)*. To start it together with Windows, press `Win+R`, type `shell:startup`, and put the shortcut in the folder that opens.

Double-clicking again while it runs just opens the dashboard. **Quit** on the page stops the program.

Read the dashboard



Part	Meaning
Big status	Vero is available means Vero answered the test question. Vero is not available means it did not, and the reason is shown underneath. The page also shows since when the status has been the same and when the last check ran. The browser tab shows ✓ or ×.
Vero open now	Appears while you use Vero yourself: a Vero CLI is running, or a Vero CLI or VS Code session was active in the last 10 minutes. It shows only the current model of that session, and "waiting for the model for N s" while a request is running. For an idle open CLI it shows Vero's configured model.
Vero's model	The model Vero is set to use, read from <code>vero config</code> , with its provider and region.
Answered the last check	The model Vero actually used for the check, as reported by Vero itself, and the Vero CLI version. If there was no answer, this reads <i>Asked in the last check: no answer</i> .
Available, last 24 h	The share of checks in the last 24 hours that got an answer.
Last answer took · Next check	How long Vero took to answer, and when the next automatic check runs.
Last checks	One square per check (green = available, red = not available). Hover a square for its time.

Response time of your own sessions

The panel **Your Vero sessions (CLI and VS Code): response time** shows how long the model takes to start answering when *you* work with Vero:

- the median and the slowest 5 % (p95) over the last hour;
- the median over 24 hours;
- your last 40 model requests as bars. Hover a bar for its time, the model and the token count; red bars are failed requests. The dashed line is the median.

How it is measured:

- Vero writes a log for every task, in `%USERPROFILE%\vero\data\tasks` for the CLI and in the extension's storage under `%APPDATA%\Code\User\globalStorage` for VS Code.
- Each model request is logged when it starts, and the model's first output is logged when it arrives. The difference is the response time, taken from Vero's own clock.
- Only timestamps, model names and token counts are read. Your prompts and answers are never read, and nothing is changed.
- The dashboard's own test questions are not counted. Untick *My own Vero sessions* in Settings to switch this off.

If the VS Code extension keeps its logs somewhere else, VS Code sessions will not appear. The panel then lists

the folders it looked in, so the path can be added.

Vero Status v4.0.0

Check nowSettingsQuit

**Vero is not available**

since Oct 1, 08:27 PM · last check 5 s ago

Vero reported an error (exit code 1): provider unavailable (connect ETIMEDOUT)

VERO'S MODEL

Claude Opus 5

us.anthropic.claude-opus-5
provider bedrock · us-west-2

ASKED IN THE LAST CHECK: NO ANSWER

Claude Haiku 4.5

us.anthropic.claude-haiku-4-5-20251001-v1:0
provider bedrock · vero 2.3.3 (fake0000)

AVAILABLE, LAST 24 H

0%

1 check

LAST ANSWER TOOK

—
for "Reply with exactly: OK"

NEXT CHECK

in 15 min

every 15 min

LAST CHECKS (OLDEST → NEWEST)



Vero is not available. The reason is shown in red.

Settings

Setting	Default	Meaning
Check automatically	every 15 minutes	Off, or every 5, 15, 30 or 60 minutes. Check now works in every mode.
Model used for the check	Claude Haiku 4.5	A cheap model keeps checks cheap. Leave it empty to test the model Vero itself is set to.
Give up after	120 s	A check that takes longer counts as not available.
Vero CLI location	found automatically	Only needed when Vero is not found. In a terminal, <code>where vero</code> shows the path.

Each check asks Vero one tiny question: `Reply with exactly: OK`. It costs two small model calls and takes about a minute, because Vero starts a full agent each time. The check never auto-approves actions (no `--yo!o`) and runs in an empty folder. Nothing Vero answers and no secret is stored.

Team server: one page for everyone, no login

Instead of every colleague running Vero Status, run it once on a server or an always-on PC and share one link. Viewers need nothing installed and do not log in or register.

- 1 On the server, sign in to Vero with the functional account (`vero auth`), then run `python vero_status_server.py` in the folder. Optional: `--port 8080` .
- 2 It prints a **share link** (`http://<server>:8767/`) and an **admin link** (`.../?admin=<key>`). Both are also in `data\vero-status.log` .
- 3 Allow the port once in an administrator PowerShell: `New-NetFirewallRule -DisplayName "Vero Status" -Direction Inbound -LocalPort 8767 -Protocol TCP -Action Allow`
- 4 To start it with the machine: Task Scheduler > Create Task > *Run whether user is logged on or not*, trigger *At startup*, program `pythonw.exe` , argument `vero_status_server.py` , *Start in* the folder, as the functional account.

Who	Sees and can do
Anyone with the share link	Availability, Vero's model, the model of the last check, 24 h availability, the last checks and Recent activity (time, result, model, answer time, who started it). Check now at most once every 5 minutes for everyone together.
Admin link	The same, plus Settings and Check now without waiting. The key is removed from the address bar after opening. Keep the link private; delete <code>data\admin_key.txt</code> and restart to change it.

The server page has no Quit button and does not show *Vero open now* or *your sessions*; those are about your own laptop, so keep using **Vero Status.pyw** locally for them. Plain HTTP is fine on the intranet; put IIS in front for HTTPS. Record the server, functional account and link in the SCMP.

On a Linux VM

On a VM without a desktop (for example one you reach with VS Code Remote-SSH), unzip the folder there and run `bash scripts/install_vm.sh` . It starts Vero Status in the background, starts it again with the VM, and needs no sudo. Open the page on your laptop through VS Code port forwarding (PORTS tab, port 8767) or `ssh -N -L 8767:127.0.0.1:8767 <user>@<vm-host>` . Use `bash scripts/install_vm.sh team` for the team server, `status` to check it, and `uninstall` to remove it. The page footer shows the VM's name.

Try it without Vero

In **Settings > Vero CLI location**, enter `C:\Tools\vero-status\scripts\vero.cmd` and save, then click **Check now**. A built-in fake Vero answers like the real one. Clear the field afterwards.

When something is wrong

You see	Do this
Vero CLI not found on this computer	Enter the path from <code>where vero</code> in Settings.
Vero reported an error ... Unauthorized	Sign in to Vero again (<code>vero auth</code>).
Vero reported an error ... provider unavailable	Vero or its model provider is down. Nothing to do on your side; the dashboard shows when it is back.
no answer within 150 s	Vero hung or is very slow. If it keeps happening, raise <i>Give up after</i> , or tell the Vero owners.
answered, but not with OK	Vero works (it counts as available), but the model or a guardrail answered differently.
"No Vero CLI or VS Code session open" while you use Vero	Your Vero writes its logs to another folder. The latency panel lists where it looked. Send that list and the actual folder to the team.
Vero Status is not running	Double-click Vero Status.pyw .
A message box says the port is in use	Another program uses port 8767. Change <code>"port"</code> in <code>data\settings.json</code> .

Details are in `data\vero-status.log`. To remove the program, click **Quit**, then delete the folder (and the shortcuts, if you made any). Earlier versions (Vero Latency Monitor, Vero Availability Monitor) keep calling Vero until you run `uninstall.bat` in their folders.

Rebuild from the PDF

If you received `Vero_Status_4.3.0_Source.pdf` instead of the folder, give it to Vero CLI or another AI assistant with: *"Follow the instructions on page 1 of this PDF and rebuild the project in C:\Tools."* The PDF contains every file with numbered lines and a verify script that confirms each file is exact. Then continue with *Start it*.