## Profile Summary (Total time: 464.750 s)

Generated 26-Jun-2023 11:26:32 using performance time.

| Function Name   | Calls    | Total Time (s) | Self Time* (s) | Total Time Plot<br>(dark band = self time) |
|---|----------|----------------|----------------|--|
| <u>VertPolarExactSH</u>   | 1        | 464.673        | 13.430         |  |
| project_amplitudes  | 8111     | 197.622        | 0.146          |  |
| integral  | 8111     | 197.477        | 0.197          |  |
| funfun\private\integralCalc   | 8111     | 194.494        | 0.593          |  |
| funfun\private\integralCalc>vadapt                                      | 8111     | 193.902        | 0.234          |  |
| funfun\private\integralCalc>iterateArrayValued                          | 8111     | 193.492        | 7.176          |  |
| theta_from_cylindrical  | 17311    | 192.620        | 7.350          |  |
| my_legendre   | 7798772  | 191.135        | 24.415         |  |
| >@(theta)(ff(theta).*sin(theta)).*collectPI(harmonics_qtt,cos(theta))   | 1566660  | 184.361        | 8.962          |  |
| legendre  | 7798772  | 166.720        | 135.739        |  |
| collectPl   | 5169056  | 165.690        | 32,371         |  |
| a_generator>@(theta)sum(amplitudes.*collectPl(order,cos(theta)),1)      | 3583046  | 121.555        | 12.638         |  |
| tas)interp1(angles,[psNew(1:nb_contact_points)',0],thetas,'linear',0)   | 1566660  | 119.266        | 12.462         |  |
| interp1   | 1566660  | 106.804        | 56.852         |  |
| sin(theta).^2.*sum(times(A_I,collectdnPl(length(A_I),cos(theta))),1)    | 1038263  | 98.085         | 5.823          |  |
| theta_from_cylindrical>@(theta)sin(theta).*(1+zeta(theta))-r(ii)        | 2375450  | 87.082         | 7.024          |  |
| calculate_tan   | 8142     | 83.352         | 0.175          |  |
| collectdnPl   | 1231144  | 74.471         | 8.541          |  |
| legendre_dx   | 1273001  | 63.427         | 7.719          |  |
| legendre>multiply   | 14450114 | 30.980         | 30.980         |  |
| interp1>parseinputs   | 1566660  | 30.426         | 19.622         |  |
| maximum_contact_radius  | 9169     | 21.299         | 0.513          |  |
| interp1>reshapeAndSortXandV   | 1566660  | 19.526         | 15.805         | I .  |
| axis  | 1012     | 12.333         | 0.195          |  |
| (theta)^3.*sum(times(amplitudes,collectdnPl(order,cos(theta),2)),1)     | 41857    | 11.270         | 0.417          | I .  |
| ))-sin(theta)^2*sum(times(amplitudes,collectdnPl(order,cos(theta))))    | 92883    | 9.101          | 0.590          | ı  |
| <u>solvenDDCusp</u>   | 23245    | 6.861          | 6.861          | I  |
| legendre_ddx  | 41857    | 6.732          | 0.386          | I  |
| axis>LocSetEqual  | 1012     | 6.610          | 5.416          | I  |
| interp1>sanitycheckmethod   | 1566660  | 5.420          | 5.420          | I  |
| interp1>isScalarTextArg   | 3133320  | 5.384          | 5.384          | I  |
| axis>isnumericAxes  | 1012     | 5.322          | 4.953          | I  |
| newplotwrapper  | 3036     | 5.047          | 0.261          | I  |
| newplot   | 3036     | 4.772          | 0.544          | I  |
| <u>title</u>  | 1012     | 4.060          | 3.334          | I  |
| interp1>reshapeValuesV  | 1566660  | 3.720          | 3.720          | I  |
| ).*der(theta))./(cos(theta).*(1+zeta(theta))-sin(theta).^2.*der(theta)) | 8142     | 3.335          | 0.163          | I  |
| newplot>ObserveAxesNextPlot   | 3036     | 3.319          | 0.265          | I  |
| cla   | 1012     | 3.054          | 0.140          | I  |
| funfun\private\integralParseArgs  | 8111     | 2.785          | 2.456          | I  |

| graphics\private\clo  | 1012   | 2.653 | 2.646 | l . |
|---|--------|-------|-------|-----|
| heta)sum(amplitudes.*collectdnPl(length(amplitudes),cos(theta)),1)                              | 16284  | 1.952 | 0.144 |     |
| xesInteractions>UnifiedAxesInteractions.createDefaultInteractions                               | 5060   | 1.755 | 0.903 |     |
| funfun\private\integralCalc>AtoBInvTransform  | 104444 | 1.696 | 1.696 |     |
| zs_from_spherical   | 18309  | 1.651 | 0.239 |     |
| $ \underline{arController.ToolbarController} \geq \underline{@(e,d)obj.handleMouseMotion(e,d)}$ | 4      | 1.541 | 0.001 |     |
| <u>opToolbarController&gt;DesktopToolbarController.handleMouseMotion</u>                        | 4      | 1.540 | 0.011 |     |
| Controller.ToolbarController>ToolbarController.handleMouseMotion                                | 4      | 1.448 | 0.020 |     |
| hold  | 2024   | 1.065 | 0.621 |     |
| <u>barController.ToolbarController&gt;ToolbarController.getDefaultToolbar</u>                   | 2      | 1.018 | 0.058 |     |
| solve_ODE_unkown  | 9154   | 0.967 | 0.699 |     |
| r_from_spherical  | 19350  | 0.789 | 0.149 |     |
| AxesToolbar,AxesToolbar>AxesToolbar,AxesToolbar   | 2      | 0.537 | 0.000 |     |
| AxesToolbar,AxesToolbar>AxesToolbar,AxesToolbar   | 2      | 0.536 | 0.200 |     |
| getpixelposition  | 1012   | 0.516 | 0.025 |     |
| grid  | 1012   | 0.514 | 0.332 |     |
| tPixelPositionHelper>GetPixelPositionHelper.getPixelPositionHelper                              | 1012   | 0.491 | 0.425 |     |
| <u>objArrayDispatch</u>   | 4048   | 0.456 | 0.296 |     |
| <u>gobjects</u>   | 10120  | 0.455 | 0.455 |     |
| markFigure  | 5060   | 0.450 | 0.450 |     |
| CanvasPlugin,CanvasPlugin>CanvasPlugin.createCanvas   | 1      | 0.443 | 0.185 |     |
| rButton,AxesToolbarButton>AxesToolbarButton,AxesToolbarButton                                   | 24     | 0.420 | 0.126 |     |
| Controller.ToolbarController>ToolbarController.createToolbarButton                              | 22     | 0.409 | 0.041 |     |
| $ \underline{s} \verb -UnifiedAxesInteractions.queueCreateDefaultInteractionsOnAxes$            | 5060   | 0.400 | 0.111 |     |
| ToolbarButtonRegistry>ToolbarButtonRegistry.getButton   | 26     | 0.360 | 0.055 |     |
| zeta_generator  | 52931  | 0.339 | 0.339 |     |
| ToolbarPushButton>ToolbarPushButton.ToolbarPushButton   | 10     | 0.292 | 0.003 |     |
| ButtonImage.doUpdate  | 48     | 0.290 | 0.030 |     |
| dAxesInteractions>UnifiedAxesInteractions,queuedAxesOperations                                  | 5061   | 0.290 | 0.290 |     |
| UnifiedAxesInteractions>UnifiedAxesInteractions.getCanvas                                       | 5060   | 0.280 | 0.280 |     |
| solve_ODE_unkown>@(jj,field)previous_conditions{jj},(field)                                     | 36616  | 0.268 | 0.268 |     |
| graphics\private\claNotify  | 1012   | 0.262 | 0.210 |     |
| ButtonImage.ButtonImage>ButtonImage.getImageData  | 48     | 0.245 | 0.012 |     |
| funfun\private\Gauss7Kronrod15  | 8111   | 0.231 | 0.231 |     |
| AxesToolbarButton,AxesToolbarButton>AxesToolbarButton,set.Icon                                  | 46     | 0.223 | 0.017 |     |
| IconView>IconView.loadImage   | 25     | 0.223 | 0.002 |     |
| IconView>IconView.getTrueColorData  | 25     | 0.221 | 0.037 |     |
| solveDD0  | 711    | 0.216 | 0.216 |     |
| lbarButton,AxesToolbarButton>AxesToolbarButton.setStandardIcon                                  | 51     | 0.215 | 0.115 |     |
| num2str   | 2100   | 0.204 | 0.057 |     |
| funfun\private\integralCalc>checkSpacing  | 23334  | 0.183 | 0.183 |     |
| funfun\private\integralCalc>split   | 8111   | 0.176 | 0.176 |     |
| ToolbarFactory>ToolbarFactory.getToolbar  | 1      | 0.170 | 0.109 |     |
| imresize  | 25     | 0.158 | 0.051 |     |
| ToolbarController,ToolbarController>ToolbarController,showToolbar                               | 2      | 0.158 | 0.004 |     |

| xesToolbar.doUpdate  | 3     | 0.154 | 0.059 |
|--|-------|-------|-------|
| arController.ToolbarController>ToolbarController.get.FadeOutTimer              | 8     | 0.151 | 0.003 |
| Controller.ToolbarController>ToolbarController.createFadeOutTimer              | 1     | 0.147 | 0.016 |
| FadeTimer>FadeTimer.FadeTimer  | 1     | 0.130 | 0.080 |
| ToolbarButtonRegistry>ToolbarButtonRegistry.getContainer                       | 2     | 0.128 | 0.030 |
| ToolbarStateButton>ToolbarStateButton.ToolbarStateButton                       | 12    | 0.124 | 0.007 |
| axis>iscartesian   | 1012  | 0.122 | 0.122 |
| num2str>handleNumericPrecision   | 1006  | 0.111 | 0.008 |
| num2str>convertUsingRecycledSprintf  | 1006  | 0.103 | 0.103 |
| Button,Button>Button,Button  | 24    | 0.099 | 0.043 |
| nteractionContainer>InteractionContainer.get.Enabled                           | 5062  | 0.099 | 0.099 |
| nggetbehavior  | 62    | 0.094 | 0.008 |
| CanvasSetup>CanvasSetup.createScribeLayers                                     | 1     | 0.086 | 0.024 |
| newplot>ObserveFigureNextPlot  | 3036  | 0.085 | 0.085 |
| axescheck  | 2024  | 0.085 | 0.058 |
| TextInteractions>TextInteractions,createAndRegisterTextControl                 | 2024  | 0.083 | 0.031 |
| nggetbehavior>localGet   | 26    | 0.082 | 0.022 |
| PointerMixin>PointerMixin.updatePointer  | 6     | 0.081 | 0.030 |
| funfun\private\integralCalc>finalInputChecks                                   | 8111  | 0.076 | 0.076 |
| <u>lbarButton</u> ,AxesToolbarButton>AxesToolbarButton.makelconPaths           | 51    | 0.075 | 0.001 |
| AxesToolbarButton.AxesToolbarButton>makelconPath                               | 51    | 0.074 | 0.002 |
| isPublishingTest   | 5062  | 0.072 | 0.072 |
| GetPixelPositionHelper>getparent   | 1012  | 0.066 | 0.066 |
| AxesToolbar.isEnabledForAxes   | 30    | 0.066 | 0.039 |
| tackManager.ScribeStackManager>ScribeStackManager.getLayer                     | 6     | 0.065 | 0.005 |
| fullfile   | 102   | 0.063 | 0.022 |
| ToolbarController,ToolbarController>ToolbarController,hideToolbar              | 4     | 0.061 | 0.003 |
| <u>lipud</u>   | 10135 | 0.061 | 0.061 |
| er.DesktopToolbarController>DesktopToolbarController.getInstance               | 1     | 0.061 | 0.000 |
| lbarController>DesktopToolbarController.DesktopToolbarController               | 1     | 0.060 | 0.023 |
| ckManager.ScribeStackManager>ScribeStackManager.createLayer                    |       | 0.057 | 0.033 |
| FadeTimer>FadeTimer.start  | 1     | 0.055 | 0.009 |
| hgbehaviorfactory  | 26    | 0.055 | 0.002 |
| ToolbarDropdown>ToolbarDropdown.ToolbarDropdown                                | 2     | 0.053 | 0.016 |
| hgbehaviorfactory>localCreate  | 26    | 0.053 | 0.037 |
| TextInteractions>TextInteractions.getCanvas                                    | 2024  | 0.052 | 0.052 |
| ControlsGroup>ControlsGroup.doUpdate   | 6     | 0.051 | 0.034 |
| <u>clearNotify</u>   | 1011  | 0.051 | 0.051 |
| AxesToolbar.AxesToolbar>AxesToolbar.parentToolbarToAxesPane                    | 2     | 0.050 | 0.023 |
| mresize>parseInputs  | 25    | 0.049 | 0.017 |
| imer.timer>timer   | 3     | 0.047 | 0.026 |
| funfun\private\integralParseArgs>validateRelTol                                | 8111  | 0.042 | 0.042 |
| <u>b.graphics.illustration.ColorBar')  isa(obj,'matlab.ui.control.UIAxes')</u> | 28992 | 0.041 | 0.041 |
| FadeTimer>@(e,d)this.fade  | 2     | 0.041 | 0.000 |

| FadeTimer>FadeTimer.fade   | 2    | 0.040 | 0.021 |  |
|--|------|-------|-------|--|
| Button.doUpdate  | 31   | 0.040 | 0.023 |  |
| PostUpdatePlugin>@(sourceObj,evtData)obj.cacheLoad(sourceObj)                              | 1    | 0.040 | 0.000 |  |
| PostUpdatePlugin>PostUpdatePlugin.cacheLoad  | 1    | 0.039 | 0.039 |  |
| ToolbarDropdown>ToolbarDropdown.doUpdate   | 2    | 0.038 | 0.010 |  |
| timercb  | 9    | 0.036 | 0.019 |  |
| int2str  | 1094 | 0.036 | 0.036 |  |
| makehgtform  | 37   | 0.034 | 0.027 |  |
| timer.start  | 1    | 0.034 | 0.010 |  |
| $ \underline{Ibar Controller, Toolbar Controller > Toolbar Controller, do Button Unhover}$ | 5    | 0.031 | 0.011 |  |
| <u>validateDataType</u>  | 84   | 0.030 | 0.014 |  |
| $ \underline{ontroller. Toolbar Controller > Toolbar Controller, set Toolbar Mode State}$  | 2    | 0.030 | 0.000 |  |
| Backdrop>Backdrop,doUpdate   | 12   | 0.030 | 0.023 |  |
| <u>edModeStrategy&gt;FigureBasedModeStrategy.setToolbarModeState</u>                       | 2    | 0.030 | 0.006 |  |
| barButton.AxesToolbarButton>AxesToolbarButton.setOverflowlcon                              | 5    | 0.028 | 0.001 |  |
| funfun\private\integralParseArgs>validateArrayValued                                       | 8111 | 0.028 | 0.028 |  |
| contributions  | 50   | 0.027 | 0.022 |  |
| axescheck>@(x)(isStringScalar(x)  ischar(x))&&strcmpi('parent',x)                          | 2024 | 0.027 | 0.022 |  |
| strcat   | 51   | 0.027 | 0.026 |  |
| funfun\private\integralParseArgs>validateAbsTol  | 8111 | 0.027 | 0.027 |  |
| ToolbarController.ToolbarController>ToolbarController.createListeners                      | 2    | 0.026 | 0.001 |  |
| FadeGroup>FadeGroup.FadeGroup  | 4    | 0.026 | 0.016 |  |
| toolboxdir   | 51   | 0.026 | 0.008 |  |
| PointerMixin>PointerMixin,hasDisabledInteractions  | 6    | 0.025 | 0.021 |  |
| ler.ToolbarController>ToolbarController.setToolbarBackgroundColor                          | 2    | 0.025 | 0.015 |  |
| ureBasedModeStrategy>FigureBasedModeStrategy,createListeners                               | 2    | 0.025 | 0.024 |  |
| IconView>IconView.set.Icon   | 51   | 0.025 | 0.012 |  |
| ButtonImage.ButtonImage>ButtonImageButtonImage   | 26   | 0.025 | 0.012 |  |
| graph2d\private\labelcheck   | 1012 | 0.025 | 0.025 |  |
| cell.ismember  | 51   | 0.024 | 0.007 |  |
| <u>lbarController.ToolbarController&gt;ToolbarController.ToolbarController</u>             | 1    | 0.024 | 0.023 |  |
| AxesToolbar.AxesToolbar>AxesToolbar.togglePickable   | 5    | 0.023 | 0.009 |  |
| FadeGroup>FadeGroup.doTransformTrueColorToTrueColor  | 76   | 0.022 | 0.011 |  |
| close  | 1    | 0.022 | 0.001 |  |
| CanvasPlugin,CanvasPlugin>CanvasPlugin,getInstance   | 1    | 0.022 | 0.021 |  |
| ScribeLayer.ScribeLayer>ScribeLayer.ScribeLayer  | 3    | 0.022 | 0.010 |  |
| convertStringToCharArgs  | 1012 | 0.021 | 0.021 |  |
| ind2rgb  | 25   | 0.020 | 800.0 |  |
| imresize>resizeAlongDim  | 46   | 0.020 | 0.019 |  |
| close>safegetchildren  | 1    | 0.020 | 0.010 |  |
| mustBeMember   | 2    | 0.019 | 0.015 |  |
| linspace   | 1087 | 0.018 | 0.018 |  |
| ControlsGroup>ControlsGroup.ControlsGroup  | 4    | 0.018 | 0.016 |  |
| ToolbarValidator>ToolbarValidator.isValidIcon  | 46   | 0.017 | 0.015 |  |
| validateDataType>GetSubscripts   | 36   | 0.017 | 0.006 |  |
|  |      |       |       |  |

| Backdrop>Backdrop.Backdrop   | 6    | 0.017 | 0.009 |  |
|--|------|-------|-------|--|
| flipIr   | 2024 | 0.017 | 0.017 |  |
| datetime.datetime>datetime.datetime  | 3    | 0.015 | 0.005 |  |
| cell.unique  | 4    | 0.015 | 0.005 |  |
| mltimerpackage>initPackage   | 1    | 0.015 | 0.005 |  |
| AxesToolbar,AxesToolbar>AxesToolbar,getToolbarButtons  | 12   | 0.015 | 0.010 |  |
| imresize>fixupSizeAndScale   | 25   | 0.015 | 0.011 |  |
| $ \underline{lbarController.ToolbarController} > \underline{@(e,d)obj.handleMouseExited(e,d)}$               | 2    | 0.014 | 0.000 |  |
| Button.Button>Button.set.Content   | 26   | 0.014 | 0.011 |  |
| $ \underline{opToolbarController} \\ DesktopToolbarController.handle Mouse Exited$                           | 2    | 0.014 | 0.000 |  |
| InteractionInfoPanel>InteractionInfoPanel.maybeShow  | 1    | 0.014 | 0.012 |  |
| $ \underline{r Controller. Toolbar Controller> Toolbar Controller. handle Mouse Exited}$                     | 2    | 0.014 | 0.001 |  |
| hgbehaviorfactory>localGetBehaviorInfo   | 26   | 0.013 | 0.013 |  |
| transformViewerToWorld   | 3    | 0.013 | 0.010 |  |
| isClipboardSupported   | 4    | 0.013 | 0.012 |  |
| $. \underline{olbar Controller. Toolbar Controller > Toolbar Controller. \underline{get. Tool Tip Timer}}\\$ | 5    | 0.013 | 0.002 |  |
| PointerMixin>PointerMixin.setPointerStrategy   | 1    | 0.013 | 0.012 |  |
| mltimerpackage   | 13   | 0.012 | 0.006 |  |
| ind2rgb  | 25   | 0.012 | 0.011 |  |
| $ \underline{tesian Axes Interaction Container. Cartesian Axes Interaction Container}$                       | 1    | 0.012 | 0.001 |  |
| timer.timercb  | 9    | 0.012 | 0.006 |  |
| ScribeLayer.ScribeLayer>@(src,event)hObj.childAdded(src,event)   | 2    | 0.011 | 0.000 |  |
| imresize>parsePreMethodArgs  | 25   | 0.011 | 0.009 |  |
| FadeTimer>FadeTimer.stop   | 2    | 0.011 | 0.007 |  |
| arController,ToolbarController>ToolbarController,createTooltipTimer  | 1    | 0.011 | 0.007 |  |
| oolbarButton.AxesToolbarButton>AxesToolbarButton.setParentImpl   | 44   | 0.011 | 0.011 |  |
| ScribeLayer.ScribeLayer>ScribeLayer.childAdded   | 2    | 0.011 | 0.010 |  |
| getDefaultCamera   | 2    | 0.011 | 0.007 |  |
| ButtonImage.ButtonImage>@(e,d)obj.updateCache(e)   | 75   | 0.011 | 0.003 |  |
| $ \underline{and} \underline{ardAxesInteractionContainer}. \underline{StandardAxesInteractionContainer}$     | 1    | 0.011 | 0.001 |  |
| allchild   | 1    | 0.010 | 0.010 |  |
| axis>allAxes   | 1012 | 0.010 | 0.010 |  |
| PointerMixin>PointerMixin.getPointerFromObject   | 2    | 0.010 | 0.002 |  |
| datetime.minus   | 1    | 0.010 | 0.008 |  |
| AnnotationPane.AnnotationPane>AnnotationPane.AnnotationPane  | 2    | 0.010 | 0.001 |  |
| AxesToolbar,getBehaviorName  | 30   | 0.009 | 0.009 |  |
| iner>BaseAxesInteractionContainer,BaseAxesInteractionContainer   | 1    | 0.009 | 0.001 |  |
| ButtonImage,ButtonImage>ButtonImage,set.ImageSource  | 26   | 0.009 | 0.009 |  |
| datetime.datetime>currentTime  | 3    | 0.009 | 0.008 |  |
| $ \underline{DesktopToolbarController} \\ DesktopToolbarController.translate Event$                          | 4    | 0.009 | 0.002 |  |
| fullfile>refinePath  | 102  | 0.009 | 0.004 |  |
| AnnotationPane.AnnotationPane>AnnotationPane.doSetup   | 2    | 0.008 | 0.008 |  |
| oolbarButton,AxesToolbarButton>AxesToolbarButton,getParentImpl   | 168  | 0.008 | 0.008 |  |
| InteractionContainer>InteractionContainer.InteractionContainer   | 1    | 0.008 | 0.008 |  |
| ButtonImage.ButtonImage>ButtonImage.updateCache  | 75   | 0.008 | 0.008 |  |

| timer,timer>timer,set,TimerFcn   | 2    | 0.008 | 0,007 |
|--|------|-------|-------|
| FadeGroup>blendTrueColorData   | 76   | 0.008 | 0.008 |
| cell.unique>celluniqueR2012a   | 4    | 0.007 | 0.007 |
| AxesToolbar.AxesToolbar>AxesToolbar.matchBackgroundColor                   | 2    | 0.007 | 0.001 |
| <u>seAxesInteractionContainer&gt;BaseAxesInteractionContainer.set.is2d</u> | 1012 | 0.007 | 0.007 |
| PointerMixin>PointerMixin_getHitObject                                     | 6    | 0.007 | 0.006 |
| hggetbehavior>localPeek  | 62   | 0.007 | 0.007 |
| ismember   | 4    | 0.006 | 0.001 |
| makehgtform>matrixMultiply   | 68   | 0.006 | 0.006 |
| AxesToolbar.AxesToolbar>AxesToolbar.addChild                               | 20   | 0.006 | 0.005 |
| <u>isprop</u>  | 14   | 0.006 | 0.003 |
| AxesToolbar,AxesToolbar>AxesToolbar,setBackgroundColor                     | 2    | 0.006 | 0.004 |
| utton,AxesToolbarButton>AxesToolbarButton,set,BackgroundColor              | 26   | 0.006 | 0.002 |
| getSpatialTransforms   | 3    | 0.006 | 0.006 |
| IconView>IconView.setDPIScale  | 48   | 0.006 | 0.004 |
| cubic  | 50   | 0.006 | 0.006 |
| ller.DesktopToolbarController>DesktopToolbarController.getHitAxes          | 4    | 0.006 | 0.006 |
| FadeTimer>@(e,d)this.timercb   | 9    | 0.006 | 0.001 |
| sToolbarButton,AxesToolbarButton>AxesToolbarButton,set,Position            | 21   | 0.006 | 0.006 |
| <u>isStringScalar</u>  | 2024 | 0.006 | 0.006 |
| VertPolarExactSH>@(n)sqrt(n.*(n+2).*(n-1)./1)                              | 226  | 0.005 | 0.005 |
| ismember>ismemberR2012a  | 4    | 0.005 | 0.002 |
| timer.timer>timer.set.ObjectVisibility                                     | 1    | 0.005 | 0.005 |
| ToolbarController,ToolbarController>ToolbarController,inActiveArea         | 2    | 0.005 | 0.001 |
| fullfile>fixIRI  | 102  | 0.005 | 0.005 |
| ToolbarDropdown>ToolbarDropdown.doGetChildren                              | 12   | 0.005 | 0.005 |
| sktopToolbarController>DesktopToolbarController.canShowToolbar             | 4    | 0.005 | 0.001 |
| com.mathworks.timer.TimerTask (Java method)                                | 9    | 0.005 | 0.005 |
| AxesToolbar.AxesToolbar>AxesToolbar.set.Opacity                            | 6    | 0.005 | 0.005 |
| AxesToolbar.AxesToolbar>AxesToolbar.getParentImpl                          | 64   | 0.005 | 0.005 |
| FadeTimer>FadeTimer.get.Running  | 8    | 0.005 | 0.002 |
| tackManager.ScribeStackManager>ScribeStackManager.findLayer                | 21   | 0.005 | 0.005 |
| AxesToolbar.AxesToolbar>AxesToolbar.setToolbarPosition                     | 2    | 0.004 | 0.003 |
| FadeTimer>FadeTimer.timercb  | 9    | 0.004 | 0.004 |
| stringToChar   | 25   | 0.004 | 0.002 |
| ToolbarButtonRegistry>ToolbarButtonRegistry.getInstance                    | 20   | 0.004 | 0.002 |
| olbarButton,AxesToolbarButton>AxesToolbarButton,togglePickable             | 60   | 0.004 | 0.004 |
| timer.stop   | 2    | 0.004 | 0.003 |
| fullfile>ensureTrailingFilesep   | 102  | 0.004 | 0.001 |
| ToolbarDropdown>ToolbarDropdown.addChild                                   | 10   | 0.004 | 0.003 |
| isCharOrString   | 1012 | 0.004 | 0.004 |
| ToolbarStateButton>ToolbarStateButton.set.Value                            | 12   | 0.004 | 0.003 |
| ToolbarController,ToolbarController>ToolbarController.isOverToolbar        | 2    | 0.004 | 0.001 |
| ager,ScribeStackManager>ScribeStackManager,getDefaultCamera                | 2    | 0.004 | 0.001 |
|  |      |       |       |
|  |      |       |       |

| ControlsGroup>ControlsGroup addChild +internal\private\combineTransforms | 1 <u>4</u><br>3 | 0.004 | 0.001 |
|--|-----------------|-------|-------|
| timer.timer>timer.get.Running  | 15              | 0.003 | 0.001 |
| PointerMixin>PointerMixin.getAxes3D                                      | 2               | 0.003 | 0.003 |
| arController.ToolbarController>@(s,e)obj,fadeOut(1-s.CurrentFade)        | 2               | 0.003 | 0.000 |
| PointerMixin>PointerMixin.getEnabledByBehavior                           | 2               | 0.003 | 0.001 |
| isprop>hasProp   | 14              | 0.003 | 0.003 |
| IconDropdownView>IconDropdownView,addDecoration                          | 2               | 0.003 | 0.003 |
| "  |                 |       |       |
| PointerMixin>PointerMixin.createModeListener                             | 6               | 0.003 | 0.002 |
| ButtonImage.ButtonImage>ButtonImage.set.Layer                            | 26              | 0.003 | 0.003 |
| FadeGroup>FadeGroup.getParentColorSpace                                  | 76              | 0.003 | 0.003 |
| ToolbarButtonRegistry>ToolbarButtonRegistry.createRegistration           | 16              | 0.003 | 0.003 |
| PointerMixin>PointerMixin.isModeEnabled                                  | 6               | 0.003 | 0.002 |
| fullfile>addTrailingFileSep  | 102             | 0.003 | 0.003 |
| nt_conditions_deformation_velocities(idx)/(f(idx)+1e-30)*sin(f(idx)*t)   | 75              | 0.003 | 0.002 |
| ToolbarController,ToolbarController>ToolbarController,fadeOut            | 2               | 0.003 | 0.000 |
| ton.AxesToolbarButton>AxesToolbarButton.doSetBackgroundColor             | 26              | 0.003 | 0.003 |
| timer.timer>timer.getJobjects  | 14              | 0.003 | 0.003 |
| FadeGroup>FadeGroup.doUpdate   | 8               | 0.003 | 0.003 |
| IconView>IconView.IconView   | 26              | 0.003 | 0.002 |
| ButtonImage_ButtonImage>ButtonImage_applyAlpha                           | 48              | 0.003 | 0.003 |
| ToolbarButtonRegistry>ToolbarButtonRegistry,isValidButtonForAxes         | 26              | 0.003 | 0.003 |
| ToolbarController.ToolbarController>ToolbarController.fade               | 2               | 0.003 | 0.002 |
| ismember>ismemberClassTypes  | 2               | 0.002 | 0.002 |
| partialMatchString   | 4               | 0.002 | 0.002 |
| ToolbarButtonRegistry>ToolbarButtonRegistry,createRegistryMaps           | 1               | 0.002 | 0.001 |
| timer,timer>timer,getProperty  | 15              | 0.002 | 0.002 |
| in>@(sourceObj,evtData)obj,processInteractions(evtData,Canvas)           | 1               | 0.002 | 0.000 |
| findFirstParamString   | 25              | 0.002 | 0.002 |
| ButtonImage.ButtonImage>ButtonImage.getImageRatios                       | 48              | 0.002 | 0.002 |
| deriveScaleFromSize  | 25              | 0.002 | 0.002 |
| +internal\private\combineTransforms>qetCameraViewport                    | 3               | 0.002 | 0.002 |
| isUlFigure   | 8               | 0.002 | 0.002 |
| PostUpdatePluqin>PostUpdatePluqin,processInteractions                    | 1               | 0.002 | 0.001 |
| isPureNearestNeighborComputation   | 96              | 0.002 | 0.002 |
| DataCursorBehavior>DataCursorBehavior.DataCursorBehavior                 | 24              | 0.002 | 0.001 |
| imresize>preprocessImage   | 25              | 0.002 | 0.001 |
|  |                 |       |       |
| stringToChar>@(x)convertToChar(x)  | 50              | 0.002 | 0.001 |
| imresize>fixupSize   | 25              | 0.002 | 0.002 |
| imresize>scaleOrSize   | 25              | 0.002 | 0.002 |
| FadeTimer>FadeTimer,isvalidTimer   | 15              | 0.002 | 0.002 |
| ToolbarButtonRegistry>ToolbarButtonRegistry.createMapping                | 2               | 0.002 | 0.002 |
| imresize>warnIfPostMethodArgs  | 25              | 0.002 | 0.002 |
| imresize>findMethodArg   | 25              | 0.002 | 0.002 |
| nterModeStrategy>FigurePointerModeStrategy,createModeListener            | 6               | 0.002 | 0.002 |
|  | ı               | ı     | 1     |

| Batton Saluton Self Jose Syve         44         0.002         0.002           Achaer Control Selector Control Control Control Selector Selector (Control Control Control Selector)         4         0.002         0.001           Permethic Resolution Democratic Paras Amostator Paras   |  |     |       |       |
|---|--|-----|-------|-------|
| Autonotation   Point and Marian   Point and Maria  |  |     |       |       |
| Public Michael Public Allayse   24  | oolbarController,DesktopToolbarController>isAxesToolbarExcluded  |     | 0.002 | 0.002 |
| Button Button Station Statio  | AnnotationPane.AnnotationPane>AnnotationPane.setParentImpl   | 2   | 0.002 | 0.001 |
| Indexest-Hill   | PointerMixin>PointerMixin.getInvisibleAxes   | 8   | 0.002 | 0.002 |
| Access   A  | Button.Button>Button.set.Layer   | 24  | 0.001 | 0.001 |
| Data   Controller Toolbar Controller Toolbar Controller CanShow Toolbar   | <u>isAxesHit</u>   | 2   | 0.001 | 0.001 |
| Danisha   State   Danisha   State   Danisha   | imresize>postprocessImage  | 25  | 0.001 | 0.001 |
| Toolbar/Dropdowne Toolbar/Dr  | $. \underline{olbar Controller, Toolbar Controller} \\ - \underline{Toolbar Controller, can Show Toolbar}$ | 4   | 0.001 | 0.001 |
| Musis   Bellinita   | <u>blanks</u>  | 51  | 0.001 | 0.001 |
| Aces   Toolbar   Aces  | ToolbarDropdown>ToolbarDropdown.doSetBackgroundColor   | 3   | 0.001 | 0.001 |
| a Foritet Hodes Stratecy > Figure Pointer Mode Stratecy > Shode Enabled 6 0.001     | mustBeFinite   | 53  | 0.001 | 0.001 |
| ind2rpbPreProcess   25  | AxesToolbar.AxesToolbar>localGetCanvasContainingAncestor   | 6   | 0.001 | 0.001 |
| Gitment-private/salava Timer  | ePointerModeStrategy>FigurePointerModeStrategy.isModeEnabled   | 6   | 0.001 | 0.001 |
| ConDropdownYlews ConDropdownYlews ConDropdownYlews  2   | ind2rgbPreProcess  | 25  | 0.001 | 0.001 |
| Semember-IssumemberBullinTypes  | @timer\private\isJavaTimer   | 4   | 0.001 | 0.001 |
| Button.Button.set.BorderType         24         0.001         0.001           ToolbarDropdown=ToolbarDropdown.setParentImpl         4         0.001         0.001           PostUpdatePlugin>PostUpdatePlugin         1         0.001         0.001           isMatchingSize         4         0.001         0.000           settings         5         0.001         0.000           fullfile≥@(x)=iscell(x)&&issmpty(x)         408         0.001         0.001           AnnotationPaneAnnotationPane>AnnotationPane.addChild         4         0.001         0.001           Backdronz-Backdron.set.Color         10         0.001         0.001           timer.timer>makeDefaultJobject         2         0.001         0.001          bacController.ToolbarController.getCanvasEjugue         5         0.001         0.001          bacController.ToolbarController.ScribeStackManager.basLavers         3         0.001         0.001           Button.Button:Ebutton.checkColorSpaceDependency         24         0.001         0.001           Button.Button:Ebutton.checkColorSpaceDependency         2         0.001         0.001           PointerMixin>PointerMixin>PointerMixin>PointerMixin>PointerMixin>PointerMixin>PointerMixin>PointerMixin         1         0.001         0.001           dateti  | IconDropdownView>IconDropdownView.IconDropdownView   | 2   | 0.001 | 0.000 |
| ToolbarDropdown=ToolbarDropdown.setParentInnel  | ismember>ismemberBuiltinTypes  | 2   | 0.001 | 0.001 |
| PostUpdatePtugin>PostUpdatePtugin.PostUpdatePtugin  | Button.Button>Button.set.BorderType  | 24  | 0.001 | 0.001 |
| isMatchingSize         4         0.001         0.001           settings         5         0.001         0.000           fulfitle≥@(x)=iscell(x)&&isempty(x)         408         0.001         0.001           ToolTipMixin>ToolTipMixin.hideToolTip         61         0.001         0.001           AnnotationPane.AnnotationPane>AnnotationPane.addChild         4         0.001         0.001           Backdrop>Backdrop.set.Color         10         0.001         0.001           timer.timer>makeDefaultJobject         2         0.001         0.001  | ToolbarDropdown>ToolbarDropdown.setParentImpl  | 4   | 0.001 | 0.001 |
| settings         5         0.001         0.000           fulfitle=@(x)=iscell(x)i&isempty(x)         408         0.001         0.001           ToolTinMixin>ToolTinMixin.hideToolTip         61         0.001         0.001           AnnotationPane.AnnotationPane>AnnotationPane.addChild         4         0.001         0.001           Backdrop>Backdrop.set.Color         10         0.001         0.001           timer.timer>makeDefaultJobject         2         0.001         0.001          barController.ToolbarController.getCanvasFigure         5         0.001         0.001          ackManager.ScribeStackManager>ScribeStackManager.ScribeLaver.ScribeL  | PostUpdatePlugin>PostUpdatePlugin.PostUpdatePlugin   | 1   | 0.001 | 0.001 |
| Multiplies@(x)-iscell(x)&&isempty(x)  | <u>isMatchingSize</u>  | 4   | 0.001 | 0.001 |
| ToolTipMixin>ToolTipMixin.hideToolTip   | settings   | 5   | 0.001 | 0.000 |
| AnnotationPane.AnnotationPane.AnnotationPane.addChild 4 0.001 0.0 | fullfile>@(x)~iscell(x)&&isempty(x)  | 408 | 0.001 | 0.001 |
| Backdrop≥Backdrop≥set_Color         10         0.001         0.001           timer,timer>makeDefaultJobject         2         0.001         0.001          barController,ToolbarController>ToolbarController,getCanvasFigure         5         0.001         0.001          ackManager,ScribeStackManager>ScribeStackManager,hasLayers         3         0.001         0.001           Button.Button>Button,checkColorSpaceDependency         24         0.001         0.001           getViewportInDevicePixels         2         0.001         0.001           PointerfMixin>PointerfMixin,allowsPanBeforeZoom         2         0.001         0.001           PointerfMixin>PointerMixin,allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior.dosupport         24         0.001         0.001           duration_duration-fromMillis         1         0.001         0.001           datetime_datetime_getsettLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton=AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001          asedModeSt  | ToolTipMixin>ToolTipMixin.hideToolTip  | 61  | 0.001 | 0.001 |
| timer.timer>makeDefaultJobject         2         0.001         0.001          lbarController.ToolbarController>ToolbarController,getCanvasFigure         5         0.001         0.001          ackManager.ScribeStackManager>ScribeStackManager.hasLayers         3         0.001         0.001           Button.Button>Button.checkColorSpaceDependency         24         0.001         0.001           getViewportInDevicePixels         2         0.001         0.001           PointerMixin>PointerMixin,allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior,dosupport         24         0.001         0.001           duration.duration>duration,fromMillis         1         0.001         0.001           datetime_datetime_datetime_getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton_AxesToolbarButton.AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEgual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy.hasFigureChanged         2         0.001         0.001   | AnnotationPane.AnnotationPane>AnnotationPane.addChild  | 4   | 0.001 | 0.001 |
| barController.ToolbarController>ToolbarController.getCanvasFigure         5         0.001         0.001           ackManager.ScribeStackManager>ScribeStackManager.hasLayers         3         0.001         0.001           Button.Button>Button.checkColorSpaceDependency         24         0.001         0.001           getViewportInDevicePixels         2         0.001         0.001           PointerMixin>PointerMixin.allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior.dosupport         24         0.001         0.001           duration.duration>duration.fromMillis         1         0.001         0.001           datetime.datetime.getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior.PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy.hasFigureChanged         2         0.001         0.001           Backdrop>ScribeLayer_ScribeLayer.checkValidity         3         0.001         0.001 <td>Backdrop&gt;Backdrop.set.Color</td> <td>10</td> <td>0.001</td> <td>0.001</td>   | Backdrop>Backdrop.set.Color  | 10  | 0.001 | 0.001 |
| ackManager.ScribeStackManager>ScribeStackManager.hasLayers         3         0.001         0.001           Button.Button>Button.checkColorSpaceDependency         24         0.001         0.001           getViewportInDevicePixels         2         0.001         0.001           PointerMixin>PointerMixin.allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior.dosupport         24         0.001         0.001           duration.duration>duration,fromMillis         1         0.001         0.001           datetime.datetime>datetime.getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set.Layer         6         0.001         0.001           ScribeLayer.ScribeLayer>ScribeLayer.checkValidity         3         0.001         0.001   | timer.timer>makeDefaultJobject   | 2   | 0.001 | 0.001 |
| Button,Button>Button,checkColorSpaceDependency.         24         0.001         0.001           getViewportInDevicePixels         2         0.001         0.001           PointerMixin>PointerMixin,allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior.dosupport         24         0.001         0.001           duration_duration>duration_fromMillis         1         0.001         0.001           datetime_datetime_getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001           asedModeStrategy>FigureBasedModeStrategy.hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop.setLayer         6         0.001         0.001           ScribeLayer.ScribeLayer>ScribeLayer.checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup-Sct.Anchor  | <u>lbarController,ToolbarController&gt;ToolbarController,getCanvasFigure</u>                               | 5   | 0.001 | 0.001 |
| getViewportInDevicePixels         2         0.001         0.001           PointerMixin>PointerMixin,allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior,dosupport         24         0.001         0.001           duration.duration>duration,fromMillis         1         0.001         0.001           datetime_datetime>datetime,getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton,unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001           asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set_Layer         6         0.001         0.001           ScribeLayer,ScribeLayer>ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup,set.Anchor         2         0.001         0.001   | ackManager.ScribeStackManager>ScribeStackManager.hasLayers   | 3   | 0.001 | 0.001 |
| PointerMixin>PointerMixin,allowsPanBeforeZoom         2         0.001         0.001           DataCursorBehavior>DataCursorBehavior.dosupport         24         0.001         0.001           duration.duration>duration.fromMillis         1         0.001         0.001           datetime.datetime>datetime.getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior.PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop.set_Layer         6         0.001         0.001           ScribeLayer,ScribeLayer.checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set.Anchor         2         0.001         0.001  | Button.Button>Button.checkColorSpaceDependency   | 24  | 0.001 | 0.001 |
| DataCursorBehavior>DataCursorBehavior,dosupport         24         0.001         0.001           duration.duration>duration.fromMillis         1         0.001         0.001           datetime.datetime>datetime.getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer>ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001  | getViewportInDevicePixels  | 2   | 0.001 | 0.001 |
| duration.duration>duration.fromMillis         1         0.001         0.001           datetime_datetime>datetime_getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer,set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior.PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop.set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer>ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | PointerMixin>PointerMixin.allowsPanBeforeZoom  | 2   | 0.001 | 0.001 |
| datetime,datetime>datetime,getsetLocalTimeZone         3         0.001         0.001           AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy.hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer,scribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | DataCursorBehavior>DataCursorBehavior.dosupport  | 24  | 0.001 | 0.001 |
| AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover         60         0.001         0.001           mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001           asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer>ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | duration_duration>duration.fromMillis  | 1   | 0.001 | 0.001 |
| mustBeGreaterThanOrEqual         18         0.001         0.001           timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer>ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | datetime,datetime>datetime.getsetLocalTimeZone   | 3   | 0.001 | 0.001 |
| timer.timer>timer.set.Period         1         0.001         0.001           PrintBehavior>PrintBehavior,PrintBehavior         2         0.001         0.001          asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop.set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer>ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | AxesToolbarButton.AxesToolbarButton>AxesToolbarButton.unhover  | 60  | 0.001 | 0.001 |
| PrintBehavior>PrintBehavior, PrintBehavior       2       0.001       0.001        asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged       2       0.001       0.001         Backdrop>Backdrop.set,Layer       6       0.001       0.001         ScribeLayer,ScribeLayer,ScribeLayer,checkValidity       3       0.001       0.001         mltimerpackage>addToList       2       0.001       0.001         ControlsGroup>ControlsGroup.set,Anchor       2       0.001       0.001   | mustBeGreaterThanOrEqual   | 18  | 0.001 | 0.001 |
| asedModeStrategy>FigureBasedModeStrategy,hasFigureChanged         2         0.001         0.001           Backdrop>Backdrop,set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer,ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | timer.timer>timer.set.Period   | 1   | 0.001 | 0.001 |
| Backdrop>Backdrop.set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer,ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   | PrintBehavior>PrintBehavior.PrintBehavior  | 2   | 0.001 | 0.001 |
| Backdrop>Backdrop.set,Layer         6         0.001         0.001           ScribeLayer,ScribeLayer,ScribeLayer,checkValidity         3         0.001         0.001           mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set,Anchor         2         0.001         0.001   |  |     |       |       |
| ScribeLayer,ScribeLayer,ScribeLayer,checkValidity     3     0.001     0.001       mltimerpackage>addToList     2     0.001     0.001       ControlsGroup>ControlsGroup.set,Anchor     2     0.001     0.001   |  |     | 0.001 | 0.001 |
| mltimerpackage>addToList         2         0.001         0.001           ControlsGroup>ControlsGroup.set.Anchor         2         0.001         0.001   |  | 3   | 0.001 | 0.001 |
| ControlsGroup>ControlsGroup.set.Anchor 2 0.001 0.001  |  |     |       |       |
|   |  |     |       |       |
|   |  |     |       |       |
|   |  |     |       |       |

| PostUpdatePlugin>isAxesToolbarExcluded  | 2   | 0.001 | 0.001 |
|---|-----|-------|-------|
| stringToChar>convertToChar  | 50  | 0.001 | 0.001 |
| Control>Control.Control   | 34  | 0.001 | 0.001 |
| ontroller.ToolbarController>ToolbarController.getLayoutInformation                              | 2   | 0.001 | 0.001 |
| setPointer  | 6   | 0.001 | 0.001 |
| <u>mustBeLessThanOrEqual</u>  | 17  | 0.001 | 0.001 |
| Backdrop>Backdrop.setPickableParts  | 6   | 0.001 | 0.001 |
| <u>settings</u>   | 5   | 0.001 | 0.001 |
| IconView>IconView,addDecoration   | 49  | 0.001 | 0.001 |
| ToolbarStateButton>ToolbarStateButton.get.Value   | 27  | 0.001 | 0.001 |
| <u>getSettingsRoot</u>  | 6   | 0.001 | 0.001 |
| imresizemex (MEX-file)  | 46  | 0.001 | 0.001 |
| AnnotationPane.AnnotationPane>AnnotationPane.getParentImpl                                      | 6   | 0.001 | 0.001 |
| imresize>checkForMissingOutputArgument  | 25  | 0.001 | 0.000 |
| timer,timer>makeFromJobject   | 1   | 0.001 | 0.001 |
| HGBehavior>HGBehavior,HGBehavior  | 26  | 0.001 | 0.001 |
| imresize>isInputIndexed   | 75  | 0.001 | 0.001 |
| timer.timer>timer.set.Name  | 5   | 0.001 | 0.001 |
| PointerMixin>PointerMixin.hasUserModifiedPointer  | 6   | 0.001 | 0.001 |
| IconView>IconView.set.Selected  | 12  | 0.001 | 0.001 |
| timer.timer>timer.set.ExecutionMode   | 1   | 0.001 | 0.001 |
| <u>pToolbarController&gt;DesktopToolbarController,axesHandleVisibleOff</u>                      | 2   | 0.001 | 0.001 |
| ToolbarDropdown>ToolbarDropdown.doClose   | 5   | 0.001 | 0.001 |
| strlength   | 4   | 0.001 | 0.001 |
| dimensionOrder  | 25  | 0.001 | 0.001 |
| iscategorical   | 150 | 0.001 | 0.001 |
| mpower  | 7   | 0.001 | 0.001 |
| ToolTipMixin>ToolTipMixin,ToolTipMixin  | 22  | 0.001 | 0.001 |
| @timer\private\validateAndGetCallbackFcnType  | 2   | 0.001 | 0.001 |
| AxesToolbar.AxesToolbar>AxesToolbar.get.Opacity   | 8   | 0.001 | 0.001 |
| ata>ProcessInteractionsEventData.ProcessInteractionsEventData                                   | 4   | 0.001 | 0.001 |
| arController,ToolbarController>ToolbarController.setCurrentToolbar                              | 4   | 0.001 | 0.001 |
| usejava   | 2   | 0.001 | 0.001 |
| ToolbarFactory>ToolbarFactory.getInstance   | 1   | 0.001 | 0.000 |
| ImageSource>ImageSource   | 26  | 0.001 | 0.001 |
| $ \underline{esktopToolbarController} \\ DesktopToolbarController. is \underline{PlotEditMode}$ | 4   | 0.001 | 0.001 |
| PrintBehavior>PrintBehavior.dosupport   | 2   | 0.000 | 0.000 |
| ModeManagerListener>ModeManagerListener.ModeManagerListener                                     | 2   | 0.000 | 0.000 |
| datetime.datetime>canonicalizeTZforLocal  | 1   | 0.000 | 0.000 |
| AxesToolbar,AxesToolbar>AxesToolbar,set,ToolbarAnchorPoint                                      | 2   | 0.000 | 0.000 |
| timer.timer>timer.set.StartDelay  | 1   | 0.000 | 0.000 |
| ChildEventData>ChildEventData.ChildEventData  | 2   | 0.000 | 0.000 |
| resizeAllDimUsingNearestNeighbor  | 2   | 0.000 | 0.000 |
| AxesToolbar.AxesToolbar>AxesToolbar.setParentImpl   | 4   | 0.000 | 0.000 |
| <u>ckManager.ScribeStackManager&gt;ScribeStackManager.getInstance</u>                           | 1   | 0.000 | 0.000 |

| isenum   | 2 | 0.000 | 0,000 |  |
|--|---|-------|-------|--|
| AxesToolbar,AxesToolbar>AxesToolbar,redrawToolbar                              | 3 | 0.000 | 0.000 |  |
| mustBeNumeric  | 5 | 0.000 | 0.000 |  |
|  | 1 | 0.000 | 0.000 |  |
| datetime.arithUtil   |   |       |       |  |
| ToolbarController.ToolbarController>ToolbarController.isInLayout               | 2 | 0.000 | 0.000 |  |
| deStrategy>FigureBasedModeStrategy.FigureBasedModeStrategy                     | 1 | 0.000 | 0.000 |  |
| eStrategy>FigurePointerModeStrategy.FigurePointerModeStrategy                  | 1 | 0.000 | 0.000 |  |
| <u>mustBePositive</u>  | 3 | 0.000 | 0.000 |  |
| close>getEmptyHandleList   | 1 | 0.000 | 0.000 |  |
| AbstractModeStrategy>AbstractModeStrategy,getCanvasFigure                      | 2 | 0.000 | 0.000 |  |
| <u>mustBeValidGraphicsObject</u>   | 2 | 0.000 | 0.000 |  |
| PostUpdatePlugin>localGetCanvasContainingAncestor                              | 2 | 0.000 | 0.000 |  |
| mustBeNonnegative  | 2 | 0.000 | 0.000 |  |
| <u>allchild&gt;@()set(rootobj,'ShowHiddenHandles',Temp)</u>                    | 1 | 0.000 | 0.000 |  |
| ButtonRegistry>ToolbarButtonRegistry.createContainerRegistration               | 2 | 0.000 | 0.000 |  |
| <u>isWebAppServer</u>  | 4 | 0.000 | 0.000 |  |
| ScribeLayer,ScribeLayer>ScribeLayer,findCanvas                                 | 2 | 0.000 | 0.000 |  |
| allchild>getchildren   | 1 | 0.000 | 0.000 |  |
| CanvasPlugin.CanvasPlugin>CanvasPlugin.CanvasPlugin                            | 1 | 0.000 | 0.000 |  |
| duration.duration>duration   | 1 | 0.000 | 0.000 |  |
| InteractionInfoPanel>InteractionInfoPanel.hasBeenOpened                        | 1 | 0.000 | 0.000 |  |
| timercb  | 1 | 0.000 | 0.000 |  |
| uitools\private\allchildRootHelper   | 1 | 0.000 | 0.000 |  |
| sToolbarButton.AxesToolbarButton>AxesToolbarButton.get.Position                | 2 | 0.000 | 0.000 |  |
| datetime.datetime>datetime.isempty   | 1 | 0.000 | 0.000 |  |
| duration.duration>duration.seconds   | 1 | 0.000 | 0.000 |  |
| oller.ToolbarController>ToolbarController.getButtonStateFromMode               | 2 | 0.000 | 0.000 |  |
| ExecutionModeEnum>ExecutionModeEnum.ExecutionModeEnum                          | 4 | 0.000 | 0.000 |  |
| <u>isFigureShowEnabled</u>   | 2 | 0.000 | 0.000 |  |
| ToolbarController.ToolbarController>ToolbarController.getHitAxes               | 4 | 0.000 | 0.000 |  |
| hasDisplay   | 2 | 0.000 | 0.000 |  |
| ObjectVisibilityEnum>ObjectVisibilityEnum.ObjectVisibilityEnum                 | 2 | 0.000 | 0.000 |  |
| timer.timer>timer.getStartDelayInMiliSec internal                              | 1 | 0.000 | 0.000 |  |
| ToolbarFactory>ToolbarFactory,ToolbarFactory                                   | 1 | 0.000 | 0.000 |  |
| timer,timer>timer,getPeriodMilliSec_internal                                   | 1 | 0.000 | 0.000 |  |
| er.ScribeStackManager>ScribeStackManager.ScribeStackManager                    | 1 | 0.000 | 0.000 |  |
| close>request close  | 1 | 0.000 | 0.000 |  |
| close>checkfigs  | 1 | 0.000 | 0.000 |  |
| ToolbarButtonRegistry>ToolbarButtonRegistry,ToolbarButtonRegistry              | 1 | 0.000 | 0.000 |  |
|  |   |       |       |  |
| AbstractModeStrategy>AbstractModeStrategy_AbstractModeStrategy                 | 1 | 0.000 | 0.000 |  |
| PointerMixin>PointerMixin_PointerMixin  PointerMixin>PointerMixin_PointerMixin | 1 | 0.000 | 0.000 |  |
| PointerModeStrategy>PointerModeStrategy,PointerModeStrategy                    | 1 | 0.000 | 0.000 |  |

<sup>\*</sup>Self time is the time spent in a function excluding any time spent in child functions. The time includes any overhead time resulting from the profiling process.