<!DOCTYPE html>

```
<html lang="en">
<head>
<base href="/login/">
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="
<meta name="viewport" content="width=device-
<meta http-equiv="pragma" content="no-cache"
<title>Web Page Blocked</title>
k rel="stylesheet" href="css/latofonts.css">
<style>
body {
background-color: #e8ebeb;
font-family: Lato, 'Helvetica Neue', Helvetica, Aria
font-size: 16px;
margin: 0;
color: #070808;
a:link {
color: #0ba4e8;
}
b,
strong {
font-weight: 500;
}
p {
line-height: 1.2em;
}
button {
overflow: visible;
}
button, input, optgroup, select, textarea {
color: inherit;
font: inherit;
margin: 0;
}
.center {
text-align: center;
margin-left: auto;
margin-right: auto;
#dError,
.msg {
color: #d94949;
margin: 20px 0;
```

fieldset .msg {

```
margin: auto;
#content h1 {
font-style: normal;
font-weight: normal;
font-size: 36px;
line-height: 43px;
text-align: center;
letter-spacing: 0.1px;
color: #070808;
margin: 10px auto 8px;
}
#content > p {
text-align: center;
margin-left: auto;
margin-right: auto;
width: 640px;
font-size: 14px;
line-height: 20px;
.response {
background-color: #fff;
color: #5a636b;
margin: 24px auto 0;
padding: 20px;
font-size: 16px;
width: 800px;
border: 1px solid #c8cbce;
box-sizing: border-box;
border-radius: 8px;
}
.response p {
margin: 0 0 1em;
.response p:last-child {
margin: 0;
.response b {
color: #070808;
}
.response .msg b {
```

margin: 0;

#content {
padding-top: 100px;

#content img {
display: block;

```
color: #d94949;
.response form td,
.response form input {
font-size: 1.1em;
font-weight: bold;
}
.loading {
margin: 2em auto 1em;
</style>
</head>
<body>
<div id="content" class="container">
<img
src=".
alt="Error">
<h1>Web Page Blocked</h1>
The web page you are trying to visit has beer
<div class="response">
<b>User:</b> 172.25.40.35
<b>URL:</b> lanzous.com/
<b>Category:</b> malware
</div>
</div>
</body>
</html>
```