

```

.card {
<div class="card"></div>
  width: 190px;
  height: 254px;
  background: lightgrey;
[id="myElement"] input.myClass { col
or: red; } /* 0-2-1 */
input[type="password"]:required { co
lor: blue; } /* 0-2-1 */
Copy to Clipboard
#myElement input.myClass { color: re
d; } /* 1-1-1 */
input[type="password"]:required { co
lor: blue; } /* 0-2-1 */
html body main input { color: green;
} /* 0-0-4 */
<html lang="en">
  <body id="parent">
    <h1>Here is a title!</h1>
  </body>
</html>
#parent {
  color: green;
}

h1 {
  color: purple;
}
body h1 {
  color: green;
}

html h1 {
  color: purple;
}
[id="myElement"] p {
  /* normal styles here */
}
@layer important0verrides {
  [id="myElement"] p {
    /* important style here */;
  }
}
Copy to Clipboard

```

```
@layer importantOverrides;
Copy to Clipboard
```

```
<style>
  @import importantOverrides.css layer
</style>
```

```
<style>
  @import TW.css layer();
  p,
  p * {
    font-size: 1rem;
  }
</style>
```

```
:not(#fakeID#fakeId#fakeID) span { /
* 3-0-1 */ }
:is(#fakeID#fakeId#fakeID, span) { /
* 3-0-0 */ }
}
```

```
#myId#myId#myId span { /* 3-0-1 */}
.myClass.myClass.myClass span { /* 0
-3-1 */ }
Copy to Clipboard
```

```
#myContent h1 { color: green; /* 1-0
-1 */}
[id="myContent"] h1 { color: yellow;
/* 0-1-1 */}
:where(#myContent) h1 { color: blue;
/* 0-0-1 */}
Copy to Clipboard
```

```
<main id="myContent">
  <h1>Text</h1>
</main>
```

```
footer a { /* 0-0-2 */
  color: blue;
}
:where(#defaultTheme) a { /* 0-0-1 */
  color: red;
}
```

```
p[style*="purple"] { color: rebeccapurple !important; }
```

```
<p style="color: purple">
```

```
a:not(#fakeId#fakeId#fakeID) { color: blue; /* 3-0-1 */ }
```

Copy to Clipboard

```
:is(p, #fakeId) { /* 1-0-0 */ }  
p:not(#fakeId) { /* 1-0-1 */ }  
div:not(.inner, #fakeId) p { /* 1-0-2 */ }
```

Copy to Clipboard

```
p { /* 0-0-1 */ }  
:is(p) { /* 0-0-1 */ }
```

```
div.outer p { /* 0-1-2 */ }  
div:not(.inner) p { /* 0-1-2 */ }
```

```
input.myClass { color: yellow; /* 0-1-1 */ }  
:root input { color: green; /* 0-1-1 WINS because it comes later */ }
```

```
:root input { color: green; /* 0-1-1 - WINS because CLASS column is great  
html body main input { color: yellow; /* 0-0-4 */ }  
#myElement { color: yellow; /* 1-0-0 */ }  
#myApp [id="myElement"] { color: green; /* 1-1-0 - WINS!! */ }  
#myElement { color: green; /* 1-0-0 - WINS!! */ }  
.bodyClass .sectionClass .parentClass [id="myElement"] { color: yellow; /* 0-4-0 */ }
```

```
[type="password"] /* 0-1-0 */  
input:focus /* 0-1-1 */
```

```
:root #myApp input:required /* 1-2  
-1 */
```

Copy to Clipboard

```
[type="password"],  
input:focus,  
:root #myApp input:required {  
  color: blue;  
}
```