Bignon


Volcano plot of non-rhythmic genes in wild type
Vmn1r32
Gh
Cyp2a4
Arg2
Fhad1
Slc7a12
Hrg
Gm4208
Alb
Cyp4a12a
40
20
0
-6
-3
0
3
6
$-\log_{10}$ adjusted p value
$\log_2$ fold change
Downregulated
Not significant
Upregulated


Volcano plot of rhythmic genes in wild type
Cyp2a5
Rorc
Ddc
Npas2
Ppard
Aqp8
9030625G05Rik
Angptl7
Prkag3
Cpeb3
C4a
Nr1d2
Nat8f5
Gm10787
A530001N23Rik
Ciart
Cdx4
Gm45909
Atp12a
40
20
0
-6
-3
0
3
6
$-\log_{10}$ adjusted p value
$\log_2$ fold change
Downregulated
Not significant
Upregulated

Aviram


Volcano plot of non-rhythmic genes in wild type
D2hgdh
Lnx1
Smim22
Ubl5
Ndufa7
Rpl7
Tyms
3110009E18Rik
Grcc10
Mrpl42
Rps25
Angptl3
Amy1
Rad51b
Cyp2b9
Rps4x
Selenbp2
– log10 adjusted p value
log2 fold change
Downregulated
Not significant
Upregulated


Volcano plot of rhythmic genes in wild type
Smagp
Pcsk4
Tef
Acnat2
1500017E21Rik
Loxl4
Per3
Chka
Acot3
– log10 adjusted p value
log2 fold change
Downregulated
Not significant
Upregulated


Volcano plot of non-rhythmic genes in wild type
$-\log_{10}$ adjusted p value
$\log_2$ fold change
Downregulated
Not significant
Upregulated
Cyfip2
Smpdl3b
Ttc39a
Rad51b
Slc4a9
Ighg1
Cyp4a10
Tm4sf2
Dsg1c
Chic1
Trhd
Gm49012
Mup12
Mup17
Dmbt1
Mup18
Mup9
Ces2b


Volcano plot of rhythmic genes in wild type
$-\log_{10}$ adjusted p value
$\log_2$ fold change
Downregulated
Not significant
Upregulated
Gm12718
Hectd2os
Npas2
Cdkn1a
Loxl4
Aanat2
Dbp
Ciart
Per3
Gm45819
Rgs16