

**DOCTORS' CENTER LABORATORY**

Sami Nasr M.D. Clinical Pathologist - AUB Graduate

مختبر مركز الأطباء

د. بسامي نصر أخصائي الأمراض السريرية - خريج الجامعة الأميركية

**Name: RANDA SLIEMAN MERHI****Registration Date: 03/09/2021****Exam No: 347411****Report Date: 03/09/2021****D.O.B: 18/05/1960****Gender: Female****Test Performed:** Detection of COVID 19**Specimen:** Throat/Nasal/Swab**Technique:** Qualitative Real-Time PCR (using QuantStudio 5 platform)*The assay detects the presence of 3 different and highly specific gene sequences of COVID 19:**E gene, N gene, and RdRP gene***LOD:** Limit of detection is 10 copies for each gene**RESULT: NEGATIVE****COVID 19 RNA IS NOT DETECTED**

A negative result does not exclude the possibility of COVID 19 especially in early disease. Kindly adhere to safety and isolation precautions. Re-testing is strongly recommended in 3-7 days in case of disease suspicion. In the meantime consult with your referring physician.

This report has been done and approved by:**Dr. Khodr ISSA****Dr. Hind Muallem**

Doctors' Center Laboratory
Near American University Hospital
Sami Nasr M.D. - CNSS 8/2004
Clinical Pathology and blood bank

Doctors' Center Laboratory
Molecular Diagnostics Department

