



Outlines

1. git
2. C++ → SomeIP
3. Linux → Socket → Driver Ethernet
4. Embedded linux → SomeIP
   - @ Kitchen
   - 6. building tools
5. Device Drivers
6. S-Core


git
git bash
exe
windows
linux
Command apt


git
linux
GNU
batch
windows
dir
bash
linux
ls


Terminal
bash
$
ls
cd
batch
machine



git bash
client
Application
github
Server
bitbucket
gitlab
Storage
10KB
main.c
I2C.h
OLED.h
10KB
local machine
HDD
git bash
client





1


① git application
② Create folder
③ git init
④ your work start from here


2






local PC1
storage
.git
repo
Server
github
instance
branch
PC2
local
st
main.c
int main()
void main()


1 install git bash on your machine
2 Create new Repo
CMD
git --version
HTTPS
Token
1 time
github
SSH
local machine
Public key
Private key
C:\user\fady\.ssh\
git bash
ssh-keygen
User in one of the sene website
profile
Create new repo
Download
zip
clone
SSH
HTTPS
if you don't login to github
you must login into the sene


1 open github
2 login
3 Create new repo
4 profile → Settings → generate ssh
5 Create new ssh
Past the key
Server side
local
1 C:\Users\x\.ssh
2 open git bash here
3 ssh-keygen
4 ——— .pub
→ open with notepad
Copy → they key
5 git clone ssh@ssh ——— .git

VSCode
in the repo local

↳ Apply my changes

1. git clone (x1)


2. git add .

3. git commit -m "____"


4. git push



new untracked file



change in tracked file



Server
int main
{
printf(fady)
return
}
PC 1 local
main.c
int main()
{
printf(fady)
{
fady
2
1
int main
{
printf("ah")
return
}
git push
Linked List
Second commit
3
2
initial commit
1
root

git push

first he run

git fetch

```
int main
{
printf("hi");
}
```




Summarize

1. git clone
2. git add
3. git commit
4. git push
5. git fetch
6. git pull


→ for the Server interact

Branch




Any feature that you will create make to create a branch ✓

```
git checkout -b feature/I2C/newDesign
```




Merge Concept


- Commit





Rebase Concept


doesn't require any Commit




1
2
3
git stash
Stash
HDD
checkout
git stash pop
git checkout —— -f
git checkout ——







git worktree list

git worktree remove

git mainly used to track any file can view by notepad

↳ git lfs initialize

git push .pdf .png

lfs

↳ large file system

