

CUC UX Specifications

Tue Dec 29 2015

Vienna Huynh

Chloe Duong

Bryan Walton

Nickolas Crawford



©2015 Ellie Mae. All rights reserved. Confidential Material.

Contents

General Specs.....	3	Complex Data Table.....	38	Slider.....	74
Cursor and Placeholder.....	4	Toolbar Container.....	39	Slider Sample.1.....	75
Image Button.....	5	Slider Panel (Collapsed).....	40	Slider Sample.2.....	76
Text Button.....	6	Slider Panel (Expanded).....	41	Slider Sample.3.....	77
Text Button States.....	7	Header Row.1.....	42	Simple Upload.....	78
Text Button- Secondary and Tertiary.....	8	Header Row.2.....	43	Complex Upload.....	79
Text Input Field.....	9	Filter Row.....	44	CU Flow.....	80
Text Input Field- Configurations.....	10	Body Row.1.....	45	CU Button States.....	81
Text Input Field Configurations.....	11	Body Row.2.....	46	CU Definitions.....	82
Text Input Field Patterns.....	12	Pagination.1.....	47	CU Default.....	83
Text Input Field Patterns- Unit Symbols and Icons ..	13	Pagination.2.....	48	CU Hover / Disabled.....	84
Field Logic Button.....	14	Pagination.3.....	49	CU Drag/Drop.....	85
Dropdown.....	15	Simple Data Table.....	50	CU File Upload.....	86
Dropdown States.....	16	Simple Data Table.2.....	51	CU Upload Tile.....	87
Combo Box.....	17	Progress Bar.....	52	CU Tile States.....	88
Combo Box States.....	18	Progress Bar 2.....	53	CU Action Area.....	89
Text Area Input.....	19	Mini Progress Bar.....	54	CU Complete Upload.....	90
Text Area Input States.....	20	Progress Spinner.....	55	CU Delete Modal.....	91
Text Area Input Configurations.....	21	Date Picker.....	56	Link Dropdown.....	92
Radio Button.....	22	Date Picker Components.....	57	Layout Templates.....	93
Radio Button List.....	23	Date Picker States.....	58	Templates Pattern.....	94
Radio Button Error Handling.....	24	Date Picker Configurations.....	59	Header Patterns- Encompass.....	95
Checkbox.....	25	Date Picker Interactions.....	60	Header Patterns- TPO.....	96
Checkbox List.....	26	Toggle Switch.....	61	Header.Patterns- TPO Admin.....	97
Checkbox Error Handling.....	27	Toggle Switch States.....	62	Sidebar- TPO Pattern.1.....	98
Checkbox Mobile.....	28	Tabs Panel.....	63	Sidebar Specs (with Icon and Secondary Flyout Na.....	99
Hyperlink.....	29	Tabs Panel Configurations.1.....	64	Sidebar States.....	100
Paragraph.....	30	Tabs Panel Configurations.2.....	65	Sidebar Accordion and Hotspots.....	101
Category Box, Group Box, and Panel.....	31	Color Picker.....	66	Sidebar- TPO Pattern.2.....	102
Tool Tip.....	32	Color Picker States and Configurations.....	67	Footer- TPO.....	103
Modal.....	33	Notification General Specs.....	68	Field Level Errors (1/2).....	104
Modal Size.....	34	Toast.....	69	Field Level Errors (2/2).....	105
Modal Interaction.....	35	Toast Interactions.....	70	Simple Error Notification.(1/3).....	106
Modal Mobile.....	36	Modal.....	71	Simple Error Notification.(2/3).....	107
Scrollbar.....	37	Modal Configurations.....	72	Simple Error Notification.(3/3).....	108
		Modal Interactions.....	73	Complex Error Notification.....	109
				Example: Page-Level & Container-Level	110
				Modal Error Notification.....	111

General Specs


CSS Breakpoints

Below are the breakpoints supported base on “portrait” orientation.


Small devices (touch) (<768px)	Medium devices (touch) (≥768px)	Large devices (≥992px)
-----------------------------------	------------------------------------	---------------------------

Per devices, one layout should serve up regardless of orientation. The content should scale to the device orientation.

This is the approach adapting to orientation.



NOT the approach adapting to orientation.



Data Truncation

Use baseline ellipses [...] to represent letters, words or phrases that are truncated. User should be able to copy and paste the full string of truncated content even though the display does not show the full string. Truncated content is only in appearance and should be fully present when pasted. Allow keyboard shortcut for copy and paste.

In some use cases when specified, provide the option to see the full truncated content on hover/focus in tooltip (see tooltip control spec).

Sample

Option (this control allows user to see the full content on hover)

This is some long text that will not fit in the box.

This is some long text that will not fit...

This is some long text that will not fit...



General Specs

Cursor

CSS property cursor:

- 👉 Context-menu: display when hovering/focusing on items with menu popups.
- ↔ col-resize: display when user resize column container.
- ↔ ew-resize: display when user can resize container width.
- ↔ grabbing: display when user can grab and move a container to a different location.
- ❓ help: use over a help menu.
- ↔ ns-resize: display when the user can resize a container height.
- ↔ nwse-resize: display when the user can resize a container width and height.
- 👉 pointer: use for actionable items.
- ↔ row-resize: use to resize rows.
- ↔ text: display when user are allow to input character or line of text.
- 👉 not-allowed: display when an action is disabled/deactivated/readonly/restricted.

Samples

Default

Field Label

Default placeholder style

Hover, Focus, and Active

Field Label

Default placeholder style

Disabled

Field Label

Default placeholder style

Readonly

Field Label

Default text value style

Required

Restricted (Business Rule)

Field Label

.....

Error Handling

Field Label

Default text value style

Dropdown

Combo Box

Horizontal & Vertical

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et.

Horizontal Only

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et. Lorem ipsu-

Vertical Only

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et.

Radio Button

List Item-1

Actionable Items

OK

Combo Box

Listing-item-1

Listing-item-1

Placeholder

Use the default placeholder style at the global level and controls that vary from this pattern will be call out in their specs.

Input placeholder

color: @text-input-placeholder
font-size: @font-size-base
font-weight: @text-input-placeholder-font-weight

Samples

Default placeholder style

Tax ID

-

Rate

00.000 %



Image Button

Sample (Print image shown)



Sizes (Width)

@image-button-small
(14px)

 SVG

@image-button-medium
(20px)

 SVG

@image-button-large
(32px)

 SVG

@image-button-extra-large
(48px)



Styling (Medium-size shown)

Default



Hover/Focus (Hover tip)



Active



Dropdown-Disabled



Image
color: @black

Image
color: @blue-base

Image
color: @blue-dark

Image
color: @gray-warm-dark

Show Tooltip
See spec for tool tip control



Text Button - Primary Configurations (1/2)

Standard (Medium height and width shown)

Standard Button

Extra Small

Small

Medium

Large

Default

Default

Default

Default

Default

Container

height: @text-button-height-medium

min-width: @text-button-width-medium

padding: 8px 10px
border-radius: @text-button-border-radius
box-sizing: border-box
display: flex
align-items: center**Text**font-size: @font-size-base
color: @text-button-primary-font-color
text-align: center
vertical-align: middle**Container**

height: @text-button-height-extra-small

padding: 5px

Text

font-size: @font-size-small

Container

height: @text-button-height-small

padding: 5px 10px

Text

font-size: @font-size-base

Container

height: @text-button-height-medium

padding: 8px 10px

Text

font-size: @font-size-base

Container

height: @text-button-height-large

padding: 10px

Text

font-size: @font-size-large

Interaction

The height and width options to the right can be applied to any button (primary, secondary, and tertiary button). Note, when setting the height sizes the height, padding and text size change base on the selection.

Width Sizes (Medium height shown)

Extra Small

Small

Medium

Large

Flexible

OK

OK

OK

OK

OK

Container

min-width: @text-button-width-extra-small

Container

min-width: @text-button-width-small

Container

min-width: @text-button-width-medium

Container

min-width: @text-button-width-large

Container

width: @text-button-width-flexible



Text Button - Primary States (2/2)

States (Medium height and width shown)

Default

Hover / Focus

Active

Disabled

Default

Hover

Active

Disabled

Container

```
height: @text-button-width-extra-small  
min-width: @text-button-width-medium
```

```
background-color: @text-button-primary-default-background-color
```

```
padding: 5px  
border-radius: @text-button-border-radius  
box-sizing: border-box  
display: flex  
align-items: center
```

Text

```
font-size: @font-size-base  
color: @text-button-primary-font-color  
text-align: center  
vertical-align: middle
```

Container

```
background-color: @text-button-primary-hover-background-color
```

Container

```
background-color: @text-button-primary-active-background-color
```

Container

```
background-color: @text-button-primary-disabled-background-color
```

Text

```
color: @text-button-primary-disabled-font-color
```

Option (Medium height and width shown)

Tooltip on Hover / Focus

Additional info on the action

Disabled

Container

```
background-color: @text-button-primary-disabled-background-color
```

Text

```
color: @text-button-primary-disabled-font-color
```

Interaction

There should be an option to add a tooltip to any button. See tooltip control spec.



Text Button - Secondary

States

Default

Default

Hover

Hover

Active

Active

Disabled

Cancel

Container

background-color: @text-button-secondary-default-background-color

border-color: @text-button-secondary-default-border-color

Text

color: @text-button-secondary-font-color

Container

background-color: @text-button-secondary-hover-background-color

border-color: @text-button-secondary-hover-border-color

Container

background-color: @text-button-secondary-active-background-color

border-color: @text-button-secondary-active-border-color

Container

background-color: @text-button-secondary-disabled-background-color

border-color: @text-button-secondary-disabled-border-color

Text

color: @text-button-secondary-font-color

Text Button - Tertiary

States

Default

Default

Hover

Hover

Active

Active

Disabled

Cancel

Container

background-color: @text-button-tertiary-default-background-color

border-color: @@text-button-tertiary-default-border-color

Text

color: @text-button-tertiary-font-color

Container

background-color: @text-button-tertiary-hover-background-color

border-color: @text-button-tertiary-hover-border-color

Container

background-color: @text-button-tertiary-active-background-color

border-color: @text-button-tertiary-active-border-color

Container

background-color: @text-button-tertiary-disabled-background-color

border-color: @text-button-tertiary-disabled-border-color

Text

color: @text-button-tertiary-font-color



Text Input Field - States(1/5)

[Refer to Codepen for sample \(Chrome Only\)](#)

States (Label top positioning shown)

Default

Field Label

Default placeholder style

Default placeholder style

* Configure one without label

Input container

```
background-color: @input-field-default-background
border: 1px solid @input-field-default-border-color
box-shadow: inset 0px 1px 0px 1px rgba(red(@gray-warm-darker),
green(@gray-warm-darker), blue(@gray-warm-darker), 0.40)

border-radius: @input-field-border-radius
height: @input-field-height
padding: 0px 8px
box-sizing: border-box
vertical-align: middle
display: block
white-space: nowrap
overflow: hidden
text-overflow: ellipsis
outline:none
```

Label

```
color: @black
max-width: @text-line-max-width
font-size: @font-size-small
margin-bottom: 3px;
display: block;
```

Interaction

Clicking on the label should put focus on the input field associated to it. Ensure user can tab between fields. When clicking out of the input field, long entered value over flowing the width of the container should not be shown. Use baseline ellipses [...] to represent the string is truncated. See sample below.

Truncate long text that...

User should be able to click into the field and drag the cursor horizontally to see the rest of the truncated data.

[See codepen for sample.](#)

Hover, Focus, and Active

Field Label

Default placeholder style

Input container

```
border: 1px solid @input-field-hover-border-color
box-shadow: 0px 0px 0px 2px @input-field-
hover-outer-border-color
```

Disabled

Field Label

Default placeholder style

Input container

```
background-color: @input-field-disabled-
background-color
```

```
border: 1px solid @input-field-disabled-border-color
box-shadow: none
```

Label

color: @gray-warm-dark

Interaction

User cannot click the control

Readonly

Field Label

Default text value style

Input container

```
background-color: @input-field-disabled-
background-color
```

```
border: 1px solid @input-field-disabled-border-color
box-shadow: none
```

Interaction

User cannot click the control

Restricted (Business Rule)

Field Label

.....

Input "text"

```
background-color: @input-field-disabled-
background-color
```

```
border: 1px solid @input-field-disabled-border-
color
box-shadow: none
```

Interaction

User cannot click the control. Display 6 dot character "•" instead of the actual input value.

Required

Field Label *

Default placeholder style

Required

color: @input-label-required-color

Interaction

Add asterisk to the end of the label with 1 letter spacing between label and asterisk.

Error Handling

Field Label

Default text value style

Input "text"

```
border: 1px solid @input-field-error-inside-border
box-shadow: 0px 0px 0px 2px @input-field-error-
outside-border
```

Interaction

For client side inline validation, when user click out of the field check if the entered value meets the requirement. If the value entered is invalid show error handling style. As user corrects the invalid field, when the entered value meets the requirement, hide the error style and show the default style.

Note: configure error handling to be on/off



Text Input Field - Configurations (2/5)

[Refer to Codepen for sample \(Chrome Only\)](#)

Width Sizes (can be applied to label and/or input field)

Extra small	Small	Medium	Large	Flexible
Field Label Def...	Field Label Default ...	Field Label Default placeholder style	Field Label Default placeholder style	Field Label Default placeholder style
width: @input-field-size-extra-small	width: @input-field-size-small	width: @input-field-size-medium	width: @input-field-size-large	width: @input-field-size-flexible;

Height Sizes

Small	Medium
Field Label Default placeholder style height: @input-field-smaller-height	Field Label Default placeholder style height: @input-field-height



Text Input Field - Configurations (3/5)

[Refer to Codepen for sample \(Chrome Only\)](#)

Label Position

Top

Right

Left

Middle

Top

Field Label

Default placeholder style

Default placeholder style

Field Label

Field Label

Default placeholder style

Field Label

Default placeholder style

Field Label

Default placeholder style

Label

Align to the top of the input field

margin-bottom: 3px
max-width: @text-line-max-width**Label**

Align to the right middle of the input field

margin-left: 10px
max-width: @text-line-max-width**Label**

Align to the left middle of the input field

margin-right: 10px
max-width: @text-line-max-width**Interaction**

By default, the vertical alignment for right and left label position is middle align, but the label vertical alignment is configurable to middle (default) or top align of the input field.

Label Wrap

Top

Right

Left

Field label with long lines of text to two lines

Default placeholder style

Default placeholder style

Field label with long lines of text, forcing text to wrap

Field label with long lines of text, forcing text to wrap

Default placeholder style

Interaction

Long label wraps within the width of the label container. If a width for the label container is not specified, the label width should occupy the remaining width of the parent/outer container it's in.

Label text-align configurable option should have left (default), right, or center.
Label vertical text align configurable option should have middle (default) or top alignment to the input field.

By default, the label text-align is left. If the label is configured to right align, reserve space for the required asterisk (*) so the layout is not interrupted.

Sample

Field Label Default placeholder style

10 px

Field Label Required * Default placeholder style

Mobile (Label top positioning shown)

Default

Field Label

Default placeholder style

Input

Flexible width is recommended

Label

font-size: @font-size-base

Interaction

When tapping on the label or input field, shows the device native alpha keyboard.

No Label

Default placeholder style

No label

Provide a text input field without label. No white space should be reserved when there is no label.



Text Input Field Patterns (4/5)

Data Format

ZIP Code

ZIP Code

#####-HH

Tax ID

Tax ID

##-HH-#####

Dollar Value

Dollar Value

\$HH,000.00

Phone

Phone

###-HH - ####

Percentage Rate

Rate

00.000%H

- a **Value Separator (Dash Mark)**
padding-left: 5px
padding-right: 5px
- b **Unit Symbols (\$)**
padding-right: 5px
- c **Unit Symbols (Percent)**
padding-left: 5px

Format Note

The standard format for Zip code is #####-####. The additional last 4 digits are optional.

Mobile Interaction

On tap, shows the device native numeric keyboard.

Format Note

The standard format for individual tax ID is ###-##-### and the standard format for company tax ID is ##-#####. The field should support both types.

Mobile Interaction

On tap, shows the device native numeric keyboard.

Format Note

Uses standard commas and decimal placement for US dollars (#,###.##)

Unit Symbols (US Dollar)
padding-right: 5px

Mobile Interaction

On tap, shows the device native numeric keyboard.

Format Note

The standard format for phone number is ###-##-### and the standard format for a phone with extension number is ###-##-## ext. #### (however long the extension may be). The field should support both types with the extension being optional.

Mobile Interaction

On tap, shows the device native numeric keyboard.

Format Note

The standard format for rate is #.###.

The number of decimal places can be configurable for each field and can go up to 10 decimal places.

Mobile Interaction

On tap, shows the device native numeric keyboard.

SSN / Password

SSN

- ## -

Password

Placeholder

SSN

•• - •• - ••••

Password

•••••

SSN

555 - 23 - 4567

Password

mypass

Format Note

The standard format for SSN code is #####-##-####.

Interaction

On default show the placeholder. When input value masking is required, display dot character “.” instead of the actual letters as characters are typed. Clicking on eye icon to displays the contents of a password field in readable text, but still sends it to a server securely. Clicking on the eye closed icon will mask the content with “.”. When the field is empty do not show the eye icon. Only show the eye icon feature when user interact with the field by entering in at least one character.

Build in but Show/Hide should be configurable. The app team should be able to include/show the Show/Hide feature to a masked input field or not include it/hide.

Mobile Interaction

On tap, shows the device native numeric keyboard for SSN and alpha keyboard for Password.

Interaction for all data format field

Provide flexible data input. Some common examples are provided below:

- If the user enters a one-digit number to represent a day or month in DD/MM format, it should be converted to a two-digit number. For example, 6/28/2013 is converted to 06/28/2013 (in MM/DD/YYYY format).
- If the user enters a dash (-), a period (.), or a space as a separator between date elements, it should be converted to the correct format, where relevant. For example, 06.28.2013 or 06-28-2013 or 06 28 2013 is converted to 06/28/2013 (in MM/DD/YYYY format).
- If the user enters a slash (/), a dash (-), a period (.), or a space as a separator between phone elements, it should be converted to the correct format, where relevant. For example, 925.555.1212 or 925-555-1212 or 925/555/1212 or 925 555 1212 is converted to (925) 555-1212 (in (XXX) XXX-XXXX format).
- If the user enters a slash (/), a dash (-), a period (.), or a space as a separator between social security number elements, it should be converted to the correct format, where relevant. For example, 123.456.7890 or 123/456/7890 or 123 456 7890 is converted to 123-456-7890 (in XXX-XXX-XXXX format).
- If the user enters an incorrect amount of decimal places for rates, it should be converted to three decimal places. For example, 4 or 4.0 or 4.00 are converted to 4.000 (in X.XXX format).
- Whenever possible, use single-field entries because of its greater efficiency in copy-and-paste support.
- UI layout should help hint the correct format, however, in cases where the user input is not constrained, the system should automatically correct for common format equivalences (e.g., 05-18-2013 is the same as 05/18/2013).
- If the required data format is not self-evident, it should be communicated with hint text in the text field, or in certain circumstances as part of the control label or the table column header, if the entry involves a table.



Text Input Field Patterns (5/5)

Text Input Field with Pre-defined List of Unit Symbols

Dollar Value


Rate

Interaction

Pre-defined “\$” and “%” unit symbol for text input field, but also there should be an ability for the app level to add more unit symbol.

Text Input Field with Icon Button(s) and Icon Image

Icon button Option



Text input fields with icon button(s)

Horizontally and vertically center and middle align the icon.

Text input field may have icon buttons positioned on the right and/or left of the field.


Icon image is not clickable.



Field Logic Button

Sample

Isolated



Shown with a Text Input Field without a label



Shown with a Operator Dropdown Panel

Spec

Button



↔
@input-field-height

Container

```
background-color: @input-field-button-default-
background
border-color: @input-field-default-border-color
border-width: 1px
border-top-left-radius: @input-field-border-radius
border-bottom-left-radius: @input-field-border-
radius
height: @input-field-height
```

Icon (lock)

color: @dropdown-default-icon-color

Icon should be middle center to the container.

Interaction

Button is positioned to the left of an input field.

Should have the same "Height Sizes Configuration" as Input Field Text.

Operator Dropdown Panel



Icon (shown at 1rem)

Default



Active



Read Only, Restricted



Disabled



[Download SVG Files](#)

States (Button-Right shown)



Default

Style

See Field Lock Button "Spec" above

Hover / Focus / Active

Container

```
border: 1px solid @input-field-hover-
border-color
box-shadow: 0px 0px 0px 2px @input-
field-hover-outer-border-color
```

Icon

color: @input-field-button-icon-hover-color

Disabled

Container

```
background-color: @input-field-disabled-
background-color
```

```
border: 1px solid @input-field-disabled-border-
color
box-shadow: none
```

Icon

color: @input-field-button-icon-disabled-color

Read Only / Restricted

Container

```
background-color: @input-field-
disabled-background-color
```

```
border: 1px solid @input-field-disabled-
border-color
box-shadow: none
```


Icon

color: @input-field-button-icon-
restricted-color




Dropdown (1/3)

Sample (No label shown)



Dropdown Field



Dropdown Panel shown with scrollbar and section

Width Sizes

Large



width: @dropdown-size-large

Spec

Dropdown Field



Label

```
color: @black  
max-width: @text-line-max-width  
font-size: @font-size-small  
margin-bottom: 3px;  
display: block;
```

Field

```
background-color: @dropdown-default-background  
border-color: @dropdown-default-border-color  
border-radius: @dropdown-border-radius  
padding: @dropdown-default-padding
```


Text (hint/prompt)
font-size: @font-size-base
font: @font-family-base
color: @dropdown-default-text-color
text-align: left
vertical-align: middle

Icon (down arrow)
color: @dropdown-default-icon-color

Icon container

```
height: @dropdown-icon-height  
width: @dropdown-icon-height  
Horizontally and vertically center and middle align the icon.
```

Dropdown Panel



Panel

```
background-color: @dropdown-default-background  
border-color: @dropdown-default-border-color  
border-radius: @dropdown-border-radius  
padding: @dropdown-default-padding
```

1 List Item
min-height: @dropdown-list-item-highlight-height
padding: @dropdown-list-item-highlight-padding

Text (Menu list item)
font-size: @font-size-base
font: @font-family-base
color: @dropdown-default-text-color
text-align: left
vertical-align: middle

Interaction

Interaction

Default placeholder text should be "Select One", but configurable by app team to be "empty" or change it to something else. There are cases where "empty" is an option.

Dropdown label should have same configurable options as Text Input Field - Configurations (label position, label vertical alignment, label wrap, no label, height and width sizes option).

Dropdown panel list item may have icons, images or color badges to the left and/or right of the list item text. See Combo Box Spec.

Clicking on the label should put focus on the dropdown associated to it. Ensure user can tab between fields. Long data value over flowing the width of the container should not be shown. Use baseline ellipses [...] to represent the string is truncated.

Mobile Interaction

When tapping on the dropdown, shows the device native picker control.




width: @dropdown-size-medium

Small



width: @dropdown-size-small

Extra Small



width: @dropdown-size-extra-small

Flexible Width




width: @dropdown-size-flexible




Dropdown (2/3)

Field States


Default




Hover




Completed



Disabled




Read-Only



Restricted



Error Handling



Field

See 'Sizes' on previous page

Field

background-color: @dropdown-hover-background-color

Text

See 'Sizes' on previous page

Field

border: 1px solid @dropdown-hover-border-color

Icon

See 'Sizes' on previous page

Text

box-shadow: 0px 0px 0px 2px @dropdown-hover-outer-border-color

Text

font-color: @dropdown-hover-text-color

Field

border: 1px solid @dropdown-completed-border-color

Text

font-color: @dropdown-completed-text-color

Field

background-color: @dropdown-disabled-background-color
border: 1px solid @dropdown-disabled-border-color

Text

font-color: @dropdown-disabled-text-color

Icon

(down arrow)
color: @dropdown-disabled-arrow-color

Field

background-color: @dropdown-restricted-background-color
border: 1px solid @dropdown-readonly-border-color

Text

font-color: @dropdown_READONLY-text-color

Icon

(down arrow)
color: @dropdown-disabled-arrow-color

Field

background-color: @dropdown-restricted-background-color
border: 1px solid @dropdown-restricted-border-color

Text

font-color: @dropdown_restricted-text-color

Note:

Field is deactivated. Display 6 dot character "•" instead of the actual input value.

Dropdown Error

border: 1px solid @dropdown-error-inside-border
box-shadow: 0px 0px 0px 2px @dropdown-error-outside-border


Interaction

Show the red border error if the requirements aren't met. Ex: if the user does not select an option for a required field.

Note: configure error handling to be on/off

Dropdown Panel States


Default




Hover



Active



Disabled Item



Icon (shown at 1rem)

Default

Download SVG File

Panel

See 'Sizes' on previous page

Highlight

background-color: @dropdown-panel-hover-highlight-color

Highlight

background-color: @dropdown-panel-active-background-color

Text

color: @dropdown-panel-active-text-color

Text

Color: @dropdown-panel-disabled-text-color




Combo Box (1/2)


Sample

Spec


Field



Dropdown Field



Dropdown Panel

Dropdown Combo Panel: Shape / Icon
(Icons not clickable)

Label

color: @black
max-width: @text-line-max-width
font-size: @font-size-small
margin-bottom: 3px;
display: block;

Field

background-color: @dropdown-default-background
border-color: @dropdown-default-border-color
border-radius: @dropdown-border-radius
padding: @dropdown-default-padding
height: @dropdown-default-height

Text (hint/prompt)

font-size: @font-size-base
font: @font-family-base
color: @dropdown-default-text-color
text-align: left
vertical-align: middle


Icon (down arrow)

color: @dropdown-default-icon-color
align center and middle

Image Button (down arrow)

background-color: @dropdown-image-button-background-color
border-color: @dropdown-image-button-border-color
border-radius: @dropdown-image-button-border-radius

Dropdown Panel



Panel

background-color: @dropdown-default-background
border-color: @dropdown-default-border-color
border-radius: @dropdown-border-radius
padding: @dropdown-default-padding


List Item

min-height: @dropdown-list-item-highlight-height
padding: @dropdown-list-item-highlight-padding

Text (Menu list item)

font-size: @font-size-base
font: @font-family-base
color: @dropdown-default-text-color
text-align: left
vertical-align: middle

Dropdown Combo Panel



List Item with Icon-Left (Circle badge shown)

width: @dropdown-combo-panel-icon-width
padding-right: @dropdown-combo-panel-padding-right

Align icon to center and middle of space reserved for icon.

List Item with Icon-Right (Lock shown)

width: @dropdown-combo-panel-icon-width
padding-left: @dropdown-combo-panel-padding-left

Align icon to center and middle of space reserved for icon.

Interaction

When the whole dataset has icon, show icon for all.

When the whole dataset doesn't have icon, remove the space.

When it's a mix of some has icon and some do not, reserve the space and treat it as if all items have icons. Text should all be aligned, so some of them have empty space in front.

Note: Icon-Left and Icon-Right should be able to contain icons, images or color badges



Combo Box (2/2)

Field States

Default

Hover



Completed

Read-Only

Disabled

Restricted

Error Handling



Field
background: @dropdown-edit-default-background
border: @dropdown-edit-default-border-color
inner shadow: @dropdown-edit-inner-shadow

Text
font-color: @dropdown-edit-text-color

Icon (down arrow)
color: @dropdown-default-icon-color
align center and middle

Field
background: @dropdown-edit-hover-background-color
border: 1px solid @dropdown-edit-hover-border-color
box-shadow: 0px 0px 0px 2px @dropdown-edit-hover-outer-border-color

Text
font-color: @dropdown-edit-hover-text-color

Dropdown Button (hover/focus)
same treatment as field logic button (see field logic button spec)

Icon (down arrow)
color: @dropdown-edit-readonly-icon-color

Field
background: @dropdown-edit-completed-background-color
border: 1px solid @dropdown-edit-completed-border-color

Text
font-color: @dropdown-edit-completed-text-color

Field
background: @dropdown-edit-read-only-background-color
border: 1px solid @dropdown-edit-read-only-border-color

Text
font-color: @dropdown-edit-read-only-text-color

Icon (down arrow)
color: @dropdown-edit-read-only-icon-color

Field
background-color: @dropdown-edit-disabled-background-color
border: 1px solid @dropdown-edit-disabled-border-color

Text
font-color: @dropdown-edit-disabled-text-color

Icon (down arrow)
color: @dropdown-edit-disabled-icon-color

Field
background-color: @dropdown-edit-restricted-background-color
border: 1px solid @dropdown-edit-restricted-border-color

Text
font-color: @dropdown-edit-restricted-text-color

Note: Field is deactivated.
Display 6 dot character "•" instead of the actual input value.

Icon (down arrow)
color: @dropdown-edit-restricted-icon-color

Dropdown Edit Error
border: 1px solid @dropdown-edit-error-inside-border
box-shadow: 0px 0px 0px 2px @dropdown-edit-error-outside-border

Interaction
Show the red border error if the requirements aren't met.
Ex: if the user does not select an option for a required field.

Note: configure error handling to be on/off

Combo Box Global Interaction

- Default placeholder configurable by app team to be "empty" or change it to something else. There are cases where "empty" is an option.
- Dropdown label should have same configurable options as Text Input Field - Configurations (label position, label vertical alignment, label wrap, no label, and height option).
- The default state of the combo box is closed with the text field empty or displaying a default selection.
- Users open the list by clicking on the arrow to the right of the text field. The list descends from the text field and is the same width as the text field plus the arrow box.
- Display 15 items max before implementing a vertical scrollbar.
- Sort items from A-Z by default. The app team should be able custom sort.
- Allow client side autocomplete based on the data that is located in the combo box.
- Clicking on the label should put focus on the field associated to it. Ensure user can tab between fields. When clicking out of the input field, long entered value over flowing the width of the container should not be shown. Use baseline ellipses [...] to represent the string is truncated.
User should be able to click into the field and drag the cursor horizontally to see the rest of the truncated data. [See codepen for sample.](#)

Keyboard Interaction

The user can navigate through the list with up and down arrows on the keyboard.

Users can type any appropriate characters into the text field by clicking into the text field and typing. If a user types in an item already in the list, or types in a few characters that match the first characters of an item in the list, that item is highlighted and is selected. A user-typed item is not added to the permanent list. If the value has already been selected and the user needs to make a new selection, the user can make the selection via using the arrow on the right of the text field or by highlighting and/or deleting the current value and typing in the new value.

Mobile Interaction

Mobile Interaction

When tapping on the dropdown arrow button, shows the device native picker control.

Icon (shown at 1rem)


Default

[Download SVG File](#)



Text Area Input (1/3)

Sample



Use browser standard


Label
See text input field styles. Label should have same configurable options as Text Input Field - Configurations (label position, label vertical alignment, label wrap, no label, and height option).

Field

See text input field styles.

height: @text-area-field-height

Truncation, Scrolling



3 If possible with CSS implement the following:

Gradient mask to hide overflow content

```
background-image: linear-gradient(-180deg,  
rgba(255,255,255,0.00) 0%, @white 98%)  
width: 100%  
height: 20px
```



Text Area Input (2/3)

Field States

Default

Field Label

Default placeholder style

Hover

Field Label

Default placeholder style

Active

Field Label

Nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Completed

Field Label

Nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Field

See text input field styles.

Edit

Field Label

Nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Disabled

Field Label

Field

See text input field styles.

Field

See text input field styles.

Required

Field Label •

Red bullet character indicates Required field
Default placeholder style

Drag Re-Sizing
Use browser default control

Drag Handle Image
Use browser default control

Field

See text input field styles.

Interaction Notes



Text Area Input (3/3)

Sizes

Large

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Medium

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Flexible Width

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Field

width: @text-area-size-large

Field

width: @text-area-size-medium

Field

width: @text-area-size-flexible

Resizing Configurations

Horizontal & Vertical

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et.

Vertical Only

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et.

Horizontal Only

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et. Lorem ipsu-

Fixed

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et. Lorem ipsu-

Input field cannot be resized. Show vertical Scroll Bar if input extends beyond field container.



Radio Button (1/3)

Sample	Spec	Text Wrapping	Specs / Styles
<input type="radio"/> Refund prorated unearned Up Front <input type="radio"/> Rounding to nearest \$50 <input type="radio"/> Charges for the insurance are added to your loan payments <input type="radio"/> Charges for the insurance are collected upfront at loan closing <input type="radio"/> Charges for the insurance are added to your loan payments.	 <p>10 px List Item-1</p>	<p>Max Spacing: 28px</p> <input type="radio"/> Refund prorated unearned Up Front <input type="radio"/> Rounding to nearest \$50 <input type="radio"/> Charges for the insurance are added to your loan payments <input type="radio"/> Charges for the insurance are collected upfront at loan closing <p>Min Spacing: 12px</p> <input type="radio"/> Charges for the insurance are added to your loan payments, then more content requires a third line of text.	Restricted (Business Rule) <input type="radio"/>
Specs / Styles			
Default	Hover/Focus	Active	Radio Button background-color: @radiobutton-disabled-background-color border: 1px solid @radiobutton-disabled-border-color
<input type="radio"/> List Item-1	<input checked="" type="radio"/> List Item-1	<input checked="" type="radio"/> List Item-1	Label color: @radiobutton-disabled-label-color
Radio Button background-color: @radiobutton-default-background border: 1px solid @radiobutton-default-border-color width: @radiobutton-width height: @radiobutton-width border-radius: 50% display: inline-block margin-right: 10px box-sizing: border-box	Radio Input background-color: @radiobutton-hover-background-color border: 1px solid @radiobutton-hover-border-color box-shadow: 0px 0px 0px 2px @radiobutton-hover-outer-border-color	Radio Input background-color: @radiobutton-active-background-color border-color: 1px solid @radiobutton-active-border-color	Checked Radio Input background-color: @radiobutton-checked-background-color border: 1px solid @radiobutton-checked-border-color
Label color: @black; display: inline-block width:calc(~'100% - 22px') max-width: @text-line-max-width	Checked Filled Circle background-color: @radiobutton-filled-circle-color width: @radiobutton-filled-circle-width height: @radiobutton-filled-circle-width align: center and middle	Disabled Radio Button background-color: @radiobutton-disabled-background-color border: 1px solid @radiobutton-disabled-border-color	Read Only / Read Only Checked Radio Input checked background-color: @radiobutton-readonly-background-color border: 1px solid @radiobutton-readonly-border-color border: 1px solid @radiobutton-readonly-border-color
			Label display: inline-block color: @radiobutton-disabled-label-color width:calc(~'100% - 22px') max-width: @text-line-max-width
Interaction Clicking on the label should check or uncheck the radio button associated to it.			



Radio Button (2/3)

Multiple Columns

- Refund prorated unearned Up Front
- Rounding to nearest \$50
- Charges for the insurance are added to your loan payments
- Charges for the insurance are collected upfront at loan closing
- Refund prorated unearned Up Front
- Rounding to nearest \$50
- Charges for the insurance are added to your loan payments
- Charges for the insurance are collected upfront at loan closing

Spacing
30px

Mobile Sample

Single

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonumy diam.

Agree to the terms:

I agree

Multiple & Text Wrap

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonumy diam.

Make your selection:

- Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.
- Rounding to nearest \$50
- Charges for the insurance are collected upfront
- Refund prorated

Header & Radio Button

An Example List of Radio Buttons

- Refund prorated unearned Up Front
- Rounding to nearest \$50
- Charges for the insurance are added to your loan payments
- Charges for the insurance are collected upfront at loan closing

Spacing: 20px

Middle Align

Top align for multiple lines

Mobile Specs

Make your selection:


- 10px Spacing: 20px
- Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.
 - Rounding to nearest \$50
 - Charges for the insurance are collected upfront
 - Refund prorated
- Width: flexible

triple line: 65px

single line: 40px

double line: 50px

Radio button: see radio button styles



Selected

Charges for the insurance are collected upfront

Container
background-color: @radiobutton-mobile-default-background-color

border: 1px solid @radiobutton-mobile-border-color

width: @radiobutton-mobile-width-flexible

* Top and bottom two corners should have 3px radius each.

Text
color: @text-button-secondary-font-color
vertical-align: middle

Radio button
vertical-align: middle

Mobile Interaction
On tap of the radio button or the container, the option would be selected.

Container
background-color: @radiobutton-mobile-selected-background-color

border: 1px solid @radiobutton-mobile-border-color

Text
color: @text-button-secondary-font-color
vertical-align: middle



Radio Button (3/3)

Error Handling

An Example List of Radio Buttons

- Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.
- Rounding to nearest \$50
- Charges for the insurance are collected upfront

Radio Button

border: 1px solid @radiobutton-error-inside-border
box-shadow: 0px 0px 0px 2px @radiobutton-error-outside-border

Interaction

Show the red border error if the requirements aren't met.

Note: configure error handling to be on/off

Error Handling (Mobile)

Single

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Agree to the terms:

 I agree

Multiple & Text Wrap

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Make your selection:

- Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.
- Rounding to nearest \$50
- Charges for the insurance are collected upfront
- Refund prorated

Radio Button Container

border: 1px solid @radiobutton-error-inside-border
box-shadow: 0px 0px 0px 2px @radiobutton-error-outside-border

Interaction

Show the red border error if the requirements aren't met.

Note: configure error handling to be on/off




Checkbox (1/4)

Sample

- Refund prorated unearned Up Front
- Rounding to nearest \$50
- Charges for the insurance are added to your loan payments
- Charges for the insurance are collected upfront at loan closing
- Charges for the insurance are added to your loan payments.
- MI Factor Field Locked

Spec




Text Wrapping

- Min Spacing: 12px
- Rounding to nearest \$50
 - Charges for the insurance are added to your loan payments
- Max Spacing: 28px
- Charges for the insurance are added to your loan payments
 - Charges for the insurance are added to your loan payments, then more content requires a third line of text.
Top align for multiple lines
 - Rounding to nearest \$50
Middle Align
 - Charges for the insurance are added to your loan payments

Icon (shown at 1rem)

Default (white)



Disabled

[Download SVG File](#)

Style

Default

- List Item-1

Hover/Focus

- List Item-1

Active

- List Item-1

Checked

- List Item-1

Disabled

- List Item-1

Read-Only / Read-Only Checked

- List Item-1
- List Item-1

Checkbox Input
background-color: @checkbox-default-background
border: 1px solid @checkbox-default-border-color
border-radius: 2px
width: @checkbox-width
height: @checkbox-width
display: inline-block
margin-right: 10px
box-sizing: border-box

Label
color: @checkbox-default-label-color
display: inline-block
width: calc(~'100% - 22px')
max-width: @text-line-max-width

Checkbox Input
background-color: @checkbox-hover-background-color
border: 1px solid @checkbox-hover-border-color
box-shadow: 0px 0px 1px 2px @checkbox-hover-outer-border-color

Checkbox Input
background-color: @checkbox-active-background-color
url(checkmark.svg) middle center no-repeat
border: 1px solid @checkbox-active-border-color
box-shadow: none

Icon (Checkmark)
color: @checkbox-icon

Checkbox Input
background-color: @checkbox-checked-background-color
url(checkmark.svg) middle center no-repeat
border: 1px solid @checkbox-checked-border-color

Icon (Checkmark)
color: @checkbox-icon

Checkbox Input
background-color: @checkbox-disabled-background-color
border: 1px solid @checkbox-disabled-border-color

Label
color: @checkbox-disabled-label-color

Checkbox Input
background-color: @checkbox-readonly-background-color
border: 1px solid @checkbox-readonly-border-color

Label
color: @checkbox-disabled-label-color

Icon (Checkmark)
color: @checkbox-disabled-label-color



Checkbox (2/4)

Style (continued)

Restricted (Business Rule)

.....

Checkbox

background-color: @checkbox-disabled-background-color
border: 1px solid @checkbox-disabled-border-color

Label

color: @checkbox-disabled-label-color

Interaction

User cannot select the option and can't see the list item content. Display 6 dot character "•" instead of the actual input value.

Header + Checkboxes

Example of a long list of checkboxes

Spacing: 20px

- Rounding to nearest \$50
- Charges for the insurance are added to your loan payments
- Charges for the insurance are added to your loan payments
- Charges for the insurance are added to your loan payments, then more content requires a third line of text.
- Rounding to nearest \$50
- Charges for the insurance are added to your loan payments

Multiple Columns

Rounding to nearest \$50

Charges for the insurance are added to your loan payments

Charges for the insurance are added to your loan payments

Charges for the insurance are added to your loan payments, then more content requires a third line of text.

Rounding to nearest \$50

Charges for the insurance are added to your loan payments

Rounding to nearest \$50

Charges for the insurance are added to your loan payments

Charges for the insurance are added to your loan payments

Charges for the insurance are added to your loan payments, then more content requires a third line of text.

Rounding to nearest \$50

Charges for the insurance are added to your loan payments



Checkbox (4/4)

Error Handling

An Example List of Radio Buttons

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.

Rounding to nearest \$50

Charges for the insurance are collected upfront

Checkbox

border: 1px solid @checkbox-error-inside-border
box-shadow: 0px 0px 0px 2px @checkbox-error-outside-border

Interaction

Show the red border error if the requirements aren't met.

Note: configure error handling to be on/off

Error Handling (Mobile)

Single

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Agree to the terms:

I agree

Multiple & Text Wrap

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Make your selection:

- Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.
- Rounding to nearest \$50
- Charges for the insurance are collected upfront
- Refund prorated

Checkbox Container

border: 1px solid @checkbox-error-inside-border
box-shadow: 0px 0px 0px 2px @checkbox-error-outside-border

Interaction

Show the red border error if the requirements aren't met.

Note: configure error handling to be on/off



Checkbox (3/4)

Mobile Sample

Single

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonumy diam.

Agree to the terms:

I agree

Multiple & Text Wrap

Modal Header

Paragraph Header

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa. Sed eleifend nonumy diam.

Make your selections:

The insurance charges for the insurance are collected upfront at loan closing

Rounding to nearest \$50

Charges for the insurance are collected upfront

Refund prorated

Mobile Specs

Make your selections:

10 px Spacing: 20px

Lorem ipsum nullam enim leo, egestas id, condimentum at, laoreet mattis, massa.

Rounding to nearest \$50

Charges for the insurance are collected upfront

Refund prorated

Width: flexible

Checkbox: see checkbox styles



Selected

Charges for the insurance are collected upfront

Container

background-color: @checkbox-mobile-selected-background-color

border: 1px solid @radiobutton-mobile-border-color

Text

color: @text-button-secondary-font-color
vertical-align: middle

Container

background-color: @checkbox-mobile-default-background-color

border: 1px solid @radiobutton-mobile-border-color

width: @checkbox-mobile-width-flexible

* Top and bottom two corners should have 3px radius each.

Text

color: @text-button-secondary-font-color
vertical-align: middle

Checkbox

vertical-align: middle

Mobile Interaction

On tap of the checkbox or the container, the option would be selected.



Hyperlink

Spec

Default

[This is a link](#)

a:link
color: @text-link-default
text-decoration: none

Hover/Focus

[This is a link](#)

a:hover and a:focus
color: @text-link-hover
text-decoration: @text-link-
hover-text-decoration
outline: 0

Active

[This is a link](#)

a:active
color: @text-link-active
text-decoration: none

Visited

[This is a link](#)

a:visited
color: @text-link-visited
text-decoration: none



Paragraph

Sample

Lorem ipsum nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et, bibendum at, posuere sit amet, nibh. Duis tinci-dunt lectus quis dui viverra vestibulum. Suspendisse vulputate aliquam dui. Nulla elementum dui ut ante enim, dapibus augue.

Aliquam vehicula mi at mauris. Maecenas placerat, nisl at consequat rhoncus, sem nunc gravida justo, quis eleifend arcu velit quis lacus. Morbi magna magna, tincidunt.

Spec

Text

font-family: @font-family-base
font-size: @font-size-base
color: @black
text-align: left
line-height: 130%
vertical-align: top
max-width: @text-line-max-width

Note: Center, left and right text align, and min-width to be established by parent container

Sample of disabled paragraph

Lorem ipsum nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam. Praesent mauris ante, elementum et, bibendum at, posuere sit amet, nibh. Duis tinci-dunt lectus quis dui viverra vestibulum. Suspendisse vulputate aliquam dui. Nulla elementum dui ut ante enim, dapibus augue.

Aliquam vehicula mi at mauris. Maecenas placerat, nisl at consequat rhoncus, sem nunc gravida justo, quis eleifend arcu velit quis lacus. Morbi magna magna, tincidunt.

Spec

Text

font-family: @font-family-base
font-size: @font-size-base
color: @state-disabled-warm-gray-dark
text-align: left
line-height: 130%
vertical-align: top
max-width: @text-line-max-width

Note: Center, left and right text align, and min-width to be established by parent container



Category Box, Group Box and Panel

Samples

Category Box with Group Boxes

1 Category Box Header

2 Group Box Header

3 Panel content

4 Panel content

5 Type of Veteran Listing-item-1 ▾

Is this the first use of the VA loan program?

Learn more... Activating Activating

Default Panel

3 Panel content

Group Box shown with two sections

3 Group Box Header

4 Panel content

5 Panel content

Listing-Item-1
 Listing-Item-2
 Listing-Item-3

Visual Note

When combining, grouping or joining components, please remove corner radius and borders at jointed points and segments.

Incorrect



Correct



Styles



Header

```
background-color: @category-header-default-background
border-color: @category-header-default-border-color
border-radius: @category-header-default-border
padding: @category-header-padding
height: @category-header-height
width: @category-header-width
box-sizing: border-box
display: flex
align-items: center
```

Text

```
font-size: @font-size-large
color: @white
font-weight: @font-emphasis-strong
```



Pane

```
background-color: @pane-background-color
padding: @pane-content-padding
height: @pane-content-height
width: @pane-content-width
border: 1px solid @pane-content-border
border-radius: @pane-content-radius
box-sizing: border-box
```

Text (header)

```
font-style: @font-emphasis-strong
color: @black
text-align: left
```



Panel header

```
background-color: @panel-header-default-background
padding: @panel-header-padding
height: @panel-header-height
width: @panel-header-width
border-left: 1px solid @panel-header-border-color
border-right: 1px solid @panel-header-border-color
box-sizing: border-box
display: flex
align-items: center
```


Text (header)

```
font-weight: @font-emphasis-strong
color: @black
text-align: left
```



Panel section

```
background-color: @panel-content-default-background
padding: @panel-content-default-padding
width: @panel-content-default-width
border: 1px solid @panel-content-default-border-color
border-top: none
box-sizing: border-box
```



Panel bottom

```
background-color: @white
padding: @panel-content-default-padding
width: @panel-content-default-width
border: 1px solid @panel-content-default-border-color
border-top: none
border: @panel-content-default-radius
box-sizing: border-box
```



Tool Tip

Sample / Spec



Tooltip Panel

```
background-color: @tooltip-default-
background-color
border-color: @tooltip-default-border-
color
border-radius: @tooltip-border-radius
min-width: @tooltip-min-width
max-width: @tooltip-max-width
min-height: @tooltip-min-height
box-shadow: 0px -2px 5px 0px
@tooltip-default-border-color
```

Text


```
font-size: @font-size-xsmall
font: @font-family-base
color: @tooltip-default-text-color
text-align: center
vertical-align: middle
```

Position

```
data-placement="auto top"
```


Positions

Tool Tips include 4 standard positions.
The position that provides the most visibility
to the corresponding content should be used.
See example at right.

Above**Below****Left****Right**

*Example: User desires to see contents in row 2, therefore
Tool Tip is positioned above the cursor, allowing other
content in row 2 to be viewable.*

Text Wrapping



Interaction


Container height and width to expand
to accommodate for the amount of
content inside.



Modal - Components (1/4)

Samples

Modal Variations




Interaction

A modal may just use the modal container with or without the header and with or without the section bottom.

Components

Container



Modal Container

```
background-color: @modal-background-color  
border: @modal-border-width solid @modal-border-color  
min-width: @modal-min-width  
height-min: @modal-min-height  
box-shadow: @modal-box-shadow-mixin  
border-radius: @modal-border-radius
```

Header



Header Container

```
background-color: @modal-header-background-color  
width: 100%  
height: @modal-header-height  
padding: 0px @modal-header-padding  
border-radius-top-left: @modal-border-radius  
border-radius-top-right: @modal-border-radius  
box-sizing: border-box  
display: flex  
align-items: center
```

Text

```
font-size: @modal-header-title-size  
color: @modal-header-title-color  
font-weight: @modal-header-title-font-weight  
padding: @modal-header-title-padding 0px  
text-align: left;
```

Icon (Close 'X')
color: @modal-close-box-icon-color
height: @modal-close-box-icon-height
vertical-align: middle
align: right
padding: @modal-close-box-icon-padding

Highlight Shape
(behind Close 'X' on Hover, Focus)
background-color: @modal-close-box-hover-color

Section

Modal section...


Section Container

```
width: 100%  
padding: @modal-section-padding
```

Text

```
font-size: @font-size-base  
font: @font-family-base  
color: @black  
text-align: left  
vertical-align: top
```

Section Bottom



Section Bottom Container

```
width: 100%  
padding: @modal-section-padding  
border-radius-bottom-left: @modal-border-radius  
border-radius-bottom-right: @modal-border-radius  
border-top: 1px solid @modal-section-divider-color
```

Buttons

```
align: right  
padding between buttons: 10px
```

Interaction


Allow the options to have top border (1px solid @modal-section-divider-color) on the section and/or the section bottom container. Sometime there might not be any border, so we need flexible styling.



Modal Size (2/4)

Sample / Spec

Small




Medium



Large



Extra Large (Flexible Width)



Modal Interaction (3/4)

Configurations

Standard Modal




Style and Interactions (Standard View)

Standard View modals provide basic information display and/or messaging that is non-critical, and may or may not require any action from the user.

Allow users to dismiss or close the modal by clicking outside its bounds or clicking on the close icon or pressing a cancel button.

There is no 'lightbox' styling. Standard modal appear ontop of the page.

Required Modal



Style and Interactions (Required View)

Required modals make it necessary for users to perform an action such as 'Save', 'Apply', 'Cancel', etc.

These modals cannot be dismissed, hidden or closed by clicking outside of the modal bounds. Content behind the modal should not be scrollable. User can dismiss or close the modal by clicking on the close icon or pressing a cancel button.

A 'lightbox' styling distinguishes *Required* modals from *Standard* modals, and helps bring a stronger focus to required content.

a

Lightbox (Background shading)
background-color: @modal-light-box-background-color
opacity: @modal-light-box-opacity
width: 100%
height: 100%

Positioning


All Simple Modals

On default position the modal to the center and middle align to the window. If the modal height goes beyond the fold, allow window scrolling to scroll down to the bottom of the modal. Only recenter the modal to be horizontally center if user resize the window, maintain where user scrolling is. Positioning behavior should be like the modal behavior on www.pinterest.com.

Modal for Mobile (4/4)


Sample / Spec

Basic




Note: Flexible buttons. Min (w): 96px

Stacked button example for basic or complex modal



Complex: Slide In



Note: Complex modals slide in from the right to the left.

Spec

Basic

Modal Container
background-color: @modal-background-color
border: @modal-border-width solid @modal-border-color
width: @modal-size-flexible
height-min: @modal-min-height
box-shadow: @modal-box-shadow-mixin
border-radius: @modal-border-radius

Header Container
background-color: @modal-header-background-color
width: 100%
height: @modal-mobile-header-height
padding: 0px @modal-mobile-header-padding
box-shadow: @modal-box-shadow-mixin
border-radius-top-left: @modal-border-radius
border-radius-top-right: @modal-border-radius
box-sizing: border-box
display: flex
align-items: center

Header Text
font-size: @moda-mobile-header-title-size
color: @modal-header-title-color
font-weight: @modal-mobile-header-title-font-weight
padding: @modal-mobile-header-title-padding 0px
text-align: left;

Icon (Close 'X')
color: @modal-close-box-icon-color
height: @modal-mobile-close-box-icon-height
vertical-align: middle
align: right
padding: @modal-mobile-close-box-icon-padding

Highlight Shape
(behind Close 'X' on Hover, Focus)
background-color: @modal-close-box-hover-color

Complex: Slide In

Modal Container
background-color: @modal-background-color
width: 100%
height: 100%

Header Container
background-color: @modal-header-background-color
width: 100%
height: @modal-mobile-header-height
padding: 0px @modal-mobile-header-padding
box-shadow: @modal-box-shadow-mixin
border-radius-top-left: @modal-border-radius
border-radius-top-right: @modal-border-radius
box-sizing: border-box
display: flex
align-items: center

Header Text
font-size: @moda-mobile-header-title-size
color: @modal-header-title-color
font-weight: @modal-mobile-header-title-font-weight
padding: @modal-mobile-header-title-padding 0px
text-align: left;

Icon Back (<)
color: @modal-close-box-icon-color
height: @modal-mobile-back-icon-height
vertical-align: middle
align: left

Interaction
Button can be configured to be stackable. Pin Section bottom container to the bottom of the view port.
Modal section and modal section bottom can configure to have or not have a top border (1px solid @modal-section-divider-color). Sometimes there might not be any border, so we need flexible styling.

Complex modal should be slide in as a panel taking up the full screen. [Refer to InVision animation of sliding in screen for sample.](#)


Section

Modal section...

Section Container
width: 100%
padding: @modal-mobile-section-padding

Text
font-size: @font-size-base
font: @font-family-base
color: @black
text-align: left
vertical-align: top

Section Bottom



Section Bottom Container
width: 100%
padding: @modal-section-padding
border-radius-bottom-left: @modal-border-radius
border-radius-bottom-right: @modal-border-radius
border-top: 1px solid @modal-section-divider-color

Buttons
align: center
padding between buttons: 10px



Scroll Bar

Sample

Small Handle




```
background-color:  
@gray-warm-darker  
width (rec): 6px  
border-radius: 50%
```

Large Handle



```
background-color:  
@gray-warm-darker  
width (rec): 8px  
border-radius: 50%
```

Large Scroll Bar



```
background-color: @white 0.85  
width (rec): 13px  
border-top-right-radius (rec): 2px  
border-bottom-right-radius (rec): 2px  
border-left: 1px solid @gray-warm-lighter
```

States

Default

Field Label

Nullam enim leo, egestas id, condimemb
at, laoreet mattis, massa. Sed eleifend
nonummy diam. Praesent mauris ante,
elementum et. Lorem ipsuhabitant
morbi tristique senectus et netus et
malesuada fames ac turpis egestas. Inop
uere felis necw tortor. Pellentesque
faucibus. Ut accumsan ultricies elit.
Maecenas at

Hover

Field Label

Nullam enim leo, egestas id, condimemb
at, laoreet mattis, massa. Sed eleifend
nonummy diam. Praesent mauris ante,
elementum et. Lorem ipsuhabitant
morbi tristique senectus et netus et
malesuada fames ac turpis egestas. Inop
uere felis necw tortor. Pellentesque
faucibus. Ut accumsan ultricies elit.
Maecenas at tus et netus et malesuad

Active

Field Label

Nullam enim leo, egestas id, condimemb
at, laoreet mattis, massa. Sed eleifend
nonummy diam. Praesent mauris ante,
elementum et. Lorem ipsuhabitant
morbi tristique senectus et netus et
malesuada fames ac turpis egestas. Inop
uere felis necw tortor. Pellentesque
faucibus. Ut accumsan ultricies elit.
Maecenas at tus et netus et malesuad

Scroll Bar is not visible

Note: interactivity is to be similar to gmail design
(desktop size, in-browser)

Small Handle appears upon:

- scroll, swipe
- user inputs content beyond size field
- down arrow
- mouse-over


Large Scroll Bar appears upon:

- mouse-down (within scroll bar container)



Complex Data Table

Sample



The diagram illustrates the structure of a Complex Data Table. It features a header row with five columns labeled 'Column-Header-1' through 'Column-Header-5'. Below the header is a filter row containing placeholder text for each column. The main body consists of ten rows, each with three columns: 'List-Item-1', 'List-Item-2', and 'List-Item-3'. The first two columns contain icons for 'List-Item-1' and 'List-Item-2'. The third column contains text and icons for 'List-Item-3'. A 'Slider Panel' is located on the left side of the table. A 'Toolbar' is positioned at the top right, and a 'Footer' is at the bottom right. Arrows point from labels to their corresponding parts in the table.

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5	Action
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-1-w...	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-2	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1-w...	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	

Annotations:

- Slider Panel**: Points to the vertical panel on the left.
- Toolbar**: Points to the row of icons at the top right.
- Header Row**: Points to the first row of the table.
- Filter Row**: Points to the second row of the table.
- Body Row**: Points to the third row of the table.
- Footer**: Points to the row of navigation icons at the bottom right.
- Pagination**: Points to the page number area at the bottom right.

Note

This document only shows the Phase 1 features of the Complex Data Table control. The remaining features which are for Phase 2 are available in a separate document



Toolbar Container

Sample & Specs



Container

```
background-color: @table-toolbar-container-background-color  
border: 1px solid @table-toolbar-container-border  
width: @table-toolbar-container-width  
height: @table-toolbar-container-height  
padding: @table-toolbar-container-padding
```

Interaction


The toolbar container should be able to accommodate various content types including buttons, drop-downs, input fields, etc.




Slider Panel (Collapsed)

Sample & Specs

Default



Hover / Focus






Slider Panel (Expanded)

Sample & Specs

Default

**Icon**

See "collapsed default" icon styles. Arrow changes direction.

Container


```
background-color: @slider-expand-default-container-background-color
border-top: 1px solid @slider-expand-default-container-border-top
border-right: 1px solid @slider-expand-default-container-border-right
border-bottom: 1px solid @slider-expand-default-container-border-bottom
border-left: 1px solid @slider-expand-default-container-border-left
padding: @slider-expand-default-container-padding
width: @slider-expand-default-container-width
height: @slider-expand-default-container-height
align: top
```

Interaction

Click on the icon to collapse the container. The expandable slider panel should be able to accommodate various content types including radio buttons, checkmarks, drop-downs, links, input boxes, etc. On expansion, the panel would push the adjoining information towards the right.

*Intended use for pipeline: This container will be used for faceted search/navigation/filter for accessing the information on the data table.


Hover / Focus

**Icon**

See "collapsed hover / focus" icon styles. Arrow changes direction.

Container

```
background-color: @slider-expand-hover-container-background-color
border-top: 1px solid @slider-expand-hover-container-border-top
border-right: 1px solid @slider-expand-hover-container-border-right
border-bottom: 1px solid @slider-expand-hover-container-border-bottom
border-left: 1px solid @slider-expand-hover-container-border-left
```





Header Row (1/2)

Sample & Specs

Default

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5

Configuration 1
Header row without separator. No column resizing.

Configuration 2
Header row separated by 1px vertical line.
line: 1px solid @table-header-row-column-separator.
* Column resize enabled.

Container
background-color: @table-header-row-background-color
height: @table-header-row-height
width: @table-header-row-width
padding: @table-header-row-padding

Text
font: @font-family-base
font-size: @table-header-row-font-size
font-weight: @table-header-row-font-weight
color: @table-header-row-font-color
text-align: left (of text)
vertical-align: middle

Hover / Focus

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5

Container & Text
See "default" specs above.

Sort Icons
color: @table-header-row-sort-icon-color
height: @table-header-row-sort-icon-width
width: @table-header-row-sort-icon-width
align: center middle
default: arrow down icon
on click: arrow up
align: right (of text)
vertical-align: middle

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5

Interaction
On hover, the icons should appear.

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5

Sort Icons:
default ↓ after click ↑

Allow the user to sort the column. Sorting criteria will be based on the business requirements.

Sort Icon:
12px
^ 12px
^



Header Row (2/2)

Sample & Specs

Active

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
-----------------	-----------------	-----------------	-----------------	-----------------

Container
See "header row default" specs

Text
font: @font-family-base
font-weight: @table-header-row-active-font-weight
text-align: left
vertical-align: middle

Active Rows

The screenshot shows a table with five columns. The second column, 'Column-Header-2', has a pink dashed border around its header and body cells. A pink arrow points from the text 'Active Rows' to this border. A pink box highlights the text 'The rows that belong to the active column'.

Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-1-w... 9
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 13
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 13
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 2
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 1
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 1
-1	● List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 1

Active Rows
background-color: @table-header-row-active-row-color
font: @font-family-base
font-weight: @table-header-row-active-row-font-weight
text-align: left
vertical-align: middle

Active Hover

The screenshot shows a table with five columns. The first column header, 'Column-Header-1', is highlighted in blue. A mouse cursor is positioned over this header. The other four columns have standard grey headers.

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header-5
-----------------	-----------------	-----------------	-----------------	-----------------

Container
See "header row default" specs

Text
See "header row activet" specs

Icons
See header row "hover sort icons" specs



Filter Row

Sample & Specs


**Configuration 1**

Filter row without separator. No column resizing.

**Configuration 2**

Filter row column separated by 1px vertical line.
line: 1px solid @table-filter-row-column-separator

* Column resize enabled.

**Container**

background-color: @table-filter-row-container-background-color
width: @table-filter-row-container-width
height: @table-filter-row-container-height
padding: @table-filter-row-container-padding

Interaction

The filter row should be able to accommodate various content types including drop-downs, input boxes, links etc.

*Intended use for pipeline: The filter row container will accommodate text input fields that will enable users to sort the column data table.




Body Row (1/2)

Sample & Specs

Default

<input type="checkbox"/>	List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lore ipsum nullam enim leo	List-Item-3
--------------------------	-------------	-------------	--	----------------------------	-------------

Specs



a Checkbox Container
background-color: @table-body-row-checkbox-container-background-color
border-top: 1px solid @table-body-row-checkbox-container-border-top-color
border-bottom: 1px solid @table-body-row-checkbox-container-border-bottom-color
border-right: 1px solid @table-body-row-checkbox-container-border-right-color
border-left: @table-body-row-checkbox-container-border-left-color
width: @table-body-row-checkbox-container-width
height: @table-body-row-checkbox-container-height
padding: @table-body-row-checkbox-container-padding

Icon
See "Checkbox Style"

b Row Container
border-top: 1px solid @table-body-row-container-border-top
border-bottom: 1px solid @table-body-row-container-border-bottom
width: @table-body-row-container-width
height: @table-body-row-container-height

c Cell Container (Cell)
background-color: @table-body-row-cell-background-color
border-top: @table-body-row-cell-border-top
border-bottom: @table-body-row-cell-border-bottom
height: @table-body-row-cell-height
height: @table-body-row-cell-width
padding: @table-body-row-cell-padding
min-width: @table-body-row-cell-min-width

Text
font: @font-family-base
font-size: @table-body-row-cell-font-size
color: @table-body-row-cell-font-color
text-align: left
vertical-align: middle

Icon Left
width: @table-body-row-cell-icon-left-width
height: @table-body-row-cell-icon-left-height
align: left middle

Icon Right
width: @table-body-row-cell-icon-right-width
height: @table-body-row-cell-icon-right-height
align: right middle



Body Row (2/2)

Sample & Specs

Hover

<input type="checkbox"/>	List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3
--------------------------	-------------	-------------	--	-----------------------------	-------------

Container (Cell)
background-color: @table-body-row-cell-hover-background-color
border-top: 1px solid @table-body-row-cell-hover-border-top
border-bottom: 1px solid @table-body-row-cell-hover-border-bottom

Text
See “body row default text style”

Checkbox
See “Checkbox Style” hover state

Interaction
On hover over the checkbox container, the checkbox would be highlighted.

Active

<input checked="" type="checkbox"/>	List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3
-------------------------------------	-------------	-------------	--	-----------------------------	-------------

Container (Cell)
background-color: @table-body-row-cell-active-background-color
border-top: 1px solid @table-body-row-cell-active-border-top
border-bottom: 1px solid @table-body-row-cell-active-border-bottom

Text
font-color: @table-body-row-cell-active-font-color

Checkbox
See “Checkbox Style” active state

Disabled

<input type="checkbox"/>	List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3
--------------------------	-------------	-------------	--	-----------------------------	-------------

Container (Cell)
background-color: @table-body-row-cell-disabled-background-color
border-top: 1px solid @table-body-row-cell-disabled-border-top
border-bottom: 1px solid @table-body-row-cell-disabled-border-bottom

Text
font-color: @table-body-row-cell-disabled-font-color

Checkbox
See “Checkbox Style” disabled state



Pagination (1/3)

Sample

	Status	Name	Property Address	Loan Progress	Milestone	Notifications	Action
<input type="checkbox"/>	<input type="button" value="▼"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/> Locked	Locked	Jim McKendree	1250 14th Street Denver, Colorado, 80017	<div style="width: 75%; background-color: #00AEEF;"></div>	Re-Submittal wrapped to two lines	(9)	<input type="button"/>
<input type="checkbox"/> Locked	Locked	Casey Frick	6162 Multnomah Falls Road, Klamath Falls, Or 97601	<div style="width: 75%; background-color: #00AEEF;"></div>	Conditional Approval	(13)	<input type="button"/>
<input type="checkbox"/> Pired, New Lock Requested	Pired, New Lock Requested	Stephanie Durflinger	1600 Pennsylvania Ave, Northwest, Washington, DC 20500	<div style="width: 75%; background-color: #00AEEF;"></div>	Processing	(13)	<input type="button"/>
<input type="checkbox"/> Pired	Pired	Mayuko Ueda	15D Cobble Stone Way, Clancy, MT 59634	<div style="width: 10%; background-color: #00AEEF;"></div>	Processing	(2)	<input type="button"/>
<input type="checkbox"/> Not Locked	Not Locked	Elhube Smales	7955 S Eagle Ranch, Jackson, WY 83001	<div style="width: 5%; background-color: #00AEEF;"></div>	Qualification	<input type="button"/>	<input type="button"/>
<input type="checkbox"/> Locked	Locked	Stanis Baratheon	80 Industrial Parkway, Burlington, VT 05425	<div style="width: 75%; background-color: #00AEEF;"></div>	Closing	(1)	<input type="button"/>
<input type="checkbox"/> Locked	Locked	Ty Webb	1250 14th Street Denver, Colorado, 80017	<div style="width: 10%; background-color: #00AEEF;"></div>	Processing	(1)	<input type="button"/>
<input type="checkbox"/> Pired, New Lock Requested	Pired, New Lock Requested	Tiffany Vu	1250 14th Street Denver, Colorado, 80017	<div style="width: 75%; background-color: #00AEEF;"></div>	Processing	<input type="button"/>	<input type="button"/>
<input type="checkbox"/> Pired	Pired	Julia Chepak	309 E 3rd St, Hershey, NE 69143	<div style="width: 75%; background-color: #00AEEF;"></div>	Processing	(16)	<input type="button"/>
<input type="checkbox"/> Locked	Locked	Donald Trump	15D Cobble Stone Way, Clancy, MT 59634	<div style="width: 75%; background-color: #00AEEF;"></div>	Underwriting	(20)	<input type="button"/>
<input type="checkbox"/> Locked	Locked	Jim McKendree	80 Industrial Parkway, Burlington, VT 05425	<div style="width: 5%; background-color: #00AEEF;"></div>	Qualification	<input type="button"/>	<input type="button"/>
<input type="checkbox"/> Locked	Locked	Jim McKendree	80 Industrial Parkway, Burlington, VT 05425	<div style="width: 5%; background-color: #00AEEF;"></div>	Qualification	<input type="button"/>	<input type="button"/>

Pagination Container

Pagination can be placed inside multiple container types.

*Pagination shown here as part of a data table.



Pagination (2/3)

Sample / Spec

```
◀ 1 ... 4 5 6 ... 33 ▶
```

Default

Text
font: @font-family-base
font-size: @pagination-font-size
color: @pagination-font-color
padding: @pagination-font-padding
text-align: center
vertical-align: middle


Text (Separator)
font: @font-family-base
font-size: @pagination-font-size
color: @pagination-font-color
padding: @pagination-ellipsis-padding
text-align: center
vertical-align: middle

Note: Use ellipsis (...) character

Icon (Next/Previous arrow)
color: @pagination-icon-arrow-color;
height: @pagination-icon-arrow-height;
width: @pagination-icon-arrow-width
align: center
vertical-align: middle

States

Hover



```
◀ 1 ... 330 331 332 ... 467 ▶
```

Highlight Shape (Large)

Active

Text
See "Active Text" on **c**

e **Background (Large)**
(Large: >3 characters)
color: @pagination-active-large-background-color
height: @pagination-active-large-background-height
width: @pagination-active-large-background-width
border-radius: @pagination-active-large-background-radius

Disabled

a **Text**
color: @pagination-disabled-font-color
font-size: @pagination-disabled-font-size
font: @font-family-base
text-align: center
vertical-align: middle

Icon (Next/Previous arrow)
color: @pagination-disabled-icon-arrow-color

Hover/Focus

b **Text**
color: @pagination-hover-font-color
font-size: @pagination-hover-font-size
font: @font-family-base
text-align: center
vertical-align: middle

Background
(Small: 1-2 characters)
color: @gray-warm-light
height: @pagination-hover-background-height
width: @pagination-hover-background-width
border-radius: @pagination-hover-background-radius

Active

c **Text**
color: @pagination-active-font-color
font-size: @pagination-active-font-size
font: @font-family-base
text-align: center
vertical-align: middle

Background
(Small: 1-2 page characters)
color: @pagination-active-background-color
height: @pagination-active-background-height
width: @pagination-active-background-width
border-radius: @pagination-active-background-radius

Hover - Next/Previous Button

d **Icon (Next/Previous arrow)**
color: @pagination-hover-icon-arrow-color
height: @pagination-hover-icon-arrow-height
width: @pagination-hover-icon-arrow-width
align: center
vertical-align: middle

Background
(Next/Previous buttons)
color: @pagination-hover-icon-background-color
height: @pagination-hover-icon-background-height
width: @pagination-hover-icon-background-width
border-radius: @pagination-hover-icon-background-radius



Pagination (3/3)

Configurations


Refer to [Amazon](#) for much of these configurations & interactions

Default View




- Page 1 state is 'Active'
- Next 2 pages shown as default, followed by ellipsis
- Last Page shown after ellipsis separator
- Initial View is maintained through the first 3 pages
- Next Page arrow is Active

Advance View




- Advance View is rendered once page 4 is reached
- Page 1 is shown on the left followed by ellipsis
- Previous Page arrow becomes Active
- In Advanced View, the middle page value is always the active page

Page View Selector



- Page View displays the number of list items shown on each page
- Total Data displays the total count of list items in the data table
- Page View Dropdown is revealed only when the total count of list items exceeds the amount available on the data table
 - Use control styling provided for Pagination and Dropdown

Default



Text

```
font: @font-family-base
font-size: @pagination-font-size
color: @pagination-font-color
padding: @pagination-font-padding
text-align: center
vertical-align: middle
```

```
Icon (Down Arrow)
color: @pagination-icon-arrow-color;
height: @pagination-icon-arrow-height;
width: @pagination-icon-arrow-width
align: center
vertical-align: middle
```


Hover



Icon (Down arrow)
color: @pagination-hover-icon-arrow-color
height: @pagination-hover-icon-arrow-height
width: @pagination-hover-icon-arrow-width
align: center
vertical-align: middle

Background (Down arrow)
color: @pagination-hover-icon-background-color
height: @pagination-hover-icon-background-height
width: @pagination-hover-icon-background-width
border-radius: @pagination-hover-icon-background-radius

Active



Icon (Down arrow)
color: @pagination-active-icon-arrow-color
height: @pagination-hover-icon-arrow-height
width: @pagination-hover-icon-arrow-width
align: center
vertical-align: middle

Background
color: @pagination-active-icon-background-color
height: @pagination-active-icon-background-height
width: @pagination-active-icon-background-width
border-radius: @pagination-active-icon-background-radius

Dropdown Panel (see drop down panel specs)

Interaction

The user can initiate the dropdown menu upon clicking on the arrow icon or anywhere in the associated "number/page" area.



Simple Data Table (1/2)

Sample

Table Header			
Column-Header-1	Column-Header-2	Column-Header-2	Column-Header-4
List-Item-1	List-Item-2	List-Item-3	List-Item-4
List-Item-1	List-Item-2	List-Item-3	List-Item-4
List-Item-1	List-Item-2	List-Item-3	List-Item-4
List-Item-1	List-Item-2	List-Item-3	List-Item-4
List-Item-1	List-Item-2	List-Item-3	List-Item-4
List-Item-1	List-Item-2	List-Item-3	List-Item-4

Simple data table

Display static data. The user will not be able to interact or perform any actions on the data table.

Specs

Table Header

Table Header

Optional

**Container**

```
background-color: @simple-grid-table-
header-background-color
border: 1px solid @simple-grid-table-header-
border-color
height: @simple-grid-table-header-height
width: @simple-grid-table-header-width
padding: @simple-grid-table-header-padding
```

Text


```
color: @simple-grid-table-header-font-color
font-size: @simple-grid-table-header-font-size
font-weight: @simple-grid-table-header-font-weight
text-align: left
vertical-align: middle
```



Simple Data Table (2/2)

Specs continue

Header Rows

**Container**

```
width: @simple-grid-header-row-container-width
height: @simple-grid-header-row-container-height
padding: @simple-grid-header-row-container-padding
```

Cell

```
background-color: @simple-grid-header-row-cell-background-color
width: @simple-grid-header-row-cell-width
padding: @simple-grid-header-row-cell-padding
```

Text

```
font-size: @simple-grid-header-row-font-size
font-family: @simple-grid-header-row-font-family
color: @simple-grid-header-row-font-color
text-align: left
vertical-align: middle
```

Body Rows

**Container**

```
border-top: 1px solid @simple-grid-body-row-container-
border-top
border-bottom: 1px solid @simple-grid-body-row-
container-border-bottom
padding: @simple-grid-body-row-container-padding
width: @simple-grid-body-row-container-width
min-height: @simple-grid-body-row-container-min-height
```

Cell

```
background-color: @simple-grid-body-row-cell-background-color
padding: @simple-grid-body-row-container-padding
width: simple-grid-body-row-cell-width
```

Text

```
font-size: @simple-grid-body-row-font-size
font-family: @simple-grid-body-row-font-family
color: @simple-grid-body-row-font-color
text-align: left
vertical-align: middle
```

* The height should expand to accommodate the content




Progress Bar (1/2)

Sample / Spec


Page Level (Default size)

Configuration 1 - without lightbox



Note: Position progress bar to center and middle of the screen

Configuration 2 - with lightbox



Note: Position progress bar to center and middle of the screen

a Progress Bar (Blue % bar)
color: @progress-bar-large-blue-color
border-radius: @progress-bar-large-border-radius
max-width: @progress-bar-large-max-width
height: @progress-bar-large-height
box-shadow: 1px 1px 0px 0px @progress-bar-large-box-shadow-color 0.10

b Percentage Display
background-color: @progress-bar-percentage-display-background-color
border: 1px solid @progress-bar-percentage-display-border-color
max-width: @progress-bar-percentage-display-width
height: @progress-bar-percentage-display-height
padding: @progress-bar-percentage-display-padding
box-shadow: 1px 1px 0px 0px @progress-bar-percentage-display-box-shadow-color 0.10

Text
font-family: @progress-bar-percentage-display-font-family
font-size: @progress-bar-percentage-display-font-size
font-color: @progress-bar-percentage-display-font-color
align: center middle

c Base Bar (white Bar)
background-color: @progress-bar-large-base-background-color
border: 1px solid @progress-bar-large-base-border-color
box-shadow: inset 0px 1px 0px 1px @progress-bar-large-base-box-shadow-color 0.40
border-radius: @progress-bar-large-base-border-radius
height: @progress-bar-large-base-height
max-width: @progress-bar-large-base-max-width

d Lightbox (Background shading)
background-color: @progress-bar-large-lightbox-color
opacity: @progress-bar-large-lightbox-opacity
height: @progress-bar-large-lightbox-height
width: @progress-bar-large-lightbox-width

Style and Interactions

The progress bar can be used inside a container or at a page level. It should be developed these configurations:


1. On its own without a lightbox (background shading)
2. With a lightbox- Content with an overlay underneath should not be scrollable
3. Two size options, flexible or large




Progress Bar Configurations (2/2)

Sizes

Flexible (recommended for mobile)



Large



Base Bar (white Bar)

height: @progress-bar-small-height
width: calc(~'100% - 60px')

Position progress bar center and middle align to a container or page.


Progress Bar (Blue % bar)

height: @progress-bar-large-height
max-width: @progress-bar-large-max-width


Position progress bar center and middle align to a container or page.

Example

Inside a page



Inside a page with lightbox






Mini Progress Bar

Sample / Spec

* Proposed enhancement to the progress bar



Spec

Base Bar (white Bar)


Refer to "Progress Bar" specs for specifications
height: @progress-bar-mini-base-height
width: @progress-bar-mini-base-width

Progress Bar (Blue % bar)

Refer to "Progress Bar" specs for specifications
height: @progress-bar-mini-height

Text (Percent Complete)

font-size: @progress-bar-mini-font-size
font-weight: @progress-bar-mini-font-weight
font-color: @progress-bar-mini-font-color






Progress Spinner

Sample / Spec

Spinner (white)



1 Spinner Extra Small

width: @progress-spinner-xsmall
height: @progress-spinner-xsmall
color: @progress-spinner-color

2 Spinner Small

width: @progress-spinner-small
height: @progress-spinner-small
color: @progress-spinner-color

3 Spinner Medium

width: @progress-spinner-medium
height: @progress-spinner-medium
color: @progress-spinner-color

4 Spinner Large

width: @progress-spinner-large
height: @progress-spinner-large
color: @progress-spinner-color

5 Spinner Extra Large

width: @progress-spinner-xlarge
height: @progress-spinner-xlarge
color: @progress-spinner-color

Style and Interactions

The progress spinner can be used inside a control, container, or at a page level. It should be developed with two configurations:

1. on its own without a lightbox
2. with a lightbox. Content with an overlay underneath should not be scrollable.


Example

Inside a control

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam.

Spinner (gray)



6 Spinner Extra Small

width: @progress-spinner-gray-xsmall
height: @progress-spinner-gray-xsmall
color: @progress-spinner-gray-color

7 Spinner Small

width: @progress-spinner-gray-small
height: @progress-spinner-gray-small
color: @progress-spinner-gray-color

8 Spinner Medium

width: @progress-spinner-gray-medium
height: @progress-spinner-gray-medium
color: @progress-spinner-gray-color

9 Spinner Large

width: @progress-spinner-gray-large
height: @progress-spinner-gray-large
color: @progress-spinner-gray-color

10 Spinner Extra Large

width: @progress-spinner-gray-xlarge
height: @progress-spinner-gray-xlarge
color: @progress-spinner-gray-color

Inside a control with lightbox

Field Label

Nullam enim leo, egestas id, condim-entum at, laoreet mattis, massa. Sed eleifend nonummy diam.



Date Picker Components (1/5)


Sample

Please reference the sample below for guidance on interactivity and animation:

[Online Sample](#) (Navigate to: Elements / Form Elements / Plugin Inputs)



Date Field



1 Input Text Field


2 Unit Selector

3 Picker

4 Time-Date Selector

Spec

1 Date Field




Styles

See Field Logic Button and Text Input Field specs.
Label should have same configurable options as Field Logic Button and Text Input Field specs - States and configurations (label position, label vertical alignment, label wrap, no label, and height option).

width: 228px

2 Unit Selector



a Unit Selector

background-color:@input-field-default-background
border: 1px solid @input-field-default-border-color
border-top-left-radius: @input-field-border-radius
border-top-right-radius: @input-field-border-radius
width: 228px
height: 32px

b Image Button (Left, Right Chevron)
width: 32px
height: 32px

Icon (Chevron arrow)
color: @dropdown-default-icon-color
width: 8px

Align center and middle to image button container.

c Text


font-size: @font-size-base
font: @font-family-base
color: @black
padding: 5px 10px
Align center and middle to text container.

d Arrow

width: 24px
height: 12px
top radius is 3px

Position arrow to the middle or center of the input text field button.

3 Picker (Day)



a Day Header

background-color:@input-field-default-background
border: 1px solid @input-field-default-border-color
width: 228px
padding: 8px 10px


b Text (Day Header)
font-size: @font-size-base
font: @font-emphasis-strong
color: @black
Align center and middle to text container.

b Unit Selector

background-color:@input-field-default-background
height: 32px
width: 32px

c Text (Unit Selector button)
font-size: @font-size-base
font: @font-family-base
color: @black
Align center and middle to text container.

3 Picker (Time)



b Up/Down Arrow

width: 76px
height: 40px
padding: 12px 24px

Icon (Up/Down Chevron)
width: 12px
color: @dropdown-default-icon-color

Align center and middle to image button container.

c Unit Selector (Hour/Minute/AM-PM)

background-color:@input-field-default-background
border: 1px solid @input-field-default-border-color
width: 76px
padding-left: 24px
padding-right: 24px

d Text (Hour/Minute/AM-PM)
font-size: @font-size-base
font: @font-family-base
color: @black
text-align: center
vertical-align: middle



Date Picker Components (2/5)

Sample


 MM/DD/YYYY ## : ## AM

Date Field

The calendar component displays the month of January 2015. It includes a header with navigation arrows for previous and next months, a day-of-the-week grid, and a 4x7 grid of dates. A specific date, January 22nd, is highlighted with a gray background and a black border. Below the calendar is a button labeled "Choose Time".

Spec

4 Date-Time-Selector



Panel

```
background-color: @white  
border-color: @gray-warm-base  
border-weight: 1px  
border-radius: 2px  
width: 228px  
height: 32px  
padding: 5  
Center and middle align icon and text to container.
```

Text

```
font-size: @font-size-small  
font: @font-family-base  
color: @blue-base
```

Icon (calendar/clock)

```
width: 12px  
border-top-left-radius: 2px  
border-bottom-left-radius: 2px  
color: @dropdown-default-icon-color  
padding-right: 8px
```

Calendar (shown at 1rem)

Default



Active



Disabled

[Download SVG Files](#)

Clock (shown at 1rem)

Default



Active



Disabled

[Download SVG Files](#)

Chevron (shown at 1rem)

Default



Active



Disabled

[Download SVG Files](#)



Date Picker States (3/5)

States

Default

Disabled

Container

See Field Logic Button and Text Input Field specs for all states and behavior.

Date Input Text Field

Time Format Note

The standard format for date is MM / DD / YYYY.

Mobile Interaction

On tap, shows the device native date picker.

Time Input Text Field



Time Format Note

The standard format for time is #:## AM/PM.


Mobile Interaction

On tap, shows the device native time picker.

Hover/ Focus (show all possible highlighted states)



Active

a **Highlighted Image Button (Left/Right Chevron)**

color: @dropdown-panel-hover-highlight-color
width: 26px
height: 26px
border-radius: @input-field-border-radius

b **Icon (Left/Right Chevron)**
Middle align to the container.

c **Icon (Left/Right Chevron)**
Middle align to the container.

d **Highlight Shape (Time/Date Button)**

background-color: @dropdown-panel-hover-highlight-color
width: 220px
height: 26px
border-radius: @input-field-border-radius
Middle and center align shape to the container.

c **Highlight Shape (Day, Time Picker)**
background-color: @dropdown-panel-hover-highlight-color

height: 28px
width: 28px
border-radius: 50%
Middle and center align shape to the container.

g **Active**

Please replace @dropdown-panel-hover-highlight-color with @dropdown-panel-active-background-color in all instances.

Please repeat for Date and Time Picker

Text

color: @dropdown-panel-active-text-color



Date Picker Configurations (4/5)

Additional Dropdown Positions

Left

January 2015

Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	1

Choose Time

Above

January 2015

Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	1

Choose Time

Additional Configurations

Time Field

(Does not include Date field)

** Please refer to pages 24-26 for complete specs **

Time

▲	▲	
07	32	
08	33	AM
09	34	PM
10	35	
11	36	
▼	▼	

Date Field

(Does not include Time field)

January 2015

Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	1

Left-Middle of Field

January 2015

Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	1

Choose Time

Right of Field

January 2015

Su	Mo	Tu	We	Th	Fr	Sa
28	29	30	31	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	1

Choose Time

Date and Time Field




Date Picker Interactions (5/5)

Disabled



Disabled

When field is disabled, date and time picker panels are hidden and cannot be open.




Toggle button


Shows "Choose Date" button when the Time Picker is active and visa versa.

Clicking "Choose Date" from the Time Picker will reveal the Date Picker.

Clicking "Choose Time" from the Date Picker will reveal the Time Picker. When user select the hour, minute, or time unit (AM/PM), slide the selection to focus, align middle of the container.



Fading effects




Day Picker

Only show the days in that the chosen month and year. Image buttons for the day picker should show the previous or next month set of days base.

Default

Clicking or keyboard tabbing onto the date and time icon button should open up the day picker with the current month and year shown. Time pick on default should shows current time. App team should be able to set default date and time value or set the default view/options for the picker.

User selections should instantly populate the value in its input text field.



a

Disabled/ Deactivated Options
When a day or time cannot be selected/disabled, replace text color @black with @dropdown-panel-disabled-text-color .

Mobile Interaction

On tapping the icon date and time button, shows the device native date picker. Once the day is selected, show the device native time picker.

On tapping on the date input text field, shows the device native date picker.

On tapping on the time input text field, shows the device native time picker.




Toggle Switch (1/2)


Sample

Default (Small)

Basic (no text) Or/And



Flexible



Note: The width of the flexible toggle is determined by the largest text character length

Icons Button Toggle Switch Configuration



Configuration Option

The toggle switch has an option to use icons button. It'll toggle between two icons choices. The options is either one or the other selection is "on"/selected (blue bg).

The icons to be use in the switch is configurable/determine by the app team.


Interactions

Interactions

Switch toggles between two states/selections. Drag the handle or click anywhere on the whole control to change the state/selection. [See here for sample animation.](#)

Height Sizes

Basic (no text)



"On" (blue bg)

background-color: @switch-on-background-color
box-shadow: inset 0px 1px 0px

"Off" (gray bg)

background-color: @switch-off-background-color

Container

min-width: @switch-min-width-small
height: @switch-height-small
border: 1px solid @switch-border-color
box-shadow: inset 0px 1px 0px 1px @switch-off-box-shadow-color 0.40
padding: @switch-padding
border-radius: @switch-border-radius

Align the items within the container to middle center.

Text

font-size: @@switch-height-small-text-size
color: @white
padding: @switch-text-padding
Align the text in the container to middle center.

Switch


background-color: @switch-button-background-color
border: 1px solid @switch-border-color
border-radius: @switch-border-radius
height: @switch-button-small-height
width: @switch-button-small-height

Icon

color: @switch-button-icon-default-color
height: @switch-button-icon-size-small

Align the icon in the container to middle center.

Medium



"On" (blue bg)

background-color: @switch-on-background-color
box-shadow: inset 0px 1px 0px

"Off" (gray bg)

background-color: @switch-off-background-color

Container

min-width: @switch-min-width-medium
height: @switch-height-medium
border: 1px solid @switch-border-color
box-shadow: inset 0px 1px 0px 1px @switch-off-box-shadow-color 0.40
padding: @switch-padding
border-radius: @switch-border-radius

Align the items within the container to middle center.

Text

font-size: @@switch-height-medium-text-size
color: @white
padding: @switch-text-padding
Align the text in the container to middle center.

Switch

background-color: @switch-button-background-color
border: 1px solid @switch-border-color
border-radius: @switch-border-radius
height: @switch-button-medium-height
width: @switch-button-medium-height

Icon

color: @switch-button-icon-default-color
height: @@switch-button-icon-size-medium

Align the icon in the container to middle center.



Toggle Switch States (2/2)

States (small height shown)



Default

See previous “Toggle Switch (1/2)” page.



Hover / Focus / Active

Switch

```
border: 1px solid @input-field-hover-border-color  
box-shadow: 0px 0px 0px 2px @input-field-hover-  
outer-border-color
```



Disabled

Container


```
background-color: @switch-disabled-background-color  
border: 1px solid @switch-button-disabled-border-color
```

Switch

```
background-color: @switch-button-disabled-background-  
color  
border: 1px solid @switch-button-disabled-border-color  
box-shadow: none
```

Icon

```
color: @switch-button-icon-disabled-color
```



Read Only / Restricted

Container

```
background-color: @switch-disabled-background-color  
border: 1px solid @switch-button-disabled-border-color
```

Switch

```
background-color: @switch-button-disabled-background-  
color  
border: 1px solid @switch-button-disabled-border-color  
box-shadow: none
```

Icon

```
color: @switch-button-icon-disabled-color
```


Text

```
color: @switch-text-restricted-color
```



Tabs Panel States

Sample/Spec



Spec (medium width and height shown)

a Selected tab (with blue stroke at top)

background-color: @tabs-panel-background-color
border-top: @tabs-panel-active-tab-top-border-size solid @tabs-panel-active-tab-top-border-color
left and right border: 1px solid @tabs-panel-border-color
width: @tabs-panel-medium-width
height: @tabs-panel-active-tab-medium-height
padding: 10px
Active tab does not have hovering stated.

Text

font-size: @tabs-panel-medium-height-text
color: @tabs-panel-active-tab-text-color
text-align: center
Align the text to be middle and center align of the container it's in.

b Unselected tab default

background-color: @tabs-panel-inactive-tab-background-color
border: 1px solid @tabs-panel-inactive-tab-border-color
width: @tabs-panel-medium-width
height: @tabs-panel-medium-height
padding: 10px

Text

font-size: @tabs-panel-medium-height-text
color: @tabs-panel-inactive-tab-text-color
text-align: center
Align the text to be middle and center align of the container it's in.

Interaction

Long string of text that overflow its tab container should be truncate.

c Disabled tab

background-color: @tabs-panel-inactive-tab-background-color
border: 1px solid @tabs-panel-inactive-tab-border-color
width: @tabs-panel-medium-width
height: @tabs-panel-medium-height
padding: 10px

Text

font-size: @tabs-panel-medium-height-text
color: @tabs-panel-disabled-tab-text-color
text-align: center
Align the text to be middle and center align of the container it's in.

Disabled tab cannot be selected.

d Unselected tab : hover / focus / active

background-color: @tabs-panel-hover-tab-background-color
border: 1px solid @tabs-panel-hover-tab-border-color
width: @tabs-panel-medium-width
height: @tabs-panel-medium-height
padding: 10px

Text

font-size: @tabs-panel-medium-height-text
color: @tabs-panel-hover-tab-text-color
text-align: center
vertical-align: middle
Align the text to be middle and center align of the container it's in.



Tabs Panel Configurations

Height Sizes


Small Height



Medium Height



Large Height



Active Tabs

height: @tabs-panel-active-tab-small-height
padding: 3px 5px

Tabs

height: @tabs-panel-small-height
padding: 3px 5px

Text

font-size: @tabs-panel-small-height-text
text-align: center

Align the text to be middle and center align of the container it's in.

Active Tabs

height: @tabs-panel-active-tab-medium-height
padding: 3px 10px

Tabs

height: @tabs-panel-medium-height
padding: 3px 10px

Text

font-size: @tabs-panel-medium-height-text
text-align: center

Align the text to be middle and center align of the container it's in.

Active Tabs

height: @tabs-panel-active-tab-large-height
padding: 3px 10px

Tabs

height: @tabs-panel-large-height
padding: 3px 10px


Text

font-size: @tabs-panel-large-height-text
text-align: center

Align the text to be middle and center align of the container it's in.

Width Sizes


Small Width



Medium Width



Large Width



width: @tabs-panel-small-width

width: @tabs-panel-medium-width


width: @tabs-panel-large-width



Tabs Panel Configurations

Tab With Container Borders

Tab Container border



Usage Sample (tab inside a panel)




Tabs Container

left, right, and bottom border: 1px solid @tabs-panel-border-color
border-radius: @tabs-panel-border-radius

Tab Without Container Borders

Tab Without Container border



Usage Sample (tab flushed against a panel)




Tabs Container

left, right, and bottom border: none
border-radius: none




Color Picker (1/2)

Dropdown Panel



Interaction

Active (default state shown)



Interaction


- Clicking on the button will open/show the color picker dropdown panel.
- Clicking outside the dropdown panel will close/hide the dropdown panel.
- By default before any selection is made, display no color for "Current" and "New Color." If the user open the panel, did not make any selection/changes, and close the panel, the default button state should remain shown.
- Color selection channels: user can select a color from the left palette, enter the RGB value, enter the Hex #, or chose no color. The selection should be shown in the "New Color" box/swatch and updated across all the selection channels.
- See "Date Picker Configurations" control for dropdown panel responsive positioning.
- For cursor spec see Sample 2 below.
- For the RGB and hex # input fields, prohibit invalid value entry, see sample 2 for example.
- When user opens picker and there's a current color but no new color has been selected, the new color should be the same as the current color.

See Sample 1 and Sample 2 for behavior and animation:

[Sample 1: http://www.jqueryrain.com/?6HDFXWQR](http://www.jqueryrain.com/?6HDFXWQR)

[Sample 2: http://www.jqueryrain.com/?7SMI7ujQ](http://www.jqueryrain.com/?7SMI7ujQ)

No Color Selected Sample






Color Picker States and Configurations (2/2)

States (shown button configuration)

Default Hover / Focus Active Disabled Read Only / Restricted



Default States with no color selection made

Magenta Color Selected

No Color Selected

Styles

See ["Field Logic Button" control for specs](#). Button should have same configurable options as Field Logic Button- States and configurations (height options).

border-radius: @input-field-border-radius

Selected Color

padding: 2px

No Color

padding: 0

1.5 pixel line diagonally across

line color: @color-picker-no-selection-color

Mobile

Specs and Interaction

TBD


Configurations

Configuration 1 - Button



Default

Configuration 2 - Combo Box



Default (Icon right)



Color selected



None / No color selected



Alternate (Icon Left)



Hover text input field




With label



Field Label



With label



Style


Configuration 2 may or may not have label, provide the options. See ["Combo Box" control for specs](#), states, label position, and configurations (height options).



Notifications

Types

Toast




Interactions


There are three types of notifications: toast, slider, and modal. If these notifications appear simultaneously, then toast would have precedence (higher z-index). Next in precedence is the modal. Slider will not be shown if there is a notification modal. Once the notification modal closes, then show slider notification.

Sample of simultaneously notifications

Modal



Slider







Toast (1/2)

Visual

Default




Hover



Truncation



Spec



Container

background-color: rgba(red@toast-background-color), green(@toast-background-color), blue(@toast-background-color), 0.9

width: @toast-width
min-height: @toast-min-height
padding: 6px 10px 8px 10px
border-radius: @modal-border-radius

Text (Header Text)

font-size: @font-size-base
color: @white
font-weight: @font-emphasis-strong
text-align: left

Text (Body Text)

font-size: @font-size-small
color: @white
text-align: left

Allow only 2 lines of text and truncate any text overflow. Show 'Read More' link to expand and reveal complete content.


Text (Hyperlink)

font-size: @font-size-small
color: @white
text-align: left
a:hover: text-decoration: underline

Position (Relative to the browser window)

top: @toast-vertical-position
right: @toast-horizontal-position

Toast (without Icon)



A toast can have an icon before the message or not have an icon.

a **Icon (Category Badge)**
background-color: @white
width: @toast-badge-icon-size
height: @toast-badge-icon-size

a **Icon (Category Badge, Background Shape)**
background-color: @toast-badge-icon-background-color
width: @toast-badge-icon-background-size
height: @toast-badge-icon-background-size
border-radius: 50%

b **Close Icon (Close 'X')**
color: @white
width: @close-icon-size
height: @close-icon-size

b **Close Icon Hover (Close 'X', Background Shape)**
background-color: rgba(red@close-icon-hover-background-color), green(@close-icon-hover-background-color), blue(@close-icon-hover-background-color), @close-icon-hover-dark-background-opacity


width: @close-icon-hover-background-size
height: @close-icon-hover-background-size
border-radius: @close-icon-hover-background-radius



Toast Interactions (2/2)

Interaction Notes

Truncation




Visible content is limited to 2 lines of text within at 64px height. Additional content is truncated and hidden by default, and revealed in full when the user clicks 'Read More'. The height of the container will expand to fit all content. If there are other Toast notifications below, they will be pushed down-screen. 'Read More' can be configured to open up a modal instead of expand.




Combine multiple related updates that occur within a short period of time into a single toast notification. Multiple notifications within the same category are truncated to a single message and a hyperlink to the corresponding location, e.g. A notification of 12 email messages will include a hyperlink to the users Inbox

Stacking (multiple notifications)



Limit to 6 toasts max can be stack.

Expanded Height



Toast should fade out and time out after 5 sec. If user mouse over the toast within the 5 sec, pause the time out, reset the time out to 2.5 sec after the user mouse outside of the toast. Toast can be close at anytime by clicking on the "X" icon.

The app team should be able to configure different category type of toast from this control like alerts, notices, emails, etc.


Mobile Spec and Interactions

TBD




Modal (1/3)

Sample



Spec



Default State

Container

```
background-color: @notification-modal-background-color  
width: depend on configuration  
border: @modal-border-width solid  
@modal-border-color  
min-width: @modal-min-width  
height-min: @modal-min-height  
box-shadow: @moda-box-shadow-mixin  
border-radius: @modal-border-radius
```

Text (Lead-In)

```
font-family: @font-family-base  
font-size: @font-size-base  
font-style: @font-style-emphasis  
color: @black  
text-align: center
```

Text (Body)

```
font-family: @font-family-base  
font-size: @font-size-small  
color: @black  
text-align: center
```

a Icon

```
height: @notification-modal-badge-icon-size  
width: @notification-modal-badge-icon-size
```

b Button (Primary & Secondary class)

Please refer to 'Text' button specifications

C Close Icon (Close 'X')

```
color: @close-icon-color  
width: @close-icon-size  
height: @close-icon-size
```

C Close Icon Hover (Close 'X', Background Shape)


```
background-color: rgba(red(@close-icon-hover-background-color), green(@close-icon-hover-background-color), blue(@close-icon-hover-background-color), @close-icon-hover-light-background-opacity)
```

```
width: @close-icon-hover-background-size  
height: @close-icon-hover-background-size  
border-radius: @close-icon-hover-background-radius
```




Modal Configurations (2/3)

Width Sizes




Components



Modal Interactions (3/3)

Interactions

Required Modal



Style and Interactions (Required View)

Required modals make it necessary for users to perform an action such as ‘Save’, ‘Apply’, ‘Cancel’, etc.

These modals cannot be dismissed, hidden or closed by clicking outside of the modal bounds. Content behind the modal should not be scrollable. User can dismiss or close the modal by clicking on the close icon or pressing a cancel button. A modal can be configured to not include the closing icon.

A ‘lightbox’ styling distinguishes *Required* modals from *Standard* modals, and helps bring a stronger focus to required content.

a Lightbox (Background shading)

```
background-color: @modal-light-box-background-color  
opacity: @modal-light-box-opacity  
width: 100%  
height: 100%
```

Positioning

All Modals

On default position, the modal aligns to the center and middle align to the window. If the modal height goes beyond the fold, allow window scrolling to scroll down to the bottom of the modal. Only recenter the modal to be horizontally centered if user resizes the window, maintaining where user scrolling is. Positioning behavior should be like the modal behavior on www.pinterest.com.

If a page “Complex Modal” control is opened, the notification modal will appear on top of the existing notification modal.

Mobile


See “Modal” for Mobile control specs.




Slider (1/4)

Configuration


Default (on top of the page)




With Checkbox



Color and Icon Combo (base of different category type of slider)



Nested in a Container



Specs

Container

background-color: (base on slider category type)
width: 100%
max-height: @notification-slider-max-height
overflow: scroll
box-shadow: inset 0px 2px 3px 0px rgba(0,0,0,0.50)
padding: 18px 20px
Center align the content block to the container

Text (Lead-In)

font-family: @font-family-base
font-size: @font-size-base
font-style: @font-style-emphasis
color: @white
@text-line-max-width: 620px

Text (Body)

font-family: @font-family-base
font-size: @font-size-small
color: @black
@text-line-max-width: 620px

Interaction

- Notification slide down and pushes content down
- Take up 100% width of the view port
- Configurable to automatically disappear after 5 sec
- Configurable to include close icon. Clicking on close icon slide the notification up to closes slider
- Slider can include the following combination: messaging badge icon, place for messages, button(s), link, checkbox for “do not show this again” type of message, and close icon
- App team should be able to configure different category type of slider (success, error, warning, etc.). The background color, badging icon, and slider content will varies base on the category.
- Slider should be lock to the top of the page, [see sample of behavior](#).
- Slider can be nested in a container. Nested slider do not have a lock / fixed position and can have auto time out or/and configure to explicitly disappear when click on close icon.



Slider Sample 1 (2/4)

Pipeline

Lorem ipsum nullam enim. Pellen tesque habitant morbi tristique senectus et negtus.

Encompass Dashboard Pipeline Trades Contacts TODAY 13 **Lorem ipsum nullam enim** ce Walsh Pellen tesque habitant morbi tristique senectus et negtus.

Pipeline McKendree Frick

Pipeline View Loan Processor View

Advanced Filter

Loan Folder All Folders All loans My Loans

Company Internal Organization TPO All

Channel All Channels Retail Wholesale Broker Correspondant All Channels Retail Wholesale Broker Correspondant

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header...	Col...
<input type="checkbox"/> All	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-1-w...	
<input type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input checked="" type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-2	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	
<input type="checkbox"/> List-Item-1	List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	

1–30 of 990 1 ... 4 6 ... 990



Slider Sample 2 (3/4)

Pipeline

! Lorem ipsum nullam enim. Pellen tesque habitant morbi tristique senectus et negtus.

Encompass Dashboard Pipeline Trades Contacts TODAY 13

Pipeline McKendree Frick

Pipeline View Loan Processor View Save

Advanced Filter

Loan Folder All Folders

All loans My Loans

Company Internal Organization TPO

All

Channel All Channels Retail Wholesale Broker Correspondant

Column-Header-1	Column-Header-2	Column-Header-3	Column-Header-4	Column-Header...	Col...
<input type="checkbox"/> All	<input type="checkbox"/> List-Item-1	<input checked="" type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-1-w... (9)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (13)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (13)
<input checked="" type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3	(2)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (1)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (1)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-2	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (16)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (20)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (16)
<input type="checkbox"/>	<input type="checkbox"/> List-Item-1	<input type="checkbox"/> List-Item-2	Mauris vel lacus vitae felis vestibulum volutpat	Lorem ipsum nullam enim leo	List-Item-3 (20)

1–30 of 990 < 1 ... 4 5 6 ... 990 >



Slider Sample 3 (4/4)

Drop files to upload or [Browse](#)

>Lorem ullam enim leo, egestas JPG, TIF, PNG, GIF

LOREM IPSUM NULLAM ENIM. Pellen tesque habitant morbi tristique senectus et negtus.

Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓	Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓	Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓	Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓
Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓	Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓	Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓	Sesque-habitant-morbi-senectus.svg 1.75MB Complete ✓
Sesque-habitant-morbi-senectus.svg 1.75MB	Sesque-habitant-morbi-senectus.svg 1.75MB	Sesque-habitant-morbi-senectus.svg 1.75MB	Sesque-habitant-morbi-senectus.svg 1.75MB

[Close](#)



Simple Upload

Default

Standard Upload Button

Upload

Trigger Points

The trigger points for the upload could be buttons, icons, links, etc.

Configuration(s)

1. Single Upload

The user will be able to select only one file to upload.
Example use case: replace function


2. Multiple Upload

The user will be able to select and upload multiple files.

Interaction

Upload

On click, initiate browsing window where the user can search and select supported file(s).




Interaction

The browsing window should allow the user to select a single file or multiple files depending on the requirements. It should also restrict the user from selecting unsupported file types.



The window should have a “Cancel” button and an “Open” or “Select” button. “Open” or “Select” should select and upload the file(s), while “Cancel” closes out the browsing modal and drop the user back onto the previous screen.

* The browsers’ or system’s default window can be used if the requirements are met.

Design Samples



For images, it would be “nice to have” a preview of the image.



Progress bar

Refer to “Progress Bar” specs

Interaction


After files are confirmed for upload, the progress bar could be arranged in various positions around the uploading item. This design will be at the application team’s or designer’s discretion. The progress bar should display the real-time upload progress of the item being uploaded. Once the upload is complete, the progress bar will disappear.

Shown here are 3 examples with file type thumbnails, file metadata and a progress bar.



Complex Upload

Uploading Flow





Complex Upload


Cancel / Delete Flow

File(s) in the process of being uploaded


Cancel or delete functionality will be determined by the application team.

Example:

1. Completed file can be deleted / show "X" icon and/or show "Cancel" option
2. Completed file cannot be deleted / hide "X" icon and/or hide "Cancel" option



Completed file(s) and file(s) in the process of being uploaded







Complex Upload

States


“Cancel” vs “Close” button



Cancel Button




Files uploading




One or more file(s) still uploading


Close Button




All files uploaded




Complete and incomplete file(s)



Complete and errant file(s)



Complete, incomplete, and errant file(s)




Incomplete and errant file(s)



Complex Upload



Definitions





Complex Upload

Default



Default (Upload Queue)

a **Container**
background-color: @complex-upload-container-background-color
width: @complex-upload-container-width
min-height: @complex-upload-container-min-height
max-height: @complex-upload-container-max-height
padding: @complex-upload-container-padding
display: @complex-upload-container-display
align: left

Default (Drop Area)

b **Container**
background-color: @complex-upload-drop-area-background-color
border: @complex-upload-drop-area-border
radius: @complex-upload-drop-area-border-radius
width: @complex-upload-drop-area-width
height: @complex-upload-drop-area-height
padding: @complex-upload-drop-area-padding
display: @complex-upload-drop-area-display
align: center middle

c **Text (Call to Action)**
font-size: @complex-upload-drop-area-top-font-size
color: @complex-upload-drop-area-top-font-color
text-align: center

d **Text (Qualifier Message)**
font-size: @complex-upload-drop-area-bottom-font-size
color: @complex-upload-drop-area-bottom-font-color
font-weight: @complex-upload-drop-area-bottom-font-weight
text-align: center

e **Icon (Blue Circle)**
background-color: @complex-upload-drop-area-icon-background-color
height: @complex-upload-drop-area-icon-height
width: @complex-upload-drop-area-icon-height
border-radius: @complex-upload-drop-area-icon-border-radius
align: center middle


Icon (White Arrow)
color: @complex-upload-drop-area-icon-arrow-color
height: @complex-upload-drop-area-icon-arrow-height
width: @complex-upload-drop-area-icon-arrow-height
align: center middle

f **Tertiary Button (Browse)**
Refer to "Tertiary Button" specs for default, hover, and active button states.




Complex Upload

Hover / Focus



Disabled



Hover / Focus

Tertiary Button (Browse)

Refer to “Tertiary Button” for hover specifications.

<p>A screenshot of the Complex Upload component in its Hover/Focus state. It features a dashed gray border around the upload area. Inside, there's a blue circular icon with a white upward arrow, followed by the text "Drop files to upload or". Below this is a blue-outlined "Browse" button. At the bottom, a message reads "Lorem ullam enim leo, egestas JPG, TIF, PNG, GIF". A mouse cursor is hovering over the "Browse" button.</p>	<p>c Disabled (Upload Queue)</p> <p>Container background-color: @complex-upload-container-disabled-background-color</p>	<p>d Disabled (Drop Area)</p> <p>Container background-color: @complex-upload-drop-area-disabled-background-color border: @complex-upload-drop-area-disabled-border</p> <p>Text (Call to Action) color: @complex-upload-drop-area-disabled-top-font-color</p> <p>Text (Qualifier Message) color: @complex-upload-drop-area-disabled-bottom-font-color</p> <p>Icon (Gray Circle) background-color: @complex-upload-drop-area-disabled-icon-background-color</p> <p>Tertiary Button (Browse) Refer to “Tertiary Button” and use the ‘Disabled’ state</p>
<p>Interaction All functionalities are disabled. The user will not be able to perform any action.</p>		


* Use browsers default disable upload cursor state



Complex Upload

Drag/Drop

Default Drag/Drop



a Drag/Drop (Upload Queue)

Container

background-color: @complex-upload-container-hover-background-color

b Drag/Drop (Drop Area)

Container

background-color: @complex-upload-drop-area-hover-background-color
border: @complex-upload-drop-area-hover-border

Text (Call to Action)

color: @complex-upload-drop-area-hover-top-font-color

Text (Qualifier Message)

color: @complex-upload-drop-area-hover-bottom-font-color

Tertiary Button (Browse)


Refer to "Tertiary Button" and use the 'Disabled' state.

Interaction

Please allow the restriction of file formats for both the "Browse" and the "Drag/Drop" functions. Only the supported file types, based on requirements, can be selected to upload. Both the upload queue and the drop area are hotspots for drag/drop function. Once file(s) are selected or dropped in, the "Upload Queue" will extend to accommodate for the selected files.

* Use browsers default drag/drop upload cursor state

Expanded Drag/Drop



Refer to Hover/Focus for specifications

Overlay

color: @complex-upload-overlay-color
opacity: @complex-upload-overlay-opacity

Interaction


When the user **hovers over with the selected files**, the area will be active and the overlay will be displayed. The user will **not** be able to interact with anything beneath the overlay. Once the file(s) are dropped in, the uploader changes back to its default state and the new files will start uploading.




Complex Upload

File Upload


Step 1a: Drag and drop files to be uploaded



Step 1b: Select files to be uploaded




Step 2: Files automatically upload



a **Scrollbar**
Please see “Scrollbar” specs

Interaction

The scrollbar will be displayed if there are more files than can fit on the **three** rows. The scrollbar will be positioned between the “drop area” and the “action area”. Only the uploading area should be scrollable. *See above








Complex Upload

Upload Tile

Default State



Upload Container (1)

Container
background-color: @complex-upload-tile-background-color
width: @complex-upload-tile-width
height: @complex-upload-tile-height
margin-left: @complex-upload-tile-margin-left
border: @complex-upload-tile-border
border-radius: @complex-upload-tile-border-radius
padding: @complex-upload-tile-padding
display: @complex-upload-tile-display
align: left

File Name / Size (2)

Container
height: @complex-upload-tile-file-name-container-height
width: @complex-upload-tile-file-name-container-width
padding: @complex-upload-tile-file-name-container-padding

File Name
font-size: @complex-upload-tile-file-name-font-size
color: @complex-upload-tile-file-name-font-color
text-align: left

File Size
font-size: @complex-upload-tile-file-size-font-size
color: @complex-upload-tile-file-size-font-color
padding: @complex-upload-tile-file-size-padding
text-align: left

Interaction
Display the file name and the size of the file being uploaded. The name container should only support two lines of text. If the name expand beyond the height and width of the container, truncate it.

Delete Icon (x) (3)

Configuration 1 (show "delete icon")
Delete Icon (Delete 'X')
color: @close-icon-color
width: @close-icon-size
height: @close-icon-size

Interaction
The delete icon will be displayed, along with the "delete" text on hover/focus. This function gives the application team the ability to allow the user to delete the file individually. Clicking the X icon will trigger a modal that will confirm the delete. Confirm should cancel the upload on that file and remove it from the queue.

Configuration 2 (hide "delete icon")

Interaction
The delete icon will not be displayed. This function gives the application team the ability to **not** allow the user to delete the file individually.

Upload Status (4)

Container
height: @complex-upload-tile-status-container-height
width: @complex-upload-tile-status-container-width
padding: @complex-upload-tile-status-container-padding

Interaction
A flexible-width container that is populated with text and icons in various groupings to indicate upload status.

Upload Status (Text)
font-size: @complex-upload-tile-status-font-size
font-weight: @complex-upload-tile-status-font-weight
color: @complex-upload-tile-status-font-color
padding: @complex-upload-tile-status-padding

Interaction
Percent Complete - Ticker should reflect the actual progress of the upload.

Progress Bar (5)

Progress Bar
Refer to the "Mini Progress Bar" for specs

File Type Icon (6)

Container
height: @complex-upload-tile-file-type-height
width: @complex-upload-tile-file-type-width
padding: @complex-upload-tile-file-type-icon-padding


Interaction
Place holder for the different file format icon(s)




Complex Upload

States


Configuration 2 (hide “delete icon”)




Configuration 2 (hide “delete icon”)




Configuration 1 (show “delete icon”)



Configuration 1 (show “delete icon”)



Configuration 2 (hide “delete icon”)



Configuration 2 (hide “delete icon”)



Error

Container

border: @complex-upload-tile-error-border

Icon (Error)

color: @complex-upload-tile-error-icon-color
background-color: @complex-upload-tile-error-icon-background-color
height: @complex-upload-tile-error-icon-height
width: @complex-upload-tile-error-icon-width

Text (Error)

font-size: @complex-upload-tile-error-text-font-size
color: @complex-upload-tile-error-text-color
padding: @complex-upload-tile-error-text-padding

Interaction

The application team will determine what constitutes an errant file and when to display error handling based on requirements.
Examples could include corrupted or unsupported files.

Hover/Focus

Text (Delete)


font-size: @complex-upload-hover-delete-text-font-size
color: @complex-upload-hover-delete-text-font-color
padding: @complex-upload-hover-delete-text-padding

Delete x Icon ('X', Background Shape)

background-color: rgba(red(@close-icon-hover-background-color), green(@close-icon-hover-background-color), blue(@close-icon-hover-background-color), @close-icon-hover-light-background-opacity)
width: @close-icon-hover-background-size
height: @close-icon-hover-background-size
border-radius: @close-icon-hover-background-radius

Interaction

If the user hovers anywhere on the tile, this view will be displayed. Show the “Delete” text next to the x icon, along with the new borders and box-shadow. Clicking on the X icon or its associated “delete” text would initiate a modal to confirm the delete. The deleted file will be removed from the queue.



Incomplete

Container

border: @complex-upload-incomplete-border

Icon (Retry)

background-color: @complex-upload-retry-icon-background-color
height: @complex-upload-retry-icon-height
width: @complex-upload-retry-icon-height


Text (Retry)

font-size: @complex-upload-retry-text-font-size
color: @complex-upload-retry-text-font-color
padding: @complex-upload-retry-text-padding

Interaction

The file is in an incomplete state whenever the upload is interrupted - an example could be system down time. The user can choose to restart the file upload at an individual level by clicking on the Retry text and icon. Clicking retry would put the tile back to uploading mode.

Incomplete Hover/Focus



Complete

Icon (Complete)

background-color: @complex-upload-complete-icon-background-color
height: @complex-upload-complete-icon-height
width: @complex-upload-complete-icon-height

Text (Complete)

font-size: @complex-upload-complete-font-size
color: @complex-upload-complete-font-color
padding: @complex-upload-complete-padding

Interaction

Completed upload file should be committed and uploaded to the server. The application team will determine whether completed uploads can be deleted or not. If it can be deleted, it will be removed from the queue/server.

Icon (Retry Hover)

background-color: @complex-upload-retry-icon-hover-background-color



Text (Retry Hover)

color: @complex-upload-retry-text-hover-font-color



Complex Upload

Action Area



Default State

Container

background-color: @complex-upload-action-area-container-background-color
width: @complex-upload-action-area-container-width
height: @complex-upload-action-area-container-height
padding: @complex-upload-action-area-container-padding

Text Buttons

Refer to "Primary Button Small" for default, hover, and active specifications.

Interaction

The "Cancel" button is the default state. Any time there is a file in the queue still uploading, the "Cancel" button would be displayed.
Clicking the "Cancel" button will trigger a modal that will confirm the delete.
Confirm should cancel all outstanding uploads. The completed uploads will remain in the queue, while the canceled ones will be removed from the queue.

Button States



Close State

Interaction

"Cancel" would be replaced with "Close" if there are no more files actively uploading. The close button would close out the upload area. Incomplete uploads and errant files will not be saved.


The user can resume uploading incomplete or interrupted file(s) at the "upload tile" level. If the user resumes the file(s) upload, then the "Close" would revert back to the "Cancel" button.

*Refer to "Cancel" vs "Close" button states for more details



Complex Upload

Upload Complete



Upload Complete

Interaction

Once all the files are successfully uploaded, this will trigger a confirmation slider. The slider pushes the content below it further down on the page. If this displacement results in a larger height than spec'd out, a scrollbar will be introduced. Only the tile container will be scrollable.


Closing the uploader should dismiss the slider as well.

* Refer to the "Notifications" specs for more details on the confirmation slider.




Complex Upload

Cancel Upload



Interaction

The “Cancel” button is the default state. Any time there is a file in the queue still uploading, the “Cancel” button will be displayed.



Cancel Upload

Interaction

Clicking the “Cancel” button or the “Delete x icon” will trigger a modal that will confirm the delete. The specific content will be dependent on requirements and use case.

a Cancel Button

Confirm should cancel all outstanding uploads. The completed uploads will remain in the queue, while the canceled ones will be removed from the queue.

Cancel the delete and the user will be dropped back onto the previous step before the modal was triggered.

b Delete x Icon

Confirm should cancel that specific file. This would remove the file from the queue.


Cancel the delete and the user will be dropped back onto the previous step before the modal was triggered.

* Refer to the “Notifications” specs for more details on the modals






Link Dropdown


Sample



Specs / Interaction (shown dropdown panel right-bottom align)



Interaction



Clicking outside the dropdown panel or clicking on the dropdown list item should close the dropdown panel.

Panel
background-color: @dropdown-default-background
border-color: @dropdown-default-border-color
border-radius: @dropdown-border-radius
padding: @dropdown-default-padding
box-shadow: 0px -2px 5px 0px @tooltip-default-border-color
max-width: @dropdown-size-large
max-width: @dropdown-size-extra-small






List Item
min-height: @dropdown-list-item-highlight-height
padding: @dropdown-list-item-highlight-padding

Text (Menu list item)
font-size: @font-size-base
font: @font-family-base
color: @dropdown-default-text-color
text-align: left
Vertical align text to its container



Layout Templates

Configurations



Interaction

The width, height, and behavior for each components that make up the web page will be determined at a pattern level.



Templates Pattern

The screenshot illustrates a web application layout with the following characteristics:

- Header:** A fixed header at the top of the page.
- Content Area:** The main content area is fluid, extending horizontally until it reaches the maximum width supported by the browser.
- Footer:** A fixed footer at the bottom of the page.
- Annotations:** Three pink arrows highlight specific areas:
 - A vertical arrow on the left side of the content area, pointing downwards, labeled "Page content is fluid until it reaches the max width the layout supported".
 - A vertical dashed line on the right side of the content area, pointing downwards, labeled "Certain content background will be fluid".
 - A horizontal arrow pointing downwards from the bottom of the content area towards the footer, also labeled "Certain content background will be fluid".

Page Content:


The main content area displays a mortgage application form for "Lance Veitch". The form includes fields for Borrower Name, Address, Loan Amount, Rate, LTV, Lock Status, and DTI. On the left, a sidebar shows navigation links for "Summary", "1003", "Conditions & Docs", "Fees", "Actions", and "Comments". The "Comments" link is currently selected. The main content area shows a section titled "1003 / Comments" with a text input field containing placeholder text about modern living trends. Below this is a "Comments" section with a text input field and "Save" and "Next" buttons. At the bottom of the content area, there is a "Select Borrower Pair" dropdown and "Manage..." buttons.

Footer:

The footer contains links to "Mortgage Rates", "Mortgage Calculators", "Printable Forms", "Documents", "Custom Page", "CustomPDF", "4140 Dublin Blvd, Suite 300, Dublin, CA 94568", "Direct: (925) 227-7000", "Fax: (866) 227-6000", "Toll Free: (322) 222-2222", "site0377@ellimanao.com", "Privacy Policy", "Security Statement", "Site Map", and an "ACCREDITED BUSINESS A+ Rating" badge.

Header Patterns- Encompass

Specs




Interaction

- Header container have a min and max width, but the color bar and the bottom border is fluid
 - Left content area is fluid until it reaches the max width
 - Left align fix width logo area with dropdown icon to show Encompass product info
 - Left align links
 - Middle content area is fixed width
 - Today tab expand and collapse
 - In the expanded state, the today content lay over the page content
 - Right content area is fluid until it reaches the max width
 - Right align module 1 and module 2 (width is base on content)

Header Patterns- TPO

Sample / Specs / Interaction



Header Containger

```
background-color: @header-  
container-background-color  
border-top: 1px solid @header-  
container-top-bar  
width: 100%  
padding: 20px 40px 15px  
border-bottom: solid 1px @gray-  
warm-base  
box-shadow: 0px 1px 0px @gray-  
warm-darker
```

Logo Container

```
max-height: @header-logo-container-max-height  
max-width: @header-logo-container-max-width  
padding-bottom: 15px  
align: left
```

Top Links

```
font-color: @header-top-links-font-color  
font-size: @header-top-links-font-size  
margin-left: 40px  
align: right
```

Header Content

min-width: @page-min-width
max-width: @page-max-width

Left Nav Contain

max-width: @header-left-nav-container-width
Height should be the same at the right container. Text and other items should be vertically align middle n the left nav container
align: left

Left Nav Link

```
font-color: @header-left-nav-font-col  
font-size: @header-left-nav-font-size  
margin-right: 40px
```

Top Links Icon

padding-right: 10px
Use icon image

Right Container

```
max-width: @header-right  
bottom-container 30%  
align: right
```

Right Content

Use Field Logic Button controls
Text input width: @input-field-size-medium
Text input height: @input-field-smaller-height

Ico

Use search icon


Interaction

- Header container is themeable
 - Fluid top color bar and bottom border
 - Min and max width header content area
 - Left align logo area
 - Right align content area
 - Left align link area
 - Right align content area (search)



Header Patterns- TPO Admin

Specs




Interaction

- Color bar width is 100% fluid
- Left content area is always left align
- Right content area is always right align to the header container until it reaches the max
- Header has a min and max width, but the color bar and the bottom border is fluid

Sidebar- TPO Pattern 1 (with Icon and Secondary Flyout Nav)

Interaction



Interaction

A

Primary Nav

- On default show the primary nav expanded with the first menu item on the list selected. If the first menu item has a secondary flyout nav then the first item in the secondary nav should be selected on default.
- Menu item in the primary nav may configure to have a secondary flyout nav, which is indicated with an arrow pointing right.
- User can expand and collapse the primary nav by using the expand/collapse arrow icon.
- When in collapsed view, selecting the arrow icon, menu item, or anywhere on the collapsed gray bar will expand the primary nav.

B

Secondary Flyout Nav

- Clicking on the primary menu item with a secondary flyout nav will collapse the primary nav and slide out the secondary nav.
- Secondary nav only closes if user select a different primary menu item.

C

- To expand/show the primary nav, user can click on the same primary item in the collapsed mode or the expand/collapse arrow icon.


App team should be able to configure the default selected menu item.

App team should be able to track the session as to which menu item was selected to retain its state when user navigate to another page and back.






Sidebar Specs (with Icon and Secondary Flyout Nav)

Samples



Specs

**A**

Primary Nav
width: 205px
height: 100%
background-color: @primary-sidebar-background-color

Primary Menu Item
font-color: @black
font-size: @font-size-large
padding: 10px
min-height: 40px

Menu Icon
width: 16px
padding-right: 10px
color: @black
Horizontally center align to 36px space it's in.

Menu Arrow Icon
width: 8px
padding-left: 10px

Arrow Icon Container
padding: 3px 10px
align: right

Arrow Icon
width: 16px

Inline Secondary Link
font-size: @font-size-base
font-color: @black
padding: 8px 10px
min-height: 32px

C

Secondary Flyout Nav
width: 220px
height: 100%
background-color: @secondary-sidebar-background-color

Secondary Menu Item
font-size: @font-size-base
font-color: @black
font-weight: light
padding: 10px 0 10px 10px

Secondary Menu Arrow Icon
width: 8px
padding-left: 10px

Secondary Sub Child Nav
padding: 10px 10px 10px 38px

D

Collapsed Primary Nav
width: 36px
height: 40px
background-color: @primary-sidebar-background-color


Primary Menu Item
font-color: @black
padding: 10px
min-height: 40px

Menu Icon
width: 16px
color: @black
Horizontally center align to 36px space it's in.



States

Primary Nav




Default
See previous specs page.

Hover/ Focus
background-color: @primary-sidebar-hover-color

Active
background-color: @primary-sidebar-active-color

Disabled
Primary Menu Item
font-color: @primary-sidebar-disabled-color

Secondary Flyout Nav





Sidebar Accordion and Hotspots

Accordion

The screenshot shows a sidebar navigation menu with an accordion-style interface. It consists of several main items, each with a disclosure triangle icon and a dropdown arrow:

- Nav Link 1** (selected, highlighted in blue)
- Nav Link 2**
- Nav Link 3**
- Nav Link 4 Wrapping to Another Line**

When expanded, the **Nav Link 1** item reveals a list of child links:

- Child Link 1
- Child Link 2
- Child Link 3
- Child Link 4
- Child Link 5
- Child Link 6 Wrapping to Another Line
 - Sub Child Nav Link 1
 - Sub Child Nav Link 2

Below the expanded **Nav Link 1**, there are three more collapsed items:

- Nav Link 2**
- Nav Link 3**
- Nav Link 4 Wrapping to Another Line**

This screenshot shows a nested accordion item under the **Nav Link 1** section. It is labeled "Child Nav Link 7 Wrapping to Another Line" and contains a single child link:

- Sub Child Nav 1

Hotspots / Click Areas

The screenshot displays a sidebar with various interactive elements highlighted by pink boxes and arrows:

- Expand and collapse primary nav**: Points to the disclosure triangle icon at the top of the sidebar.
- Expand and select menu item**: Points to the **Nav 1 Link 2** item, which is highlighted in pink.
- Expand and collapse primary nav**: Points to the disclosure triangle icon at the bottom of the sidebar.

The sidebar contains the following items:

- Nav 1 Link 1**
- Nav 1 Link 2**
- Nav 1 Link 3**
- Nav 1 Link 4 Wrapping**
- Nav 1 Inline Link 1**
- Nav 1 Inline Link 2**
- Nav 1 Inline Link 3**
- Nav 1 Inline Link 4**
- Nav 1 Inline Link 5**
- Nav 1 Inline Link 6**
- Nav 1 Inline Link 7**
- Nav 1 Inline Link 8**
- Nav 1 Inline Link 8**
- Nav 1 Inline Link 9**

Below the sidebar, there are two additional pink-highlighted boxes:

- Child Nav Link 1
- Child Nav Link 2
- Child Nav Link 3
- Child Nav Link 4
- Child Nav Link 5
- Child Nav Link 6
- Child Nav Link 7 Wrapping to Another Line
 - Sub Child Nav 1
 - Sub Child Nav 2



Interaction

Clicking on the accordion menu item will expand to show its child links. Click on it again will collapse/hide its child links.




Sidebar- TPO Pattern 2 (without Icon and Secondary Flyout Nav)

Samples

Configuration: Simple Nav
No icons, child links or collapse**Interaction**
See Sidebar Pattern 1 for specs, states, and click area.
This sidebar is always open and cannot be collapse.

Use Case

TPO Admin Page





Footer Pattern- TPO

Sample



Spec



Mortgage Links column turned off



Interaction

Footer has a min and max width

- Anytime the footer expand past the max-width, the content remain fixed and left align
- The background-color is fluid

Left module (fmax-width: 24.5% each)

- Content should shift left if certain content block is hidden. Do no reserve the space.

Right module

- Content should shift right if certain content block is hidden. Do no reserve the space.



Field Level Errors (1/2)

Sample

Category Box Header

I. Borrower Information

* Borrower First Name ! This is a required field.
Description text goes here.

Borrower Last Name

Date of Birth MM / DD / YYYY #: #: AM


Marital Status

* Race Provided
 American Indian or Alaskan Native
 Asian
 Black or African American
 White
! This is a required field.

Information not provided

* Citizenship Status Yes No
! This is a required field.

Spec



* Amortization Type Fixed Rate GPM - Rate:
! One or more of these fields are required.

ARM:

Error Highlight
border: 1px solid @input-field-error-inside-border
box-shadow: 0px 0px 0px 2px @input-field-error-outside-border

Error Text
font-family: @font-family-base
font-size: @font-size-base
color: @error-text-color
margin-left: 10px
margin-top: 5px
width: 100% (container)
max-width: @text-line-max-width
text-align: left

Icon
width: 12px
height: 12px

Description Text
font-family: @font-family-base
font-size: @font-size-small
color: @input-field-description-text
margin-top: 10px
text-align: left
width: 100% (container)

Interaction
When there's description under the field(s), the error message should appear before the description.



Field Level Errors (2/2)

Sample

Category Box Header

I. Borrower Information

* Borrower First Name ! This is a required field.
Description text goes here.

Borrower Last Name

Date of Birth MM / DD / YYYY #: #: AM

Marital Status

* Race Provided
 American Indian or Alaskan Native 1
 Asian
 Black or African American
 White
! This is a required field.
 Information not provided

* Citizenship Status Yes No
! This is a required field.

3 * Example Example Choice 1
 Example Choice 2
 Example Choice 3

2
Parent Elements Child Elements

* Amortization Type Fixed Rate GPM - Rate: 4.875 % 30 Years
! One or more of these fields are required.

ARM:

Interaction

Interaction

- Field input border highlighted in red
 - Parent vs Child: depending on the fields, errors can be found on either the parent or the child levels. The visual cues would be displayed at the respective level of the error.
- 1 If there are errors on the child elements, only that level would be flagged. The parent element would NOT be flagged.
- 2 If there are errors on the parent elements, then that level would be flagged. The child element would NOT be flagged.
- Error Message
 - Config 1: show message
 - Config 2: hide message
 - Error Message Position: bottom
 - When there is an array of options present, display one single error message.
 - Error message should stretch to 100% width of the container it resides in, but limited to the max-width specified in the "Paragraph" control, which is 620px.


- For a required field with inline validation, when tapping out off the field the validation will run a check and flag it if an error occurred at the field level.
 - Some fields only support certain character types or number of characters. Unsupported types or numbers should be flagged. For instance, phone, SSN, etc. should only allow the user to enter numeric characters. This is true for optional field as well once the user interact with the field.
- *Refer to Text Input Field Pattern controls
- If the formatting is incorrect, also flagged the field as an error. Phone number and date is a good example. The phone number format should be (000)000-0000. If the user doesn't input enough digits then it would be an error. This is true for optional field as well once the user interact with the field. *Refer to Text Input Field Pattern controls
 - Initial Input: validations would happen on tab out.
 - Fixing errors: once the user fixed the errors and all the criteria are satisfied on the field, the error automatically disappear. Tapping out of field is not needed.
 - The type of error(s) and configuration(s) displayed will be at the designer's discretion. TechPub will provide the correct messaging for the various case scenarios.
 - Field level errors can be triggered on tab out or with a button click. They can be used at the field level or form level, which will be determined by the application team.



Simple Error Notification (1/3) - use at page-level and container-level

Sample Container Style

1 Container Level Style - left align icon and text



Sample Page Level Style

2 Page Level Style - center align icon and text



*Refer to the "Notifications" section of the controls for additional specifications.

Specs

Container

background-color: @error-handling-slider-background-color
width: 100%
max-height: @notification-slider-max-height
overflow: scroll
box-shadow: inset 0px 2px 3px 0px rgba(0,0,0,0.30)
padding: 8px 15px
Left align the content block to the container

Text - Container Level

max-width: @text-line-max-width
text-align: left

Text - Page Level

max-width: @text-line-max-width
text-align: center
*Refer to Notifications control specs

Text (Title Lead-In)

font-family: @font-family-base
font-size: @font-size-base
font-style: @font-style-emphasis
color: @white
margin-left: 15px

Text (Description)

font-family: @font-family-base
font-size: @font-size-base
color: @white

Icon

width: 24px
height: 24px
padding: 8px 15px

Close Icon (Close 'X')

color: @white
width: @close-icon-size
height: @close-icon-size
padding: 12px

Close Icon Hover (Close 'X', Background Shape)
background-color: rgba(red(@close-icon-hover-background-color), @close-icon-hover-dark-background-opacity)
width: @close-icon-hover-background-size
height: @close-icon-hover-background-size
border-radius: @close-icon-hover-background-radius



Simple Error Notification (2/3) - use at page-level and container-level

Sample



Example: Field level and simple notification error within a small container

A screenshot of a login form. At the top, a red header bar displays '2 Errors Found.' with a close 'X' icon. Below the header, there are two input fields: 'Username' and 'Password', both of which have red borders around them. Next to each field is a red exclamation mark icon followed by the text 'This is a required field.'. At the bottom of the form are two buttons: 'Cancel' and 'Sign in'.

Interaction

Interaction

- Error message will push content below it down - slide down animation
- Simple error notifications can be used at both page and/or container levels.

1 Number of errors

- Config 1: show - should count down as errors are fixed.
Config 2: hide

2 Close x icon

- Config 1: show
Config 2: hide

- Notification Position

- Config 1: sticky to the top
Config 2: NOT sticky to the top

- Stretches to 100% width of the container in which it resides.

- The application team should be able to use all three configurations in any combinations.

- This notification will contain an error icon and a brief message provided by TechPub.



Simple Error Notification (3/3) - use at page-level and container-level

Sample

TPO Webcenter

System Error - Example error message at page level

Encompass TPO WebCenter™ URL: https://0377170161.secure-onlineorigination.com Change Site ▾

Integrations Themes Company Info Pages & Links Assets SEO Domains Analytics

4 Errors Found - Example error message at container level

Create New Page

Setup a new page for your site. Add the page content in the Content Container.

* Page Name ! This is a required field.

This name displays in the main navigation list, as well as the top of the page. The recommended length is 20 characters. Longer names may not fit well - be sure to preview your changes.

* Page Type Standard ! This is a very long error message that spans the width of the container it is in. This is a very long error message that spans the width of the container it is in. This is a very long error message that spans the width of the container it is in.

* Category Resources & Tools ! This is a required field.

Page link will be placed under the selected category.

Show page visibility

* Page Security Publicly Accessible Page requires an account and the user must be logged in ! These are required fields.

Limit Content Container access by price group


Page Level Example

Container Level Example




Complex Error Notification - use at container-level ONLY


Sample



Specs



Sample with scrollbar display



Specs

Header (Red top)*Refer to the Simple Error Spec***Container (Body w/anchor links)**

width: 100%
max-height: 200px
padding: 10px 54px 20px 54px
background-color: @error-handling-complex-background-color
border: @error-handling-complex-background-border

Text (Description)

font: @font-family-base
font-size: @font-size-base
font-weight: normal
color: @black
padding-bottom: 10px
max-width: @text-line-max-width
text-align: left

Text (Body)

font: @font-family-base
font-size: @font-size-base
color: @black
max-width: @text-line-max-width
text-align: left
overflow: scroll

Hyperlinks

Use standard hyperlink control

Scroll (Small scroll handle)

Use scroll behavior when content exceeds 200px container height.

Refer to "Scroll Bar" control specifications

Interaction

Interaction

This notification is based off the simple version. Additional features include:

- List of links that direct the user to the exact error fields. This could be an anchor link on the same page or a link to a field on another page.
- The link on the error message would automatically disappear once the error has been corrected.
- Error message container would have a max height of 200px, then a scrollbar will show after that.
- If the user closes out the error notification on a batch of errors, that same notification will NOT show up on any other pages.

* Application team and designer will determine when to use Simple or Complex error notification.



Example: Simple Error at Page-Level & Complex Error at Container-Level

TPO Webcenter

! System Error - Example error message at page level

Encompass® TPO WebCenter™ URL: <https://0377170161.secure-onlineorigination.com> Change Site ▾

Integrations Themes Company Info Pages & Links Assets SEO Domains Analytics

! 10 Errors Found - Example error message at container level

Longer description help text describing the actions below or the confirmation button to the right.

Error Links that anchor down or link to action 1 is a required field.
Error Links that anchor down or link to action 2 is a required field.
Error Links that anchor down or link to action 3 is a required field.
Error Links that anchor down or link to action 4 is a required field.
Link to a new page is a required field.

Create New Page

Setup a new page for your site. Add the page content in the Content Container.

* Page Name ! This is a required field.

This name displays in the main navigation list, as well as the top of the page. The recommended length is 20 characters. Longer names may not fit well - be sure to preview your changes.

* Page Type ! This is a very long error message that spans the width of the container it is in. This is a very long error message that spans the width of the container it is in. This is a very long error message that spans the width of the container it is in.

* Category ! This is a required field.

Page link will be placed under the selected category.


Page Level Example with Simple Error

Container Level Example with Complex Error




Modal Error Notification

Sample



Specs



Interaction

- Please refer to “Modals” control for detailed specifications. Use case will be determine at the application level.

Example workflows:

- Uploading incorrect file formats
- Navigate to a different page without saving

* There will be other use cases not accounted for here, but will be determined by the application team and the project UX designer.

Default State

Container

```
background-color: @notification-modal-background-color  
width: depend on configuration  
border: @modal-border-width solid  
@modal-border-color  
min-width: @modal-min-width  
height-min: @modal-min-height  
box-shadow: @moda-box-shadow-mixin  
border-radius: @modal-border-radius
```

Text (Lead-In)

```
font-family: @font-family-base  
font-size: @font-size-base  
font-style: @font-style-emphasis  
color: @black  
text-align: center
```

Text (Body)

```
font-family: @font-family-base  
font-size: @font-size-small  
color: @black  
text-align: center
```

a Icon

```
height: @notification-modal-badge-icon-size  
width: @notification-modal-badge-icon-size
```

b Button (Primary & Secondary class)

Please refer to ‘Text’ button specifications

c Close Icon (Close ‘X’)

```
color: @close-icon-color  
width: @close-icon-size  
height: @close-icon-size
```

c Close Icon Hover (Close ‘X’, Background Shape)

```
background-color: rgba(red(@close-icon-hover-background-color), green(@close-icon-hover-background-color), blue(@close-icon-hover-background-color), @close-icon-hover-light-background-opacity)
```

```
width: @close-icon-hover-background-size  
height: @close-icon-hover-background-size  
border-radius: @close-icon-hover-background-radius
```