### DSA521S Project

## Group 13

Stu.Number	Stu.Name	Created module for
224031066	Nangukuii Kangootui	Delete contact
223113298	Kayando Kandjungu	Search contact
224035622	Anopaishe Mukwendi	Display contact
224013092	Gabriel Kasoma	Sorting contacts
224010395	Rauha Kadhingula	Update contact
224016997	Emily Mudjanima	Insert contact

### Table of Content

Description	[2]
Data structure used	[2]
Pseudocode representation	[2]
Flowchart representation	[9]

### **Short Description**

displayContact()

else if ( number==2) then

A Namibian telecommunications company is looking for an efficient phonebook algorithm to perform typical phonebook operations such as, insert, search, delete, and update and sort contacts. Linked lists is one of the simple algorithms that can deliver these operations efficiently.

# Data structure used Linked lists Pseudocode representation Start Print "welcome to the phonebook application" Print "1. Display Contacts" Print "2. Search Contact" Print "3. Insert Contact" Print "4. Delete Contact" Print "5. Update Contact" Print "Please enter the number for the function you want to carry out:" Get number If (number==1) then

```
searchContact()
else if (number==3) then
Prompt user for name, phoneNumber to insert
Get name, phoneNumber
insertContact(name,phoneNumber)
else if( number==4) then
Prompt user for name to delete
Get name
deleteContact(name)
else if (number==5) then
Prompt user for contact name and new contact number
get contact name and new contact number
updateContact(name,newNumber)
else
display "INVALID OPTION"
endif
endif
endif
endif
endif
displayContact() {
```

```
IF (head == NULL) THEN
PRINT "Phonebook is empty."
RETURN
ENDIF
temp = head
WHILE (temp != NULL) {
PRINT "Name: " + temp.name + ", Phone " + temp.phone
temp = temp.next
}
END WHILE
}
searchContact() {
Print "Enter a name to search "
Get searchItem
temp = head
found = 0
While (temp ==! null )
If (temp.name == searchItem ) THEN
DISPLAY "Contact found: " + temp.name + ", Phone number: "+ temp.phoneNumber
found = 1
EndIf
temp = temp.next
```

```
EndWhile
If (found == 0) THEN
DISPLAY "Contact not found";
EndIf
}
newNode(){
String name
Int phoneNumber
node next
}
insertContact(name, phoneNumber){
newNode.name = name
newNode.phoneNumber=phoneNumber
newNode.next = null
If (head == null) Then
head = newNode
Else
Temp=head
While (temp.next! = null)
temp = temp.next
EndWhile
temp.next = newNode
endif
sortPhoneBook(newNode)
```

```
}
sortPhoneBook(newNode){
If (head== null) Then
Display "Phonebook is sorted";
End if
Temp=head
While (temp.next! = null)
IF (temp.name > temp.next.name) THEN
temp = temp.name
temp.name = temp.next.name
endif
temp.next.name = temp
EndWhile
PRINT "Phonebook sorted";
}
delete(name){
if( head == null) Then
Display "PhoneBook is empty"
RETURN
endif
if(head.name = name) then
temp=head
head= head -> next
```


```
temp=free
DISPLAY "Contact deleted" + name
endif
temp=head
while (temp.next!= null)
if(temp.next.data.name = = name)
nodeToDelete = temp.next
temp.next = temp.next.next
free = nodeToDelete
temp=temp.next
DISPLAY "Contact deleted: " + name
Else
Display "Contact not found"
endif
endwhile
}
updateContact(name,newNumber) {
temp = head;
while (temp != null)
if (temp.data.name=name)
temp.number = newNumber;
Print "Contact updated successfully."
return
endif
```

```
temp = temp.next;


PRINT "Contact not found"
}
```

### Flowchart Representation


### Display and Search Function:




#### Update and Insert function:



### Sort function:



#### Delete function:



The flowchart below calls the functions above:



