

THE CURE PROJECT

CURING TOBACCO ADDICTION IN LEICESTER, LEICESTERSHIRE AND RUTLAND




UNIVERSITY HOSPITALS OF LEICESTER NHS TRUST

Stop Smoking Medication

Patient Guidance

15mg Inhalator



Your Stop Smoking Medication

15mg Inhalator

This inhalator is designed to provide you with nicotine to help relieve cravings to smoke and can be used as required.

1. Line up the markers of the inhalator's mouthpiece and pull each end in the opposite direction.
2. Push a cartridge out from the foil tray. Push the cartridge firmly into the bottom of the mouthpiece until the seal breaks.
3. Put the top section on the mouthpiece, lining up the two marks. Push the two pieces of the plastic mouthpiece together and twist to lock. Each cartridge will provide you with about 40 minutes of intense use. You can divide this time how you like to overcome cravings to smoke.
4. To use, draw on the mouthpiece and allow the nicotine drawn in a few seconds to be absorbed through the mouth lining before blowing out. The amount of nicotine from a puff is less than that from a cigarette so you may need to use the inhalator more often than when smoking a cigarette.
5. Remove the used nicotine cartridge from the mouthpiece by realigning the markers of the mouthpiece to open it up.
6. You can use a maximum of 6 cartridges a day.
7. Clean the empty mouthpiece several times a week by rinsing it in water.

This guidance is applicable for all brands of this product.