

Emergency Department Procedural Sedation Chart

Affix Sticker

Consultant:.....

Weight:.....(Kg)

Sedationsist:	Grade	Procedure:
Assistant:	Grade	
Proceedurist:	Grade	
Supervisor:	Grade	Date: / /


Sedation Appropriate ☐

(Likely to be painful, short duration & alternative methods considered)

Airway:

Mallampati

(Score >2 consider anaesthetic assistance)



Restricted neck

Failed "3,3,2" assessment ☐

Poor mask fit ☐

Poor dentition ☐

Airway obstruction ☐

Reconsider appropriateness of sedation in ED or involve Anaesthesia if > 2 indicators

Risks Explained:

Apnoea ☐

Hypotension ☐

Allergy ☐

Pain ☐

Awareness ☐

Other.....

Absolute Contraindications:

Patient refusal ☐

Anaphylaxis ☐

ASA >2 ☐

Multi-trauma ☐

Pregnancy >20wk ☐

Cardiac Instability ☐

Relative Contraindications:

Age <16 ☐

BMI > 35 ☐

Reflux ☐

Acute Intoxication ☐

Pregnancy < 20wk ☐

Not fasted

Food in < 6hrs ☐

Liquids in < 2 hrs ☐

If more than 2 relative contraindications co-exist, involve Anaesthesia or Emergency Physician in Charge

Allergies:

Signature:

Name & Grade:.....

Emergency Department Procedural Sedation Chart

Is all essential monitoring equipment attached and functioning?

- | | |
|---|---|
| ☐ ECG | ☐ NIBP |
| ☐ Waveform Capnography | ☐ Pulse Oximetry |
| ☐ Cannula and IVI Line | |

☐ Yes

☐ No

Is Airway rescue equipment present and functioning?

- | | | |
|----------------------------------|---|--|
| ☐ NPA/OPA | ☐ Bag/Valve Mask | ☐ Oxygen Source |
| ☐ Suction | ☐ LMA | ☐ ET Tube |
| ☐ Bougie | | |

☐ Yes

☐ No

Institute corrective action or abandon sedation

Is the proceduralist ready and is all the necessary equipment available and prepared?

☐ Yes

☐ No



ENSURE

- | | |
|--|--|
| ☐ Correct Patient | ☐ Correct Procedure |
| ☐ Correct Side | ☐ Consent |

Rescue plans agreed with team

- ☐ Number of attempts at procedure ☐ Corrective steps in case of procedural failure ☐ Airway management plan

- ☐ Pre-oxygenate for 3 mins via NRB
- ☐ Ensure cannula flushed and working
- ☐ IVI fluids checked and running
- ☐ Drugs checked and labelled
- ☐ Antidotes at the bedside (unopened)

Proceed with sedation

Emergency Department Procedural Sedation Chart

Monitoring (All must be present)		Technique + Adjuncts		IV Access	Position
Non invasive BP		Intravenous		Cannula 1:	
Pulse Oximetry		Entenox / Gas + Air		Cannula 2:	
ECG		Nerve Block			
End Tidal CO2					
Invasive BP					
Ventilator Alarm					


Drug, Units, Dose																				

Key:

BP: V
A

Pulse: ●

Resp Rate: X



Time																				
Spo2																				
ETCO2																				
Sedation Score																				
Location <->																				
University of Michigan Sedation Scale 0. Awake & Alert 1. Minimally sedated: tired sleepy, appropriate response to verbal conversation or sound 2. Moderately Sedated: Somnolent/sleeping, easily aroused with light tactile stimulation or verbal command 3. Deeply sedated: Deep sleep,aroused only with significant physical stimulation 4. Unrousable																				

Emergency Department Procedural Sedation Chart

Serious Adverse Event (Requires DATIX completion)	Tick	Minor Adverse Event	Tick
Nil		Hypotension (SBP<90 / fall >20%)	
Cardiac arrest / absent pulse		Airway obstruction	
Hypoxia (<75% at any time or <90% for >60sec)		Nausea	
Apnoea (> 60 secs)		Resp. Depression (RR<8, CO ₂ >6)	
Cardiovascular collapse		Allergy without anaphylaxis	
Anaphylaxis			

Interventions	Tick	Notes
None		
Bag valve mask		
Reverse agent		
ETT / LMA / NPA / OPA		
Admit for adverse event		
EDU post sedation pathway		

Post Sedation Plan Checklist	Tick
Patient awake / at baseline	
Vital Signs returned to baseline	
No Respiratory compromise	
Absence of significant pain and discomfort	
Information leaflet for discharge provided	
Sedation procedure correctly coded on EDIS	
Name.....	
Signature.....	

Patient Satisfaction Grade

1	2	3	4	5	6	7	8	9	10
Unsatisfied									Very Satisfied