

OUTSIDE FORM

COVID-19 Intubation checklist READ ALOUD AS TEAM

@martintastic

Patient sticker

CLEAN SPACE PRE-CHECK

- ☐ Confirm suitable for intubation
- ☐ Name check and assign roles
- ☐ Pockets empty check
- ☐ Tick off contents of 'kit drawer' against list on 'Hoeymat'
- ☐ Check McGrath or alternative
- ☐ Draw up intubation Drugs:
 - ☐ Induction agent (Recommend Ketamine 3mg/kg)
 - ☐ Rocuronium 100mg
 - ☐ Phenylephrine 200mcg
 - ☐ Ephedrine 30mg
 - ☐ Other (eg. Adrenaline)
 - ☐ Oxygen
- ☐ Review Intubation plan (In drawer)
- ☐ Discuss Front of Neck/DNACPR
- ☐ IV access plan (IV/IO)
- ☐ Route to ICU arranged
- ☐ Check intubation drugs again
- ☐ **STOP – CHECK EVERYBODY OK TO GO?**

DON KIT and MAKE READY

- ☐ Identify area inside to use as table
- ☐ Dress in PPE as per donning checklist
- ☐ Ensure name and role label visible
- ☐ STOP! SPIN AROUND
- ☐ BUDDY CHECK PPE!
- ☐ READY?
- ☐ Intubation guideline as per 'inside sheet'
- ☐ Hand this piece of paper to a runner
- ☐ Take Kit Draw and Drugs into COVID space

DISCONNECT = CLAMP TUBE!

WHEN CLEAN AFTERWARDS


Any problems or thoughts on:

- ☐ PPE?
- ☐ Kit?
- ☐ Intubation?
- ☐ Transfer?
- ☐ Ventilators?
- ☐ Communication?
- ☐ Unexpected hazards?
- ☐ Stress level?
- ☐ Any concerns at all?

Write on back and stick all forms in top draw of COVID trolley.

Outside Runner to confirm transfer route and agree 'thumbs up good to go' before departing

Feedback:



PRE CHECK

- ☐ Laryngoscope check
- ☐ Tube and syringe and tie
- ☐ Bougie
- ☐ LMA available
- ☐ Waters circuit set up as diagram 1
- ☐ CO2 working
- ☐ Suction connected
- ☐ Patient position optimized
- ☐ IV Access checked and working

☐ **STOP or GO?**




Diagram 2

INTUBATION

Waters/mask Pre O2. Aim EtO2 94% or 5 min

GIVE DRUGS

AVOID BAGGING PATIENT

PLAN A

INTUBATE

Consider MCGRATH #4

FAIL

PLAN B

LMA

STOP – any optimisation?

1 attempt to pass bougie through LMA to intubate

FAIL

PLAN D

Declare Front of Neck and Attempt Scalpel/Bougie/#6 Tube

SUCCESS

- ☐ Attach to Waters Bag with filter
- ☐ Confirm CO2
- ☐ Secure tube

CHANGE TO OXYLOG

- ☐ 100% oxygen
- ☐ Clamp tube
- ☐ Disconnect waters
- ☐ Inline suction (Diagram 2)
- ☐ Attach Oxylog to CO2 connector
- ☐ Unclamp tube
- ☐ NG Tube

TRANSFER

- ☐ Check Venflons
- ☐ Sedation
- ☐ 'Thumbs up good to go' with outside
- ☐ Connect O2
- ☐ Cover patient with clear plastic sheet

CHANGE TO ICU VENT

- ☐ Move to bed
- ☐ Stop oxylog
- ☐ Clamp tube
- ☐ Transfer the Filter and the CO2 to the ICU vent
- ☐ Attach the inline suction
- ☐ Attach vent
- ☐ Unclamp tube
- ☐ Check vent

- ☐ Complete Admission Handover
- ☐ Remove PPE
- ☐ Complete Outside Checklist

COVID ARRIVAL HANDOVER

Patient
Sticker

Resuscitation Status:

Allergies:

Presenting symptoms:

Past Medical History:

Intubation Drugs:

Intubation Grade/difficulties:

Pre-intubation Physiology

Sats on %O₂

HR/BP

Trend

Post-intubation Physiology

O₂ requirement

CVS Stable/Unstable

Vent mode and settings

CVS Drugs Given

Problems encountered:

Immediate plan and Targets

Admission Tests sent

- ☐ ICU Admission full
- ☐ 2 x green viral swabs (COVID)
- ☐ Resp viral Panel PCR
- ☐ Urinary Legio and Pneumo
- ☐ Sputum
- ☐ Blood cultures
- ☐ HIV/HBV/HCV
- ☐ Save serum
- ☐ Trop I
- ☐ Myoglobin

Name/GMC