

1- Get countries API (location/countries): get:

- Role: “there is no role”
- Executer: Omar(backend) and Emad(frontend)

Input	Type		Output	type
-----			Success or failure	Boolean
			List of Objects	id: number name: string

2- Get cities API (location/cities): get:

- Role: “there is no role”
- Executer: Omar(backend) and Emad(frontend)

Input	Type		Output	type
Country id	Number	Mandatory	Success or failure	Boolean
			List of Objects	id: number name: string

3- Get states API (location/states): get:

- Role: “there is no role”
- Executer: Omar(backend) and Emad(frontend)

Input	Type		Output	type
1- City id 2- Country id	Number	Mandatory	Success or failure	Boolean
			List of Objects	id: number name: string

4- Get Clinic types API (clinics/clinic Type): get:

- Role: “Doctor”
- Executer: Omar(backend) and Emad(frontend)

Input	Type		Output	type
-----			Success or failure	Boolean
			List of Objects	id: number name: string
Token	Header			

5- Add clinic API (clinics/addClinic): post:

- Role:" doctor"
- Executer: Abdulrahman(backend) and Emad(frontend)

Input	Type		Output	type
Clinic type like (dentistry)	Select item (id number)	Mandatory	success or failure	Boolean
Name of the clinics	Text	Mandatory		
Address	Text	Mandatory		
Country	Select (id: number)	Mandatory		
City or town	Select item (id: number)	Mandatory		
State	Select item (id: number)	Mandatory		
Map	Location information	Mandatory		
Token	Header	Mandatory		