



AdFalcon Android SDK 3.1.0 Developer's Guide

AdFalcon Mobile Ad Network
Product of
Noqoush Mobile Media Group



Table of Contents

1	Introduction	3
	Supported Android version.....	3
2	Project Configurations.....	4
	Step 1: Add JARs.....	4
	Step2: Configure manifest	4
	1. Configure Application Permissions.....	4
	2. Add the SDK's Activities	4
	3. Configure Orientation Changes Handling	5
	4. Hardware Acceleration	5
	5. Adding Google Play Service.....	5
3	Banner Ads.....	6
	Adding Banner Ads.....	6
	A – Without XML layout	6
	B – With XML layout.....	7
	Advanced Banner Ads Options	8
	Tracking Ad Lifecycle Events – ADListener	8
	ADAdSize.....	8
	Refresh Ad	9
	Disable Hardware Acceleration.....	9
4	Interstitial Ad	10
5	Appendix.....	12
	ADAdSize enum	12
	ADErrorCode enum	12
	ADListener interface.....	12
	ADTargetingParams class.....	13
	ADView class	14
	ADInterstitial class.....	15
6	More Information:.....	16



1 Introduction

AdFalcon Android SDK developer's guide contains all the information needed by Android developers to integrate with the AdFalcon Network. The guide will also show examples and code snippets on how to perform the integration.

Supported Android version

This SDK is designed to work on all Android platforms starting from Android version 2.3 to the last version



2 Project Configurations

This section illustrates how to integrate the AdFalcon Android SDK within your application.

Step 1: Add JARs

Add **AdFalconAndroidSDK3.1.0.jar** and **gson-1.7.1.jar** to your application's Libs folder.

Step2: Configure manifest

1. Configure Application Permissions

Add the below permissions to your application **manifest.xml**

Required permissions

The below permissions are required to use the SDK.

In case you do not enable them, the SDK will throw an exception to inform you that "INTERNET/ACCESS_NETWORK_STATE permissions must be enabled in AndroidManifest.xml".

```
<uses-permission android:name="android.permission.INTERNET"/>
<uses-permission android:name="android.permission.ACCESS_NETWORK_STATE"/>
```

Recommended Permissions

The below permissions are highly recommended as they allow highly interactive rich media ads.

If you decide not to add any of the permissions below the AdFalcon SDK will continue to work yet some of the rich media ads' functions will be disabled.

```
<uses-permission android:name="android.permission.ACCESS_FINE_LOCATION"/>
<uses-permission android:name="android.permission.WRITE_CALENDAR"/>
<uses-permission android:name="android.permission.READ_CALENDAR"/>
<uses-permission android:name="android.permission.WRITE_EXTERNAL_STORAGE"/>
```

2. Add the SDK's Activities

Add the below activities to your AndroidManifest.

```
<activity
    android:name="com.noqoush.adfalcon.android.sdk.ADFBrowser"
    android:configChanges="keyboard|keyboardHidden|orientation|uiMode|screenLayout|screenSize/smallestScreenSize"
    android:hardwareAccelerated="true">
</activity>
<activity
    android:name="com.noqoush.adfalcon.android.sdk.ADFActivity"
    android:configChanges="
        keyboard|keyboardHidden|orientation|uiMode|screenLayout|screenSize/smallestScreenSize"
    android:theme="@android:style/Theme.Translucent.NoTitleBar.Fullscreen"
    android:hardwareAccelerated="true">
</activity>
```



```
<activity
    android:name="com.noqoush.adfalcon.android.sdk.ADFCanvas"
    android:configChanges=
        "keyboard|keyboardHidden|orientation|uiMode|screenLayout|screenSize|smallestScreenSize"
    android:theme="@android:style/Theme.Translucent.NoTitleBar"
    android:hardwareAccelerated="true">
</activity>
```

3. Configure Orientation Changes Handling

It is highly recommended to prevent the system from restarting your activity when the screen orientation changes. Add the below attribute to your activity tag:

```
android:configChanges=
    "keyboard|keyboardHidden|orientation|uiMode|screenLayout|screenSize|smallestScreenSize"
```

For more information please refer to

<http://developer.android.com/guide/topics/resources/runtime-changes.html>

4. Hardware Acceleration

AdFalcon network supports HTML 5 video ads which requires enabling hardware acceleration.

We recommended that the developer enables hardware acceleration in his application by adding the below property to application tag or to each activity that contains AdFalcon banner.

```
android:hardwareAccelerated="true"
```

5. Adding Google Play Services

The terms and conditions of Google Play requires using the Advertising ID to identify and track a user. The Advertising Id is included in Google Play services library, so you must add Google Play services library to your application to integrate with AdFalcon Android SDK. Visit the below link for instruction on how to add Google play services library:

<http://developer.android.com/google/play-services/setup.html>



3 Banner Ads

Adding Banner Ads

The section below illustrates the simplest way to add Banner Ads to your application

A – Without XML layout

Add the following snippet of code to your activity to add, initialize and load ad view.

```
import java.text.SimpleDateFormat;
import java.util.Date;
import java.util.Vector;
import android.widget.LinearLayout;
import com.noqoush.adfalcon.android.sdk.ADFListener;
import com.noqoush.adfalcon.android.sdk.ADFTargetingParams;
import com.noqoush.adfalcon.android.sdk.ADFView;
import com.noqoush.adfalcon.android.sdk.constant.ADFAdSize;
import com.noqoush.adfalcon.android.sdk.constant.ADFErrorCode;
.
.
.

// Add private member variable of type ADFView
private ADFView adFalconView;

public void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.main);
    try {
        // create new instance of ADFView
        adFalconView = new ADFView(this);

        //Ensure test mode is setting to false when your app is uploaded in the marketing
        adFalconView.setTestMode(false);

        // initialize the view by pass site id, ad unit size and enable auto refresh.
        // then load first ad
        adFalconView.initialize("your site ID", ADFAdSize.AD_UNIT_320x50, null, null, true);

        // Add ADFView to this activity.
        // we consider there is a layout naming linearLayout and
        // you want to add ADFView in this layout
        ((LinearLayout) findViewById(R.id.linearLayout)).addView(adFalconView);

    } catch (Exception ex) {

    }
}

@Override
protected void onDestroy() {
    adFalconView.destroy();
    super.onDestroy();
}
```

Note: Refer to the appendix [ADFAdSize](#) for the available Ad Unit sizes.

Note: Ensure test mode is set to true only during development. Before shipping to production set it to false.



B – With XML layout

Follow the steps below to add AdFalcon Banner Ad view:

1. Add ADFView to your activity XML layout

```
<com.noqoush.adfalcon.android.sdk.ADFView
    android:id="@+id/adFalconView"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"/>
```

2. Add the following snippet of code to your activity class to initialize, load and render the ad view

```
import java.text.SimpleDateFormat;
import java.util.Date;
import java.util.Vector;
import android.widget.LinearLayout;
import com.noqoush.adfalcon.android.sdk.ADFListener;
import com.noqoush.adfalcon.android.sdk.ADFTargetingParams;
import com.noqoush.adfalcon.android.sdk.ADFView;
import com.noqoush.adfalcon.android.sdk.constant.ADFAdSize;
import com.noqoush.adfalcon.android.sdk.constant.ADFErrorCode;
.
.
.

// Add private member variable of type ADFView
private ADFView adFalconView;

public void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.main);
    try {

        // create new instance of ADFView
        adFalconView = ((ADFView)findViewById(R.id.adFalconView));

        //Ensure test mode is setting to false when your app is uploaded in the marketing
        adFalconView.setTestMode(true);

        // initialize the view by pass publisher id, ad unit size, params,
        // listener and enable auto refresh.
        // then load first ad
        adFalconView.initialize("your site ID", ADFAdSize.AD_UNIT_320x50, null, null, true);

    } catch (Exception ex) {

    }

}

@Override
protected void onDestroy() {
    adFalconView.destroy();
    super.onDestroy();
}
```

Note: Refer to the appendix [ADFAdSize](#) for the available Ad Unit sizes.

Note: Ensure test mode is set to true only during development. Before shipping to production set it to false.



Advanced Banner Ads Options

Tracking Ad Lifecycle Events – ADFlister

ADFlister provides ability to track Ad lifecycle events. Implement the following abstract methods.

```
public class MainActivity extends Activity implements ADFlister{

public void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.main);
    try {

        // create new instance of ADFView
        adFalconView = ((ADFView)findViewById(R.id.adFalconView));

        //Ensure test mode is setting to false when your app is uploaded in the marketing
        adFalconView.setTestMode(true);

        // initialize the view by pass publisher id, ad unit size, params,
        // listener and enable auto refresh.
        // then load first ad
        adFalconView.initialize("your site ID", ADFAdSize.AD_UNIT_320x50, null, this, true);

        // set the listener to ADFView
        adFalconView.setListener(this);

    } catch (Exception ex) {

    }

}

public void onLoadAd(ADFAd ad) {
}

public void onError(ADFAd ad, ADFErrorCode code, String message) {
}

public void onPresentAdScreen(ADFAd ad) {
}

public void onDismissAdScreen(ADFAd ad) {
}

public void onLeaveApplication() {
}
.
.
}
```

ADFAdSize

ADFAdSize Enum defines the ad units supported by the AdFalcon.

Enum	Name	Size	Devices
AD_UNIT_AUTO_BANNER	Auto Banner	The server will detect the best ad unit size based on the screen size and orientation.	All
AD_UNIT_320x50	Standard	320 x 50	All
AD_UNIT_300x250	Medium Rectangle	300 x 250	All
AD_UNIT_468x60	Full Banner	468 x 60	Tablet



AD_UNIT_728x90	Leaderboard	728 x 90	Tablet
AD_UNIT_120x600	Skyscraper	120 x 600	Tablet

Refresh Ad

Use the below methods to configure ad refreshment.

Method	Description
public void refreshAd()	Used to get a new ad programmatically.
public void setRefreshDuration(int duration)	Determine the refresh duration in seconds among the receivedAds. Note: The duration range starts from 30 to 120 seconds.
public void setEnableAutoRefresh(boolean enable)	Used to enable/disable the auto refresh for the received ads.

Disable Hardware Acceleration

If you noticed flickering in the ad view or any other user interface element in your activity, you can disable hardware acceleration by implementing the below snippet of code. However, this is not recommended because HTML 5 video ads will not be played correctly.

```
ADFView.setLayerType(View.LAYER_TYPE_SOFTWARE, null);
```



4 Interstitial Ad

Interstitial is a full screen ad that appears between levels, before or after viewing content. To add interstitial ad you have to perform the steps below:

1. Implement ADFListener

```
public class MainActivity extends Activity implements ADFListener{
    .
    .
    .
    public void onLoadAd(ADFAd ad) {
    }

    public void onError(ADFAd ad, ADFErrorCode code, String message) {
    }

    public void onPresentAdScreen(ADFAd ad) {
    }

    public void onDismissAdScreen(ADFAd ad) {
    }

    public void onLeaveApplication() {
    }
}
```

2. Create instance of ADFInterstitial and load new interstitial ad.

```
protected void onCreate(Bundle savedInstanceState) {
    .
    .
    ADFInterstitial adfInterstitial = new ADFInterstitial(this, "your site ID", this);
    adfInterstitial.loadInterstitialAd();
    .
    .
}
```

3. When the interstitial is loaded successfully and becomes ready to display the Ad, the SDK will fire onLoadAd method. Therefore you will need to implement onLoadAd interface's method as below:

```
public void onLoadAd(ADFAd ad) {
    if(ad instanceof ADFInterstitial){
        ((ADFInterstitial)ad).showInterstitialAd();
    }
}
```

4. To know if any error has occurred during the loading including "no available ad". You will need to implement onError interface's method as the below

```
public void onError(ADFAd ad, ADFErrorCode code, String message) {
    if(ad instanceof ADFInterstitial){
        if(code == ADFErrorCode.NO_AD_AVAILABLE){
            //Do anything here
        }else if(code == ADFErrorCode.COMMUNICATION_ERROR){

```



```
        //Do anything here
    }else if(code == ADFErrorCode.MISSING_PARAM){
        //Do anything here
    }else{
        //Do anything here
    }
}
}
```

To know more about Errors codes go to: [ADFErrorCode](#)



5 Appendix

ADFAdSize enum

ADFAdSize Enum defines the ad units supported by the AdFalcon.

Enum	Name	Size	Devices
AD_UNIT_AUTO_BANNER	Auto Banner	The server will detect the best ad unit size based on the screen size and orientation.	All
AD_UNIT_320x50	Standard	320 x 50	All
AD_UNIT_300x250	Medium Rectangle	300 x 250	All
AD_UNIT_468x60	Full Banner	468 x 60	Tablet
AD_UNIT_728x90	Leaderboard	728 x 90	Tablet
AD_UNIT_120x600	Skyscraper	120 x 600	Tablet

ADFErrorCode enum

ADFErrorCode Enum defines AdFalcon SDK and Ad Server error codes.

Enum	Description
GENERIC_SDK_ERROR	Error occurred in the SDK.
INTERNAL_SERVER_ERROR	Error occurred in AdFalcon server.
COMMUNICATION_ERROR	SDK can not reach the AdFalcon server; mostly for issues related to the phone internet connection.
NO_AD_AVAILABLE	No ad is available in the AdFalcon store that meets the ad request parameters.
INVALID_PARAM	An invalid ad request parameter has been set.
MISSING_PARAM	A required ad request parameter has not been set.

ADFListener interface

ADSListener is an interface that is used to get feedback from the AdFalcon SDK.

Method	Description
public void onLoadAd(ADFAd ad)	SDK has loaded an ad.
public void onError(ADFAd ad, ADFErrorCode error, String message)	<p>SDK has encountered an error during the loading of an ad.</p> <p>Params view: AdFalcon view error: type of error message: description for error</p>



public void onPresentAdScreen(ADFAAd ad)	Ad screen is displayed.
public void onDismissAdScreen(ADFAAd ad)	Ad screen has closed.
public void onLeaveApplication()	The SDK will open the ad in another application.

ADFTargetingParams class

The ADFTargetingParams Class contains all the needed parameters about any given user and application in order to help AdFalcon network to send the most relevant and targeted ad to the user. All parameters are optional

Variable	Required	Description	Values
Language	No	A two-characters string parameter indicating Ad language	ar, en
Postal code	No	A string parameter containing the user's postal/ZIP code	11121
Area code	No	A string parameter containing the user's area code	06
Age	No	An integer parameter containing the user's age	27
Keywords	No	List of keywords in comma separated format. AdFalcon's ads selector engine will search for ads containing these keywords.	ex. sport, news, lifestyle, ...etc.
Gender	No	A parameter containing the user's gender	NONE GENDER_MALE GENDER_FEMALE
Country code	No	County code of the end user in ISO 3166-1 alpha-2 format code (two-letter code)	JO, SA ...etc.
Birthdate	No	Birthdate of application user in format dd.MM.yyyy	
Additional Info	No	A Map of keys and values to add additional parameters.	
Location: Latitude, Longitude	No	The geolocation information of the device. The location information is divided into two double values; latitude and longitude.	35.654, 34.6598



ADFView class

ADFView is the main SDK class and it is responsible for initializing, loading and rendering an ad.

Method	Description
public void initialize(String siteID, ADFASize adSize, ADFTargetingParams params, ADFListener listener, boolean autorefresh)	This is the main method in ADFView class and is used to initialize the SDK, load the first Ad and start the auto refresh timer. Parameters <ul style="list-style-type: none"> site ID: You can get this ID from AdFalcon website and it is unique for each application. adSize: The size of the needed ad. params: contains all the needed params to help AdFalcon network to detect and better target an Ad. listener: SDK feedback. autorefresh: used to enable auto refresh for ads.
public void refreshAd()	Used to get a new ad.
public void setTestMode(boolean test)	Used to inform AdFalcon network if your application is working in test or production mode.
public void setRefreshDuration(int duration)	Determine the refresh duration in seconds among the receivedAds.
public void setEnableAutoRefresh(boolean enable)	Used to enable/disable the auto refresh for the received ads.
public boolean isEnableAutoRefresh()	Used to know if auto refresh timer is running or paused.
public void setEnableAnimation(boolean enable)	Used to Enable/Disable animation.
public boolean isEnableAnimation()	Returns true if the animation is enabled otherwise disabled.
public void setListener(ADFListener listener)	Set ADFListener.
public ADFListener getListener()	Get ADFListener.
public void destroy()	This method must be called either in onDestroy() method to finalize the ADFView or when you do not need to use the ADFView again. After calling this method the SDK will kill any timer, thread or running process.



ADFIInterstitial class

This class is responsible for creating, loading and rendering interstitial ads.

Method	Description
public ADFInterstitial(Context context, String siteID, ADFListener listener,)	The interstitial class constructor and is responsible for initializing the interstitial ad with: <ul style="list-style-type: none"> • context • your site ID • listener
public ADFInterstitial(Context context, String siteID, ADFListener listener, boolean testMode)	Class constructor overload which initializes the interstitial ad with: <ul style="list-style-type: none"> • context • your site ID • listener • Test Mode Flag (Pass true during development only, and false for production release).
public ADFInterstitial(Context context, String siteID, ADFListener listener, ADFTargetingParams targetingParams)	The interstitial class constructor and is responsible for initializing the interstitial ad with: <ul style="list-style-type: none"> • context • your site ID • listener • targeting parameters
public ADFInterstitial(Context context, String siteID, ADFListener listener, ADFTargetingParams targetingParams, boolean testMode)	Class constructor overload which initializes the interstitial ad with: <ul style="list-style-type: none"> • context • your site ID • listener • targeting parameters • Test Mode Flag (Pass true during development only, and false for production release).
public void loadInterstitialAd()	This method is used to load new interstitial ad. You can track if the ad has been loaded successfully by implementing <code>ADSListener.onLoadAd</code> method.
public void showInterstitialAd()	This method is used to display the interstitial in full screen mode. But you cannot call this method if the ad is not loaded successfully. We recommended You to check <code>isReady()</code> method before calling it.
public boolean isReady()	This method is used to check if the interstitial ad is ready to display.
public void setTestMode(boolean testMode)	This method is used to set test mode flag.



6 More Information:

You can find more information in the sample project within the downloaded zip file.

For any SDK integration queries, please send us an email to support@adfalcon.com along with your login id.