به نام خدا

نام: عماد

نام خانوادگی : آقاجانی

شماره دانشجویی : ۸۸۵۲۱۳۴۴

تكليف شماره ١

توضيحات:

برای راحتی خواندن کد ها، تمام کد ها بدون هیچ توضیحی در فایلی جدا به اسم sql *** هم قرار داده شده ©

اونجوری با ++Notepad یا هرچیز دیگهه میتونین رنگی مطالعه کنین و راجت تر متوجه بشین چیکار کردم ..

```
1)
     Α.
     Select EatsAt.ResturantName
     From EatsAt, Person
     Where ( EatsAt.pname = Person.pname AND Person.age<18 ) ;</pre>
     В.
     Select Person.pname
     From Eats, Person
     Where ( Eats.pname = Person.pname AND Person.gender='male'
           AND ( Eats.foodname='X' OR Eats.foodname='Y') );
     С.
     Select Person.pname
     From Eats, Person
     Where ( Eats.pname = Person.pname AND Person.gender='male'
           AND Eats.foodname='X' AND Person.pname in( Select pname From Eats
                                                                          Where
foodName='Y' )
     D.
     Select ResturantMenue.ResturantName
     From EatsAt, Eats, ResturantMenue
     Where Eats.pname = EatsAt.pname AND Eats.foodName=ResturantMenue.foodName
           AND ResturantMenue.ResturantName=EatsAt.ResturantName AND price<5000
Eats.pname='P' ;
```

```
E.I ( راه حل اول )
     Select pname
     From Person
     Where ( Select COUNT(*) From EatsAt
                        Where EatsAt.pname = Persons.pname) =
                 ( Select COUNT(*)
                       From ( Select * From Eats
                                  Where pname=Person.pname ) as Fp, ( Select * Fr
EatsAt
     Where EatsAt.pname = Persons.pname) as Rp
                       Where Fp.foodName = Rp.foodname );
     ( راه حل دوم ) E.II
     Select DISTINCT Person.pName
     From Person, EatsAt, Eats, ResturantMenu
     Where Person.pName=EatsAt.pName AND Person.pName=Eats.pName
     AND EatsAt.ResturantName=ResturantMenu.ResturantName
     AND Eats.foodName=ResturantMenu.foodName
2)
  برای تمام قسمت ها ی سوال ۲، دو راه حل ( II و II ) ارایه دادم که اگه یکی احیانا غلط بود، اونیکی درست باشه. II
     A.I
     Select Student.*
     From Register, Student
     Where Student.sid=Register.sid AND Register.date<D
           AND Register.cid IN ( Select cid From Cource Where prof='X' ) ;
```

```
A.II
Select Student.*
From Register, Student, Cource
Where Student.sid=Register.sid AND Register.date<D
     AND Cource.prof='X' AND Cource.cid=Register.cid;
B.I
select title
From Cource
Where cid IN ( Select cid From Register
                      Where termNo='891');
B.II
select Cource.title
From Cource, Register
Where Cource.cid=Register.cid AND termNo='891';
C.I
Select *
From Student
Where Not Exist ( Select * From Register
                           Where Student.sid=sid );
C.II
Select sid, sname
From Student
minus Select Student.sid, Student.sname From Register, Student
           Where Register.sid=Student.sid ;
```

```
دانشجویانی که در ترم جاری در هر دو کلاس C1 و C2 شرکت کرده اند
                                       دانشجویانی که در ترم جاری در کلاس C1 یا C2 شرکت کردهاند
                                                                                  ۲.
D.I C1 AND C2 ?
Select DISTINCT Stundet.*
From Student, Cource as C1, Cource as c2, Register as R1, Resgister as R2
Where Student.sid=R1.sid AND Student.sid=R2.sid
      AND R1.termNo='CurTermNo' AND R2.termNo='CurTermNo'
      AND R1.cid = C1.cid AND C1.title='C1'
      AND R2.cid = C2.cid AND C2.title='C2'
D.II C1 OR C2 ?
Select DISTINCT Student.*
From Student, Register, Cource
Where Student.sid=Register.sid AND Register.termNo='CurTermNo'
      AND Register.cid = Cource.cid
      AND (Cource.title='C1' OR Cource.title='C2')
                                 • سوال ۳ علایم نا آشنا داشت و پرسیدم از بچه ها گفتند نباید حل کنیم...
```

برای این قسمت (D) دقیقا متوجه سوال نشدم و از دو راه، حل کردم.