TFB — Decision Pages v2: Execution Plan (who does what, in what order)

Saturday 17 October 2026, 18:45 Riyadh · Author: Claude (Fable 5.1) for Emad Bahbah · Inputs: Formatting/Menu review (W-01…W-14), Design v2 spec (W-15…W-22), GAS Live Review (U1–U7), Codex brief v2.1 · Status: **Part A1 delivered with this plan**.

The split. Everything that can be written without running inside the live workbook, I do and deliver as paste-ready files with commit sheets (Part A — the menu tonight, the ownership patch and the Portfolio_Decision v2 renderer this weekend). The large cockpit renderer (16_Decision_Top10) and the IBKR history plumbing that need the repo harness and several iterations go to Codex (Part B), from a brief that is already written in §5. You apply pastes, flags and the broker-side steps (Part C); I verify every applied file by reading it back from the IDE before anything is called done. **First step, tonight: paste `01_Menu_v2.19.0_append.gs` (15 minutes, fully reversible).**

1. Rules of the road (unchanged from the project protocol)

- One-Pass per file: base pin (version + sha from the IDE) → anchored edits or full file → harness steps → commit sheet. "Done" only after I re-read the file from the IDE and record the new sha.
- Default-off: every behaviour change sits behind a script property (`PD_V2_LAYOUT`, `T10_V2_LAYOUT`) until you flip it; the menu change (A1) is pure UI and needs no flag.
- No change touches a gate, a ticket, a trigger schedule or a script property value in this plan. Pastes are yours; I never write into the production project.
- Codex receives one brief per package with anchors, must/never rules and acceptance; I check its output in the repo and, after you paste it, in the IDE.

2. Work packages

ID	Package	Owner	Deliverable	Depends on	Acceptance	Target
A1	Menu v2.19.0 — decision-first tree, dead/duplicate items removed, 22/24/25 + capture watcher wired, confirm guards, Portfolio_Decision ownership in the menu	Claude	`01_Menu_v2.19.0_append.gs` + commit sheet — **delivered**	nothing	`menuV2SelfCheck_` → no missing handlers; root menu "🧭 TFB Cockpit" with "🧭 Today" first	tonight
A2	00_Config: `DECISION_OWNED_PAGES_` gains `Portfolio_Decision` (so 05_Refresh/11_SpecialPages protect it too)	Claude	anchored edit (3 lines, §4) + note	A1 verified	`isDecisionOwnedPage_('Portfolio_Decision') === true` in the IDE	Sun 18
A3	Portfolio_Decision v2 renderer in 10_My_Portfolio: header chip + reason; 7 KPI tiles never blank (ledger / IBKR-certified label); holdings table with bracket + order status from the Flex capture, days held, rule status; actions-today list; limits table; evidence trail; number formats (W-06, W-07, W-08, W-15, W-16)	Claude	full file v1.6.0 + commit sheet, behind `PD_V2_LAYOUT`	**C1** (v1.5.13 live)	on a stale-evidence morning NAV/cash/equities show ledger values with the label; KRP row shows TP +0.7 % and "REPLACED — verify"; actions list ≤ 5	Sun 18 – Mon 19
A4	PD allocation chart (composition + sector vs caps) via `EmbeddedChartBuilder` on `_Charts_Data_PD`	Claude	included in A3 or a follow-up patch	A3	chart renders after Refresh Portfolio Decision	Mon 19
A5	Broker reconciliation input: IBKR 90-day closed trades vs ledger closed lots	Claude	`IBKR_Closed_Trades_90d_2026-10-17.csv` — **delivered**; reconciliation note after your review	nothing	ledger closed total explained or corrected before the S-1 review	Sun 18
B1	Top_10_Investments v2 renderer in 16_Decision_Top10: 3-row status block, freeze rows 1–3, funnel/universe/concentration/hit-rate charts on `_Charts_Data_T10`, 10-column seat table with research levels, why-failed block under the seats, control panel moved below, three-state vocabulary (W-01…W-04, W-20, W-21, W-22)	Codex	full file v1.14.0 + commit sheet, behind `T10_V2_LAYOUT`	C1 (v1.13.9 live)	seats table has no "—" cells; funnel shows 9,786 → 238 → 24 → 10 → 4 → 0; B1 state chip is one of NOT ACTIONABLE / RESEARCH / ACTIONABLE	Mon 19 – Wed 21

ID	Package	Owner	Deliverable	Depends on	Acceptance	Target
B2	IBKR history plumbing: `_IBKR_NAV_History` (date, NAV, flows → daily TWR) and `_IBKR_Trades` (realized per fill) appended from each fresh Flex capture; TWR line + trade-record bars; win-rate/payoff/expectancy block (W-18, W-19)	Codex	new `26_IBKR_History.gs` + hook in `pdIbkrCaptureWatch` + commit sheet	C3 (Flex sections)	after 5 captures the TWR chart has 5 points; `_IBKR_Trades` matches the CSV in A5 for the 90-day window	Tue 20 – Thu 22
B3	3-month sparklines (GOOGLEFINANCE for US tickers, backend history for LSE/HK), 04_Format number-format map, 99_Data_Audit heading fix (W-17, W-05, W-13)	Codex	patches + commit sheets	none	no `.0` integers on either page; `_Data_Audit` heading renders	Tue 20
B4	Codex brief v2.1 workstreams (learning loop L1–L7, Top 10 T1–T9, chain/coverage C1–C6, gates G1–G11)	Codex	per the brief, unchanged	—	per the brief	continuing
C1	Paste the pending GAS update that did not land: 16_Decision_Top10 v1.13.9, 10_My_Portfolio v1.5.13, 11_Manual_Refresh_Coordinator v1.0.2 — **Ctrl+S each file**, then tell me; I read back the versions	Emad	—	—	IDE shows 1.13.9 / 1.5.13 / 1.0.2	tonight or Sun
C2	Paste A1 and run its harness (commit sheet §Harness, 9 steps)	Emad	—	A1	steps 1–8 pass	tonight, 15 min
C3	IBKR: (a) Monday pre-open — confirm a working TP/stop exists for KRP (pair shows REPLACED, no successor listed); (b) add *Trades*, *Cash Report*, *Net Asset Value*, *Open Orders*, *Open Positions* sections to the Flex query used for the capture, daily	Emad	—	—	KRP protected; capture file carries the five sections	Mon 19
C4	Decisions: D-stop (volatility-scaled vs tight stops), three-state vocabulary, reconciliation sign-off	Emad	one line each	A5, B2	recorded in the decisions table	by Wed 21
C5	Flip `PD_V2_LAYOUT = 1` after A3 verification; `T10_V2_LAYOUT = 1` after B1 verification	Emad	—	A3 / B1 verified	pages render v2 on the next scheduled run	Tue–Wed

3. Sequence

When	Steps
Sat 17 (tonight)	C2: paste A1, run harness → send me the version string → I read back and record the sha. C1 if time allows.
Sun 18	I deliver A2 (3-line patch) and the A3 draft (10_My_Portfolio v1.6.0 on top of v1.5.13) with its commit sheet; A5 reconciliation note. Codex starts B1 and B3 from §5.
Mon 19	Pre-open: C3(a) KRP bracket. Morning: paste A2 (+ A3 if reviewed), run the PD self-test, flip nothing yet. C3(b) Flex sections.
Tue 20	Codex delivers B3 (and B2 draft); I verify from the repo; you paste; `PD_V2_LAYOUT = 1` once A3 passes its harness.
Wed 21	Codex delivers B1; I verify; you paste; `T10_V2_LAYOUT = 1`; both pages observed through the 04:52 / 08:07 runs.
Thu 22	One full cycle on v2; fixes only.
Sat 24	First candidate board on the v2 pages (if D3 and the chain order land as planned in the Codex brief).

4. Part A2 — the ownership patch (for Sunday, shown now so nothing waits on me)

In `00_Config.gs` (live v1.12.6), lines 259–261 read:

```
var DECISION_OWNED_PAGES_ = Object.freeze([
  SHEET_NAMES.TOP_10_INVESTMENTS
]);
```

Replace with:

```
var DECISION_OWNED_PAGES_ = Object.freeze([
  SHEET_NAMES.TOP_10_INVESTMENTS,
  DECISION_SHEET_NAMES.PORTFOLIO_DECISION
]);
```

`DECISION_SHEET_NAMES` is defined at L244, before this block, so the reference resolves. No version bump (the menu's *Verify Config Version* compares the config constant with an expected value; bumping it needs the paired edit in 01_Menu — I will include that pair in the A3 commit sheet instead). Effect: `isDecisionOwnedPage_('Portfolio_Decision')` becomes true for every layer that consults it; the A1 menu already treats the page as owned, so A2 only closes the refresh-layer gap.

5. Codex handoff brief (paste as-is)

> **Work packages B1, B2, B3 — TFB decision pages v2.** Base files: `apps_script/16_Decision_Top10.gs` v1.13.9, `apps_script/10_My_Portfolio.gs` v1.5.13 (repo HEAD `11ef134`; Emad pastes the same versions live first). Protocol: One-Pass (sha pin → anchored edits → harness ×3 → full file + commit sheet), ES5, default-off behind `T10_V2_LAYOUT` / `PD_V2_LAYOUT` script properties, no change to gates, tickets, triggers or `_Lists_Config` seeds, no new `onOpen`.
>
> **B1 — 16_Decision_Top10.gs → v1.14.0.** (1) Status block: B1 state chip (enum NOT ACTIONABLE / RESEARCH / ACTIONABLE), B2 blocker in plain words, B3 run · epoch · cockpit time · version; the current status string moves to A4 wrapped. Freeze rows 1–3 only. (2) `_Charts_Data_T10` hidden tab rebuilt on refresh with ranges for: funnel (6 stages with conversion ratio), universe (WATCHLIST/INVESTABLE/BLOCKED counts from the GM page), concentration (sector counts for the 24 and for the 10 seats), hit rate (Performance_Log summary). Four `EmbeddedChartBuilder` bar charts anchored under the funnel/alerts zone; colours slot-1 `#2a78d6`, ordinal blue ramp for the funnel, text in ink. (3) Seat table 10 columns: #, Symbol·name·sector, Seat status, Price, Research plan (TP1 = price × (1 + plan ROI); stop shown as [withheld]), ROI 3M plan / 12M eng., R/R, Ref. size = 5 % NAV, Rel·DQ·score, Flags (w52-observe, earnings ≤ Nd, risk bucket, cluster = same-industry count among the qualified). Grace seats collapse into one row. Never render "—" for withheld money columns — omit them. (4) Why-failed block (DATA GAPS) directly under the seats, alert chips beside it, one "next step" line. (5) Control panel moved below the opportunity set; blanks still re-seed. (6) `t10SelfTest` extended: state enum valid, 10-column header, no "—" in the seat zone, four charts present.
>
> **B2 — new `26_IBKR_History.gs` v1.0.0 + a 3-line hook in `pdIbkrCaptureWatch`.** On each fresh Flex capture: append (idempotent on date) one row to `_IBKR_NAV_History` (date, NAV base ccy, deposits/withdrawals from *Cash Report*, daily return = (NAV_1 − flows) / NAV_0 − 1, chain-linked TWR) and one row per fill to `_IBKR_Trades` (trade id, date, symbol, side, qty, price, commission, realized P&L). Expose `ibkrHistoryStatus()` and `ibkrHistorySelfTest()`. Provide the Portfolio_Decision blocks: TWR line chart (`asLineChart`, 2 px, series `#2a78d6`) and a trade-record bar chart (two series gains/losses, `#2a78d6` / `#e34948`) with win rate, payoff, expectancy, stop-out share computed over a 90-day window. Validation data: `IBKR_Closed_Trades_90d_2026-10-17.csv` (15 closed names, net −809.08 USD).
>
> **B3 — small patches.** 10_My_Portfolio: hidden column per holding with `SPARKLINE(GOOGLEFINANCE(ticker,"close",TODAY()-91,TODAY()))` for US tickers and a backend-history fallback for LSE/HK; 04_Format v2.19.0: number-format map (integers `#,##0`, money `#,##0`, percents `0.0"%"`, ratios `0.00`, dates `yyyy-mm-dd`) applied to both cockpits; 99_Data_Audit L1313: heading must not start with `=`.
>
> **Deliver** each file in full with its commit sheet (anchors, harness results ×3, rollback). Do not touch 01_Menu.gs (v2.19.0 is Claude's) or 00_Config.gs beyond what the commit sheet for A2 states.

6. Tonight's checklist (Emad)

1. Open the bound project; confirm `01_Menu.gs` shows `SCRIPT_MENU_VERSION = '2.18.0'` (if it shows 2.19.0 already, stop and tell me).
2. Apply the five one-line renames from the A1 commit sheet (L354, L355, L373, L616, L1049).
3. Paste `01_Menu_v2.19.0_append.gs` at the end of the file; **Ctrl+S**; no red marks.
4. Reload the spreadsheet; the menu bar shows 🧭 **TFB Cockpit** and ⏸️ **TFB Hold**.
5. Run `menuV2SelfCheck_` from the IDE → "Missing handlers: none".
6. Today ▸ IBKR Evidence: Status → note the capture age it reports.
7. Send me the version string you see; I read the file back and record the sha.
8. If anything looks wrong: rename the five anchors back, save, reload — the old menu returns unchanged.
9. If time allows: C1 (paste v1.13.9 / v1.5.13 / v1.0.2 and save each) — it unblocks A3 and B1.
10. Monday before the US open: KRP bracket check (C3a).

Files delivered with this plan: `01_Menu_v2.19.0_append.gs` (517 lines, sha 71b690a2fd00), `TFB_Commit_Sheet_01_Menu_v2.19.0_2026-10-17`, `IBKR_Closed_Trades_90d_2026-10-17.csv`. Base pins: 01_Menu live v2.18.0 sha 853e24b980ff (119,863 chars); 00_Config live v1.12.6; 10_My_Portfolio live v1.5.12 / repo v1.5.13; 16_Decision_Top10 live v1.13.2 / repo v1.13.9.