# 2019R2 STAT6108 Assignment 3


# Yiu Chung WONG 1155017920

```
pcaCharts <- function(x) {</pre>
    x.var <- x$sdev ^ 2
    x.pvar <- x.var/sum(x.var)</pre>
    print("proportions of variance:")
    print(x.pvar)
    par(mfrow=c(2,2))
    plot(x.pvar,xlab="Principal component",
         ylab="Proportion of variance explained", ylim=c(0,1), type='b')
    plot(cumsum(x.pvar),xlab="Principal component",
         ylab="Cumulative Proportion of variance explained", ylim=c(0,1), type='b')
    screeplot(x)
    screeplot(x,type="1")
    par(mfrow=c(1,1))
}
cor.mtest <- function(data, ...) {</pre>
    data <- as.matrix(data)</pre>
    n <- ncol(data)</pre>
    p.data<- matrix(NA, n, n)</pre>
    diag(p.data) <- 0</pre>
    for (i in 1:(n - 1)) {
        for (j in (i + 1):n) {
             tmp <- cor.test(data[, i], data[, j], ...)</pre>
             p.data[i, j] <- p.data[j, i] <- tmp$p.value</pre>
    }
  colnames(p.data) <- rownames(p.data) <- colnames(data)</pre>
  p.data
```

```
# import data
teachers <- read.csv('hw3(2020).dat', header = FALSE, sep = '')</pre>
```

a)

### Correlation matrix



• The colour indicates the strength of correlation: the deeper the blue, the more positive the correlation between two items.

- Correlations that are not coloured are not statistically significant.
- Factor analysis assumes at least some items be correlated. From this graph we see that this assumption
- The items seem to assemble in two different groups. This suggest the possibility of two different latent factors behind the items.

### Bartlett's test of sphericity

```
bartlett <- psych::cortest.bartlett(teachers)</pre>
bartlett
## $chisq
## [1] 262.3824
## $p.value
## [1] 1.816464e-32
##
## $df
## [1] 45
  • H_0: All variables are independent
```

- p-value is  $1.8164638 \times 10^{-32}$ ;  $H_0$  is to be rejected
- Not all variables are independent

### **KMO**

```
kmo <- psych::KMO(teachers)</pre>
## Kaiser-Meyer-Olkin factor adequacy
## Call: psych::KMO(r = teachers)
## Overall MSA = 0.72
## MSA for each item =
## V1 V2 V3 V4
                         V5
                              ۷6
                                   ۷7
                                        8V
                                             V9 V10
## 0.74 0.76 0.77 0.68 0.68 0.71 0.78 0.69 0.75 0.64
  • Overall MSA is 0.7237724, which is okay
```

### Subject/variable ratio

```
n <- nrow(teachers)</pre>
p <- ncol(teachers)</pre>
ratio <- n/p
```

• The subject/variable ratio is 8.9. This number is low considering the suggested ratio should be around 10

# Scale of data

- The data is from a 10-item, 4-point Likert scale questionnaire.
- Factor analysis assumes interval or ratio variables.
- If ordinal variable is to be used, there should be at least 5 categories.


Even though the data show adequate dependency, the number of category in items is just too low. This results in the strong non-normality in data. The subject to variable ratio is also not satisfactory. Hence factor analysis on the provided data not recommended.

b)

### Principal Components Analysis

```
#Principle Component using non-centered, non-scaled datas
teachers_pca <- prcomp(teachers)</pre>
names(teachers_pca)
## [1] "sdev"
                                       "rotation" "center"
                                                                                      "scale"
                                                                                                             "x"
teachers_pca
## Standard deviations (1, .., p=10):
        [1] 1.5234287 1.1635773 0.8870355 0.8197833 0.7057196 0.6346637 0.5587597 0.4899041 0.4272766
## [10] 0.4088632
##
## Rotation (n x k) = (10 \times 10):
##
                                                                                                                                                                                    PC7
                           PC1
                                                     PC2
                                                                             PC3
                                                                                                       PC4
                                                                                                                                 PC5
                                                                                                                                                           PC6
                                                                                                                                                                                                              PC8
                                                                ## V1 0.3423963 -0.13030447
                                                                                                                                                                     0.09114970 -0.01804107
              0.3128334
                                      0.44938280
                                                                0.1138146 - 0.23557689 - 0.40787942 - 0.17326123
                                                                                                                                                                     0.47024915
                                                                                                                                                                                             0.36528426
     V3
              0.4578133 -0.29568886
                                                               0.25000586 -0.15523625
## V4
              0.2064996 0.43290601
                                                                0.2291022 \quad 0.04748169 \quad -0.15202782 \quad -0.04744018 \quad -0.38009599 \quad 0.09371373
                                      0.21304767 \; -0.3086366 \; -0.08506694 \quad 0.11681593 \quad 0.70548931 \quad 0.39806828 \; -0.28486639931 \quad 0.39806828 \; -0.28486639931 \quad 0.39806828 \; -0.28486639931 \quad 0.39806828 \; -0.28486639931 \quad 0.39806828 \; -0.2848663931 \quad 0.39806828 \; -0.284866391 \quad 0.39806828 \; -0.284866891 \quad 0.39806828 \; -0.284868891 \quad 0.39806828 \; -0.28486891 \quad 0.398068891 \quad 0.39806888 \; -0.28486891 \quad 0.39806888 \; -0.28486891 \quad 0.39806888 \; -0.284868891 \quad 0.39806888 \; -0.284868891 \quad 0.39806888 \; -0.284868891 \quad 0.39806888 \; -0.284868891 \quad 0.3980688891 \quad 0.398068891 \quad 0.39806891 \quad 0.39806891 \quad 0.398068891 \quad 0.398068891 \quad 0.3
## V5
              0.2223380
              0.3326138 -0.25183781
                                                               0.1963398 -0.50506476 -0.01973894 -0.20178959 -0.01962777 -0.51067985
## V7
                                      0.07288394 \ -0.7967072 \ 0.13014144 \ 0.01541194 \ -0.34723734 \ -0.22441612 \ -0.01516539
              0.4073389
              0.0436176
                                      0.30567427
                                                                0.1050410 0.03278626 -0.38121445
                                                                                                                                          0.18205301 -0.42197770 -0.49197054
                                                                                                               0.06051882
              0.4328727 -0.27472745
                                                               0.1007116 -0.12616628
                                                                                                                                          0.47479270 -0.41772320 0.49403611
                                                                V10 0.1318812
                                      0.47244125
                               PC9
##
                                                       PC10
## V1
                 0.71467021
                                          0.31839203
              -0.20071817
                                          0.20124726
## V2
                0.02041917 -0.02044159
## V3
## V4
                0.34997126 -0.64351367
## V5
                0.12708165 -0.18858817
## V6
               -0.38675344 -0.28361945
## V7
              -0.07312608 0.01823672
## V8
                0.04844978 0.54003414
## V9 -0.21320770 0.13406251
## V10 -0.32738600 0.13285578
summary(teachers_pca)
## Importance of components:
                                                                                                                                                                                                            PC10
##
                                                              PC1
                                                                             PC2
                                                                                            PC3
                                                                                                             PC4
                                                                                                                             PC5
                                                                                                                                              PC6
                                                                                                                                                               PC7
                                                                                                                                                                              PC8
                                                                                                                                                                                               PC9
## Standard deviation
                                                        1.5234 1.1636 0.8870 0.81978 0.7057 0.63466 0.55876 0.4899 0.42728 0.4089
## Proportion of Variance 0.3346 0.1952 0.1134 0.09689 0.0718 0.05807 0.04501 0.0346 0.02632 0.0241
## Cumulative Proportion 0.3346 0.5298 0.6432 0.74010 0.8119 0.86997 0.91498 0.9496 0.97590 1.0000
pcaCharts(teachers_pca)
```

## [1] "proportions of variance:"
## [1] 0.33458712 0.19518903 0.11343497 0.09688645 0.07180081 0.05807006 0.04501063 0.03460088
## [9] 0.02631983 0.02410022




- The scree plot presents the portion of variance each principle component explains.
- There is no obvious "elbow" indicating significant differences in variance explained by principle components.

# Parallel Analysis

```
psych::fa.parallel(x = teachers, fa = "pc", nfactors = p)
```

# **Parallel Analysis Scree Plots**



## Parallel analysis suggests that the number of factors = NA and the number of components = 2

- Parallel analysis suggests the first two principle components exhibits eigenvalues higher than random data.
- $\bullet\,$  This echos the two-group separation presented by the correlation plot

### Principal Axis Factoring without rotation

Here we perform principal axis factoring with 2 latent factors

```
pcfa <- psych::fa(r = teachers, nfactors = 2, rotate = "none", fm = "pa")</pre>
pcfa_load <- pcfa$loadings[1:p,]</pre>
pcfa_com <- pcfa$communality</pre>
pcfa_psi <- pcfa$uniquenesses</pre>
pcfa_tbl <- cbind(pcfa_load, pcfa_com, pcfa_psi)</pre>
pcfa_tbl
##
            PA1
                       PA2 pcfa_com pcfa_psi
## V1 0.6855630 -0.3520859 0.5939611 0.4060389
## V2 0.5952682 0.4267551 0.5364641 0.4635359
## V3 0.4785653 -0.2489213 0.2909866 0.7090134
## V4 0.5386745 0.6455960 0.7069645 0.2930355
## V5
      ## V6 0.5710989 -0.4196027 0.5022204 0.4977796
## V7 0.4645564 -0.0363741 0.2171357 0.7828643
## V8 0.1842495 0.5449659 0.3309357 0.6690643
## V9 0.6725257 -0.4148205 0.6243669 0.3756331
## V10 0.2839845 0.4363827 0.2710770 0.7289230
```

#### pcfa\$Vaccounted

```
## PA1 PA2
## SS loadings 2.6298585 1.6492368
## Proportion Var 0.2629859 0.1649237
## Cumulative Var 0.2629859 0.4279095
## Proportion Explained 0.6145828 0.3854172
## Cumulative Proportion 0.6145828 1.0000000
```

- Without rotation, some items such as V1, V2, V4, V9 exhibits strong cross loading.
- Communication for some item is as low as 0.2049832
- Both SS loadings are greater than 1. Factors are kept if this value is greater than 1 according to common practice.
- Perhaps another factor is needed.

Here we perform principal axis factoring with 3 latent factors

```
pcfa <- psych::fa(r = teachers, nfactors = 3, rotate = "none", fm = "pa")
pcfa_load <- pcfa$loadings[1:p,]
pcfa_com <- pcfa$communality
pcfa_psi <- pcfa$uniquenesses
pcfa_tbl <- cbind(pcfa_load, pcfa_com, pcfa_psi)
pcfa_tbl</pre>
```

```
## PA1 PA2 PA3 pcfa_com pcfa_psi
## V1 0.6679029 -0.38333152 -0.12050820 0.6075596 0.3924404
## V2 0.5908130 0.37953960 -0.02591538 0.4937820 0.5062180
## V3 0.4628661 -0.26604082 -0.06953206 0.2898574 0.7101426
```

```
## V4 0.5879984 0.68138084 -0.29761848 0.8985988 0.1014012

## V5 0.5028051 0.18784156 0.60368477 0.6525328 0.3474672

## V6 0.5603813 -0.45777959 -0.19965715 0.5634523 0.4365477

## V7 0.4799587 -0.05742989 0.28887669 0.3171083 0.6828917

## V8 0.1964952 0.52267091 -0.06323537 0.3157940 0.6842060

## V9 0.6486938 -0.43215824 -0.01028713 0.6076702 0.3923298

## V10 0.2926691 0.41536714 -0.02808550 0.2589738 0.7410262
```

### pcfa\$Vaccounted

```
## SS loadings 2.6974112 1.7066712 0.60124665
## Proportion Var 0.2697411 0.1706671 0.06012467
## Cumulative Var 0.2697411 0.4404082 0.50053290
## Proportion Explained 0.5389079 0.3409708 0.12012130
## Cumulative Proportion 0.5389079 0.8798787 1.00000000
```

- There is no holistic improvement for the cross loading issue; some item exhibits even stronger cross loading among factors, such as V4.
- Communication for item V2, V3, V4, V9, V10 went down.
- SS loading for the third factor is below 1. This indicts a weak relation between item and factor.
- 2 latent factors maybe more suitable than 3.

### Principal Component Factor Analysis with varimax rotation

```
pcfav <- psych::fa(r = teachers, nfactors = 2, rotate = "varimax", fm="pa")
pcfav_load <- pcfav$loadings[1:p,]
pcfav_com <- pcfav$communality
pcfav_psi <- pcfav$uniquenesses
pcfav_tbl <- cbind(pcfav_load, pcfav_com, pcfav_psi)
pcfav_tbl</pre>
```

```
##
          PA1
                 PA2 pcfav_com pcfav_psi
## V1
    0.7667310962
             0.07800366 0.5939611 0.4060389
## V2
    0.2668924425
            0.68207956 0.5364641 0.4635359
    0.5369374360 0.05181467 0.2909866 0.7090134
## V3
## V4
    ## V5
## V6
    0.7074906813 -0.04095493 0.5022204 0.4977796
## V7
    V8
    ## V9
    0.0005639991  0.52065029  0.2710770  0.7289230
## V10
```

#### pcfav\$Vaccounted

```
## SS loadings 2.3390880 1.9400073
## Proportion Var 0.2339088 0.1940007
## Cumulative Var 0.2339088 0.4279095
## Proportion Explained 0.5466314 0.4533686
## Cumulative Proportion 0.5466314 1.0000000
```

- After rotation, SS loadings are more evenly divided between the factors. This can be interpreted as: items no longer as dependent on one particular factor.
- The difference between the variance explained among the two factors also narrowed.
- Item 1, 3, 6, 9 appear to factor into one latent variable; item 2, 4, 8, 10 factor into another.
- Item 5 and 7 does not factor into either latent variables. As is evident by their low value in communications and cross loading.
- Items 1, 3, 6, 9 are questions that sought to measure whether teachers relate with others in times of difficulties. This maybe labeled "Emotional support".
- Items 2, 4, 8, 10 are about the steps and approach in tackling difficulties in work. This maybe labeled as "Problem solving"
- Items 5 and 7 involves handling one's emotion but not in relation to other people. This explains the inability to load onto the first factor. Perhaps many participant do not regard medicating one's emotion as problem solving, hence the poor loading onto the second factor.

# d)

- The factor solution is not a simple structure, meaning there exist cross loading and/or general factor.
- Even though Varimax rotation provides a solution that better separates items into two factors, cross loading remains.
- $\bullet$  Many items have uniqueness well above 0.6, even as high as 0.7950168 . For these items, there are much variance not captured by the proposed factors.
- The model explains 42.8% of the total variance at most; more than half of the variance is not answered.

The factor solution is poor.

# **Academic Honesty and Plagiarism:**

Attention is drawn to University policy and regulations on honesty in academic work, and to the disciplinary guidelines and procedures applicable to breaches of such policy and regulations. Details may be found at <a href="http://www.cuhk.edu.hk/policy/academichonesty/">http://www.cuhk.edu.hk/policy/academichonesty/</a>.

With each assignment, students will be required to submit a signed <u>declaration</u> that they are aware of these policies, regulations, guidelines and procedures.

- In the case of group projects, all students of the same group should be asked to sign the declaration, each of whom is responsible and liable to disciplinary actions should there be any plagiarized contents in the group project, irrespective of whether he/she has signed the declaration and whether he/she has contributed directly or indirectly to the plagiarized contents.
- For assignments in the form of a computer-generated document that is principally text-based and submitted via VeriGuide, the statement, in the form of a receipt, will be issued by the system upon students' uploading of the soft copy of the assignment.

Assignments without the properly signed declaration will not be graded by teachers.

Only the final version of the assignment should be submitted via VeriGuide.

The submission of a piece of work, or a part of a piece of work, for more than one purpose (e.g. to satisfy the requirements in two different courses) without declaration to this effect shall be regarded as having committed undeclared multiple submission. It is common and acceptable to reuse a turn of phrase or a sentence or two from one's own work; but wholesale reuse is problematic. In any case, agreement from the course teacher(s) concerned should be obtained prior to the submission of the piece of work.

# PLEASE SIGN AND RETURN:

I am submitting the assignment for:	
<ul> <li>✓ an individual project or</li> <li>□ a group project on behalf of all members of the group. It is hereby confirmed that the submission is authorized by all members of the group, and all members of the group are required to sign this declaration.</li> </ul>	
I/We declare that: (i) the assignment here submitted is original except for source material explicitly acknowledged; (ii) the piece of work, or a part of the piece of work has not been submitted for more than one purpose (e.g. to satisfy the requirements in two different courses) without declaration; and (iii) the submitted soft copy with details listed in the <submission details=""> is identical to the hard copy(ies), if any, which has(have) been / is(are) going to be submitted.</submission>	
I/We also acknowledge that I am/we are aware of U in academic work, and of the disciplinary guidelines a policy and regulations, as contained <a href="http://www.cuhk.edu.hk/policy/academichonesty/">http://www.cuhk.edu.hk/policy/academichonesty/</a> .	and procedures applicable to breaches of such
In the case of a group project, we are aware that each student is responsible and liable to disciplinary actions should there be any plagiarized contents/undeclared multiple submission in the group project, irrespective of whether he/she has signed the declaration and whether he/she has contributed directly or indirectly to the problematic contents.	
It is also understood that assignments without a properly signed declaration by the student concerned and in the case of a group project, by all members of the group concerned, will not be graded by the teacher(s).	
Signature(s)	31-Mar-2020 Date
Yiu Chung WONG Name(s)	1155017920 Student ID(s)
STAT 6108 Course code	Official Statistics and Structural <u>Equation Modeling</u> Course title