Lecture 1 Review Quiz

Mallick Hossain

University of Pennsylvania

1. Have you logged into Piazza?

- 1. Have you logged into Piazza?
 - The correct answer is "Yes"

- 1. Have you logged into Piazza?
 - · The correct answer is "Yes"
- 2. Have you chosen a grading scheme?

- 1. Have you logged into Piazza?
 - · The correct answer is "Yes"
- 2. Have you chosen a grading scheme?
 - If you answered "Yes" to (1), then you've probably already answered this one too

1. What's the difference between a parameter and a statistic?

- 1. What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.

- 1. What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.

- 1. What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.
 - Sampling errors are random differences between the sample and the population, but they should cancel out as the sample size grows

- What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.
 - Sampling errors are random differences between the sample and the population, but they should cancel out as the sample size grows
 - Nonsampling errors are systematic differences between the sample and the population and will not cancel out as the sample grows larger

- What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.
 - Sampling errors are random differences between the sample and the population, but they should cancel out as the sample size grows
 - Nonsampling errors are systematic differences between the sample and the population and will not cancel out as the sample grows larger
- 3. What is a confounder?

- What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.
 - Sampling errors are random differences between the sample and the population, but they should cancel out as the sample size grows
 - Nonsampling errors are systematic differences between the sample and the population and will not cancel out as the sample grows larger
- 3. What is a confounder?
 - A factor that influences both the treatment and the outcome. It masks the true effect of the treatment

- What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.
 - Sampling errors are random differences between the sample and the population, but they should cancel out as the sample size grows
 - Nonsampling errors are systematic differences between the sample and the population and will not cancel out as the sample grows larger
- 3. What is a confounder?
 - A factor that influences both the treatment and the outcome. It masks the true effect of the treatment
- 4. What's the best way to show causation?

- What's the difference between a parameter and a statistic?
 - A parameter is a characteristic of a *population* and a statistic is a characteristic of a *sample*.
- 2. Describe the two kinds of errors that can affect statistics.
 - Sampling errors are random differences between the sample and the population, but they should cancel out as the sample size grows
 - Nonsampling errors are systematic differences between the sample and the population and will not cancel out as the sample grows larger
- 3. What is a confounder?
 - A factor that influences both the treatment and the outcome. It masks the true effect of the treatment
- 4. What's the best way to show causation?
 - · Double-blind randomized control trial

5. What are the different types of variables?

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - · Continuous variables can take any value

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - · Continuous variables can take any value
 - Nominal variables are simply categories

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - · Continuous variables can take any value
 - · Nominal variables are simply categories
 - Ordinal variables have a natural ordering

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - Continuous variables can take any value
 - · Nominal variables are simply categories
 - Ordinal variables have a natural ordering
 - Interval variables have meaningful differences, but do not have a natural zero

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - Continuous variables can take any value
 - · Nominal variables are simply categories
 - · Ordinal variables have a natural ordering
 - Interval variables have meaningful differences, but do not have a natural zero
 - Ratio variables have meaningful differences and ratios, have a natural zero

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - Continuous variables can take any value
 - · Nominal variables are simply categories
 - Ordinal variables have a natural ordering
 - Interval variables have meaningful differences, but do not have a natural zero
 - Ratio variables have meaningful differences and ratios, have a natural zero
- 6. What is the formula for percentile?

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - Continuous variables can take any value
 - · Nominal variables are simply categories
 - Ordinal variables have a natural ordering
 - Interval variables have meaningful differences, but do not have a natural zero
 - Ratio variables have meaningful differences and ratios, have a natural zero
- 6. What is the formula for percentile?
 - $\frac{P}{100} * (n+1)$ position

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - Continuous variables can take any value
 - · Nominal variables are simply categories
 - Ordinal variables have a natural ordering
 - Interval variables have meaningful differences, but do not have a natural zero
 - Ratio variables have meaningful differences and ratios, have a natural zero
- 6. What is the formula for percentile?
 - $\frac{P}{100} * (n+1)$ position
- 7. Ready for the next lecture?

- 5. What are the different types of variables?
 - Discrete variables can take on a countable number of values
 - Continuous variables can take any value
 - · Nominal variables are simply categories
 - · Ordinal variables have a natural ordering
 - Interval variables have meaningful differences, but do not have a natural zero
 - Ratio variables have meaningful differences and ratios, have a natural zero
- 6. What is the formula for percentile?
 - $\frac{P}{100} * (n+1)$ position
- 7. Ready for the next lecture?
 - The correct answer is "Yes"

