

ExxonMobil Oil Corporation

22777 Springwoods Village Parkway Spring, TX 77389

Attention : Kelly Schultz

MOVEMENT: Discharge

VESSEL : Legacy 750-1 (OB)

LOCATION : KMI - Tampa, FL | REK Berth - Tampa, FL

| TPSI - Tampa, FL | Buckeye - South

Tampa, FL

File N° : PEV-73185

DATE : 08/08/2020 - 08/10/2020

REFERENCE N° : 4961114-20

Contents

Voyage Analysis Report Shore Tank Quantity Vessel Quantity Report Line Displacement

Timelog LOP/NAD

Dear Client,

Please find attached our Inspection Report No. PEV-73185 corresponding to the Discharge operation of the captioned vessel, at place and date(s) shown above. The complete report is composed of individual field reports, which we believe are self-explanatory.

We trust that this report supplies the proper input needed so that we comply with your requirements. Should there be any points that need further clarification, please do not hesitate to contact us.

All Camin Cargo Control measurement devices and methods used for quantity and quality determination meet the pertinent requirements of 40 CFR 98.3 et. seq. (Greenhouse Gas Mandatory Reporting Rule)

Yours Sincerely,

Camin Cargo Control

3001 SW 3rd Avenue #8 Fort Lauderdale, FL 33315-3315

Phone: 954-467-9299

OpsPortEverglades@camincargo.com

www.camincargo.com



VOYAGE ANALYSIS REPORT N° PEV-73185

MOVEMENT :Legacy 750-1 (OB) VESSEL :Discharge :KMI - Tampa, FL :09-AUG-2020 **LOCATION JOB COMPLETED PRODUCT** : S15 MV NO 2 DSL RENEW FREE : 4961114-20 **REFERENCE N°**

	<u>Port</u>			<u>VCF</u>	Voyage#	Gauge Date	
LOAD							
DISCHARGE	: KMI - Tampa, FL			6B	293	09-AUG-2020	
Barrels @ 60 °F	API @ 60	°F TCV	FW	GSV	S&W	NSV	Reference
I. SHORE/SHORE	COMPARISON-NOT AVAIL	ABLE					
 Loading Quantit 	ty						
2. Outturn	38	37,072.67	0.00	37,072.67	0.00	37,072.67	
Difference							(2-1)
4. Difference %							(3/1*100)
Adjusted TCV	Difference						(3-b+l)
TT VESSEL/SHORE	E COMPARISON AT LOADP	ORT-NOT AVAILARLE					
a. After Loading	2 COLII AIGEON AL LOADI	OK! NO! AVAILABLE			Liquid	Non-Liqui	d
b. OBQ					·	·	
c. Vessel Received	i						(a-b)
d. Difference							(c-1)
e. Difference %							(d/1*100)
f. Load Ratio							(c/1)
g. VEF							
h. Theoretical Shor	re						(c/g)
i. Theoretical Sh	nore Diff.						(h-1)
j. Theoretical Sh	nore Diff. %						(i/1*100)
III. VESSEL/SHOR	RE COMPARISON AT DISPO	ORT					
k. Before Discharg	je	97,088.95	0.00	97,088.95	Liquid	Non-Liqui	d
I. ROB		60,022.49	0.00	60,022.49			
m. Vessel Delivered	d	37,066.46	0.00	37,066.46			(k-l)
n. Difference		6.21	0.00	6.21			(2-m)
o. Difference %		0.02		0.02			(n/2*100)
p. Discharge Ratio	1	0.99983					(m/2)
q. VEF		1.0016					
r. Theoretical Shor	re	37,007.25					(m/q)
s. Theoretical Sh	nore Diff.	65.42					(2-r)
t. Theoretical Sh	nore Diff. %	0.18					(s/2*100)
	ANSIT COMPARISON-NOT	AVAILABLE					
u. In-Transit Diff	f.						(k-a)
v. In-Transit Diff	f. %				Liquid	Non-Liqui	d (u/a*100)

w. OBQ/ROB Difference (b-l) Adjusted TCV Difference 0.000 % S&W at Loadport S&W at Disport

Calculated as per Chapter 17.5

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

3001 SW 3rd Avenue #8 Fort Lauderdale, FL 33315-3315

Office Phone: 954-467-9299

Email: OpsPortEverglades@camincargo.com



QUANTITY CERTIFICATE N° PEV- 73185

Based on Shore Measurements

: Legacy 750-1 (OB) VESSEL MOVEMENT : Discharge **LOCATION** : KMI - Tampa, FL **JOB COMPLETED:** 09-AUG-2020 **PRODUCT** : S15 MV NO 2 DSL RENEW FREE **GRADE**: COL G62 **REFERENCE N°** : 4961114-20

	Gauge	TOV	Water Gauge	Water Vol.	CTSh	Roof Corr.	GOV	Amb. Temp	Temp.	API	VCF	GSV	S&W	S&W Vol.	NSV
Tan	Tank: 80-3 Ref. Height: 49-02					Gauge Date Open: 08-Aug 18:35					Gauge D	Gauge Date Close: 09-Aug 11:55			
	Ft-In (Inn.)	Bbls	Ft-In	Bbls	Factor	Bbls	Bbls	°F	°F	@ 60°F	6B	Bbls @ 60°F	%	@ 60°F	Bbls @ 60°F
О	16-10 13/16	28,937.42	00-00 07/08	29.10	1.00035	5.05	28,923.49	93.0	87.3	40.3 (S)	0.98663	28,536.78			28,536.78
C	22-04 01/02	38,536.83	00-00 07/08	29.10	1.00038	5.05	38,527.41	90.0	90.7	40.0 (S)	0.98501	37,949.89			37,949.89
		9,599.41		0			9,603.92					9,413.11			9,413.11
	•		•	•	•	•		Line:							
								Adjustment: Del. to Meters			rs Gals 32,519.40				

S=Submitted / C=Calculated / T=Tested by CCC / W=Tested by Terminal/Refinery & Witnessed by CCC Totals computed using appropriate tables corresponding to Received API.

	S15 MV	NO 2 DSL RENEW FREE	- TOTAL QUANTITIES - RECEIVED		
TCV, Barrels @ 60 °F	10,187.38	S&W			
Free Water Barrels	0.00				
	GSV	NSV		GSW	NSW
Barrels @ 60 °F	10,187.38	10,187.38	Long Tons - Air	1,325.383	1,325.383
Gallons @ 60 °F	427,869.96	427,869.96	Metric Tons - Air	1,346.651	1,346.651
API Gravity @ 60 °F (S)	38.3		Short Tons - Air	1,484.429	1,484.429
Lb/Gal @ 60 °F	6.938692572		Kilograms - Air	1,346,651.0	1,346,651.0
			Pounds - Air	2,968,858.0	2,968,858.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

Email: OpsPortEverglades@camincargo.com EXXM00-14 / 535078 / August 10, 2020



: Legacy 750-1 (OB) VESSEL **MOVEMENT** : Discharge **LOCATION** : TPSI - Tampa, FL JOB COMPLETED: 09-AUG-2020 **PRODUCT** : S15 MV NO 2 DSL RENEW FREE **REFERENCE N°** : 4961114-20

Comp.	Chart RH	Phy GH	Gauge	TOV	Water	Water	Temp.	VCF	GSV @ 60 °F
No	Ft-In	Ft-In	Ft-In	Bbls	Gauge	Bbls	°F	6B	Bbls
02P	53-11 01/04	53-11 01/04	04-09 01/02	24,064.67		Nil	103.2	0.97929	23,566.29
02S	53-11 01/04	53-11 01/04	04-09 03/08	24,056.57		Nil	102.7	0.97953	23,564.13
05P	53-09 03/04	53-09 03/04	14-10 03/08	20,275.19		Nil	102.2	0.97977	19,865.02
05S	53-09 01/08	53-09 01/08	14-10 01/04	20,259.57		Nil	100.8	0.98044	19,863.29
				88,656.00		Nil	102.3		86,858.73

Gauge Date General Information Sea Valves 09-AUG-2020 : GAS, GAS, ULSD SN=6138 Last Three Cargoes N/A

Sea Condition : Calm SN=6138

Draft (Ft-in) Fwd (P) Fwd (S) Aft (P) Aft (S) Trim List 00-00 00/00 Before 34-09 34-09 34-09 34-09 0.00

Note:

No Trim Correction was applied.

Vessel was gauged/sampled using a Closed/Restricted System

VESSEL QUANTITIES ARRIVAL TCV, Barrels @ 60 °F 86,858.73 0.00 **Free Water Barrels** GSV

86,858.73 Barrels @ 60 °F Gallons @ 60 °F 3,648,066.66 API Gravity @ 60 °F 38.3(S)

Lb/Gal @ 60 °F 6.938692572

 ${\it Email: OpsPortEverglades@camincargo.com}$

EXXM00-14 / 535078 / August 10, 2020



: Legacy 750-1 (OB) VESSEL **MOVEMENT** : Discharge **LOCATION** : TPSI - Tampa, FL JOB COMPLETED: 09-AUG-2020 **PRODUCT** : S15 MV NO 2 DSL RENEW FREE **REFERENCE N°** : 4961114-20

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	Corr. Gauge	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls	
02P	53-11 01/04	1 53-11 01/04	32-08 07/08	32-08 07/08	10,349.37	'	Nil	101.7	0.98003	10,142.69	
02S	53-11 01/04	1 53-11 01/04	32-08 03/04	32-08 03/04	10,348.21		Nil	102.5	0.97965	10,137.62	
05P	53-09 03/04	1 53-09 03/04	14-10 01/04	14-10 01/08	20,286.06		Nil	102.2	0.97979	19,876.08	
05S	53-09 01/08	3 53-09 01/08	14-10 00/00	14-09 07/08	20,275.88		Nil	102.2	0.97979	19,866.10	
					61,259.52		Nil	102.2		60,022.49	

Gauge Date General Information Sea Valves 09-AUG-2020 N/A

: GAS, GAS, ULSD SN=6138 Last Three Cargoes

Sea Condition : Calm SN=6138

Draft (Ft-in) Fwd (P) Fwd (S) Aft (P) Aft (S) Trim List Before 34-09 34-09 34-09 34-09 00-00 00/00 0.00 After 29-00 29-00 32-05 32-05 03-05 00/00 0.00

Note:

Trim Correction was applied.

Vessel was gauged/sampled using a Closed/Restricted System

VESSEL QUANTITIES	DEPARTURE	DELIVERED				
•						
TCV, Barrels @ 60 °F	60,022.49	26,836.24	S&W			
Free Water Barrels	0.00	0.00				
	GSV	GSV	NSV		GSW	NSW
Barrels @ 60 °F	60,022.49	26,836.24	26,836.24	Long Tons - Air	3,491.408	3,491.408
Gallons @ 60 °F	2,520,944.58	1,127,122.08	1,127,122.08	Metric Tons - Air	3,547.434	3,547.434
API Gravity @ 60 °F	38.2(S)	38.3(S)		Short Tons - Air	3,910.377	3,910.377
Lb/Gal @ 60 °F	6.942787270	6.938692572		Kilograms - Air	3,547,434.0	3,547,434.0
				Pounds - Air	7,820,754.0	7,820,754.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

 ${\it Email: OpsPortEverglades@camincargo.com}$



 VESSEL
 : Legacy 750-1 (OB)
 MOVEMENT
 : Discharge

 LOCATION
 : KMI - Tampa, FL
 JOB COMPLETED
 : 09-AUG-2020

 PRODUCT
 : \$15 MV NO 2 DSL RENEW FREE
 REFERENCE N°
 : 4961114-20

Comp. No	Chart RH Ft-In	Phy GH Ft-In	Gauge Ft-In	Corr. Gauge	TOV Bbls	Water Gauge	Water Bbls	Temp. °F	VCF 6B	GSV @ 60 °F Bbls	
02P	53-11 01/04	53-11 01/04	04-09 01/02	04-09 01/02	24,064.67		Nil	103.2	0.97929	23,566.29	
02S	53-11 01/04	53-11 01/04	04-09 03/08	04-09 03/08	24,056.57		Nil	102.7	0.97953	23,564.13	
05P	53-09 03/04	53-09 03/04	04-10 00/00	04-10 00/00	25,509.98		Nil	103.2	0.97929	24,981.67	
05S	53-09 01/08	53-09 01/08	04-09 03/04	04-09 03/04	25,500.12		Nil	102.8	0.97948	24,976.86	
					99,131.34		Nil	103.0		97,088.95	

Gauge DateGeneral InformationSea Valves09-AUG-2020Last Three Cargoes: REG, REG, REG/ULSDSN=6138N/A

Sea Condition : Calm SN=6138

 Draft (Ft-in)
 Fwd (P)
 Fwd (S)
 Aft (P)
 Aft (S)
 Trim
 List

 Before
 37-01
 37-01
 38-01
 01-00 00/00
 0.00

Note:

Trim Correction was applied.

Vessel was gauged/sampled using a Closed/Restricted System

 VESSEL QUANTITIES
 ARRIVAL

 TCV, Barrels @ 60 °F
 97,088.95

 Free Water Barrels
 0.00

 GSV

 Barrels @ 60 °F
 97,088.95

 Gallons @ 60 °F
 4,077,735.90

 API Gravity @ 60 °F
 38.3 (S)

 Lb/Gal @ 60 °F
 6.938692572



: Legacy 750-1 (OB) VESSEL **MOVEMENT** : Discharge **LOCATION** : KMI - Tampa, FL JOB COMPLETED: 09-AUG-2020 **PRODUCT** : S15 MV NO 2 DSL RENEW FREE **REFERENCE N°** : 4961114-20

Comp.	Chart RH	Phy GH	Gauge	TOV	Water	Water	Temp.	VCF	GSV @ 60 °F
No	Ft-In	Ft-In	Ft-In	Bbls	Gauge	Bbls	°F	6B	Bbls
02P	53-11 01/04	53-11 01/04	04-09 01/02	24,064.67		Nil	103.2	0.97929	23,566.29
02S	53-11 01/04	53-11 01/04	04-09 03/08	24,056.57		Nil	102.7	0.97953	23,564.13
05P	53-09 03/04	53-09 03/04	14-10 03/08	20,275.19		Nil	102.2	0.97977	19,865.02
05S	53-09 01/08	53-09 01/08	14-10 01/04	20,259.57		Nil	100.8	0.98044	19,863.29
				88,656.00		Nil	102.3		86,858.73

Gauge Date General Information Sea Valves 09-AUG-2020

: REG, REG, REG/ULSD SN=6138 Last Three Cargoes N/A

Sea Condition : Calm SN=6138

Draft (Ft-in) Fwd (P) Fwd (S) Aft (P) Aft (S) Trim List Before 37-01 37-01 38-01 38-01 01-00 00/00 0.00 After 34-09 34-09 34-09 34-09 00-00 00/00 0.00

Note:

No Trim Correction was applied.

Vessel was gauged/sampled using a Closed/Restricted System

VESSEL QUANTITIES	DEPARTURE	DELIVERED					
TCV, Barrels @ 60 °F	86,858.73	10,230.22	S&W	-			
Free Water Barrels	0.00	0.00		_			
	GSV	GSV	N	ISV		GSW	NSW
Barrels @ 60 °F	86,858.73	10,230.22	10,	230.22	Long Tons - Air	1,330.957	1,330.957
Gallons @ 60 °F	3,648,066.66	429,669.24	429,	669.24	Metric Tons - Air	1,352.314	1,352.314
API Gravity @ 60 °F	38.3(S)	38.3(S)			Short Tons - Air	1,490.671	1,490.671
Lb/Gal @ 60 °F	6.938692572	6.93869257	72		Kilograms - Air	1,352,314.0	1,352,314.0
					Pounds - Air	2,981,343.0	2,981,343.0

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

 ${\it Email: OpsPortEverglades@camincargo.com}$



LINE DISPLACEMENT REPORT N° PEV-73185

 VESSEL
 : Legacy 750-1 (OB)
 MOVEMENT
 : Discharge

 LOCATION
 : KMI - Tampa, FL
 JOB COMPLETED
 : 09-AUG-2020

 PRODUCT
 : \$15 MV NO 2 DSL RENEW FREE
 REFERENCE N°
 : 4961114-20

Shore Tank Gauge Date: 09-AUG-2020		Observed Gauges	TOV	Temp.	API	VCF	тсч
		Ft-In (Inn.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
00.2	0	16-05 03/08	28,282.75	0.0	0.0	0.00000	0.00
80-3		16-07 03/04	28,630.21	0.0	0.0	0.00000	0.00
	•		347.46			•	•

Total	347.46	0.00

Vessel		Observed Gauges	TOV	Temp.	API	VCF	тсч
Legacy 750-1 (OB)		Ft-In (Ull.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
050	0	04-09 00/00	25,531.00	103.0	38.2	0.00000	0.00
05S	С	05-05 01/02	25,160.00	103.0			0.00
			371.00				

Total	371.00	0.00

No quantity adjustment was applied

	TOV				
	Barrels	Gallons			
Total Tank	347.46	14,593.32			
Total Vessel	371.00	15,582.00			
Volume Difference	-23.54	-988.68			
% Difference	6.77	6.77			

As per API Ch. 17.6 TOV of the product displaced was at least 120% of the combined capacity of all designated vessel and shore transfer lines unless the conditions referred to in 17.6.8.1.1 applied, then 100 % of line capacity.

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

3001 SW 3rd Avenue #8 Fort Lauderdale, FL 33315-3315

Office Phone: 954-467-9299

 ${\it Email: OpsPortEverglades@camincargo.com}$



LINE DISPLACEMENT REPORT N° PEV-73185

 VESSEL
 : Legacy 750-1 (OB)
 MOVEMENT
 : Discharge

 LOCATION
 : TPSI - Tampa, FL
 JOB COMPLETED
 : 09-AUG-2020

 PRODUCT
 : S15 MV NO 2 DSL RENEW FREE
 REFERENCE N°
 : 4961114-20

Shore Tank		Observed Gauges	тоу	Temp.	API	VCF	TCV
Gauge Date: 09-AUG-2020		Ft-In (Inn.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
	0		0.00	0.0	0.0	0.00000	0.00
2	C		0.00	0.0	0.0	0.00000	0.00
	-	•	0.00	1			

Total	0.00	0.00

Vessel	Observed Gauges	точ	Temp.	API	VCF	TCV
Legacy 750-1 (OB)	Ft-In (Ull.)	Bbls	°F	@ 60 °F	6B	Bbls @ 60 °F
	04-08 01/04	24,113.00	102.3	38.2	0.00000	0.00
02P	:	0.00	30.2	0.00000	0.00	
•		24,113.00				

Total	24,113.00	0.00

No quantity adjustment was applied

	TOV		
	Barrels	Gallons	
Total Tank	0.00	0.00	
Total Vessel	24,113.00	1,012,746.00	
Volume Difference	-24,113.00	-1,012,746.00	
% Difference	0.00	0.00	

As per API Ch. 17.6 TOV of the product displaced was at least 120% of the combined capacity of all designated vessel and shore transfer lines unless the conditions referred to in 17.6.8.1.1 applied, then 100 % of line capacity.

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.

3001 SW 3rd Avenue #8 Fort Lauderdale, FL 33315-3315

Office Phone: 954-467-9299

Email: OpsPortEverglades@camincargo.com



TIME LOG REPORT N° PEV-73185

VESSEL: Legacy 750-1 (OB)MOVEMENT: DischargeLOCATION: KMI - Tampa, FL | REK Berth - Tampa, FL | TPSI - Tampa, FLJOB COMPLETED: 09-AUG-2020PRODUCT: \$15 MV NO 2 DSL RENEW FREEREFERENCE N°: 4961114-20

Date	Time	Description
08-AUG-2020	09:00	End of Sea Passage
	09:00	Notice of Readiness Tendered
	09:30	Pilot on Board
	13:36	First Line Ashore
	14:06	All Fast
	14:30	Inspector on Board
	14:30	Preliminary Inspection Commenced
	14:30	Sampling Commenced
	14:30	Gangway Down
	15:30	Arm(1x8") Connected PREM
	15:35	Preliminary Calculations Commenced
	15:35	Preliminary Inspection Completed
	15:36	Arm(1x8") Connected ULSD
	15:54	Arm(1x8") Connected REG
	16:00	Sampling Completed
	16:18	Notice of Readiness Accepted
	16:30	Key Meeting Held
	16:42	Preliminary Calculations Completed
	16:48	Awaiting for Weather to Commence Discharge
	18:06	Dischareg Commenced to Buckeye - REG
	18:18	Dischareg Commenced to Buckeye - PREM
	21:30	Discharge Completed to Buckeye PREM
09-AUG-2020	03:36	Discharge Completed to Buckeye REG
	03:36	Inspection Commenced
	03:54	Inspection Completed
	04:30	Calculations Completed/awaiting on KMI terminal readiness
	05:42	Key Meeting KMI
	05:42	Notice of Readiness KMI
	06:00	Discharge Commenced KMI ULSD
	06:12	Discharge Suspended KMI ULSD
	06:15	Line Verification Completed KMI ULSD
	09:00	Discharge Completed KMI ULSD
	09:12	Inspection Commenced KMI/OPEN TPSI
	09:36	Inspection Completed KMI/OPEN TPSI
	10:00	Calculations Completed KMI/OPEN TPSI
	10:12	Key Meeting Held TPSI
	10:12	Notice of Readiness Accepted TPSI
	11:00	Discharge Commenced ULSD TPSI
	11:18	Discharge Commenced PREM TPSI
	15:30	Discharge Completed ULSD TPSI
	15:36	Discharge Suspended PREM due to bad weather
	16:48	Discharge Resumed PREM TPSI
	17:30	Discharge Completed PREM TPSI
	17:36	Final Inspection Commenced
	18:00	Final Inspection Completed
	18:00	Sent for/Awaiting Confirmation
	18:02	Final Calculations Commenced
	18:18	Final Calculations Completed

3001 SW 3rd Avenue #8 Fort Lauderdale, FL 33315-3315

Office Phone: 954-467-9299

Email: OpsPortEverglades@camincargo.com

EXXM00-14 / 535078 / Report Generated: August 10, 2020



TIME LOG REPORT N° PEV-73185

VESSEL: Legacy 750-1 (OB)MOVEMENT: DischargeLOCATION: KMI - Tampa, FL | REK Berth - Tampa, FL | TPSI - Tampa, FLJOB COMPLETED: 09-AUG-2020PRODUCT: \$15 MV NO 2 DSL RENEW FREEREFERENCE N°: 4961114-20

Date	Time	Description
09-AUG-2020 18:30 Cargo Hose(s) Disconnected		Cargo Hose(s) Disconnected
	18:30	Released
10-AUG-2020	09:15	Received confirmation from the terminal

All gauges, temperatures and volumes were obtained in accordance to the latest API and ASTM procedures.



то

LETTER OF PROTEST ° PEV-73185

VESSEL	: Legacy 750-1 (OB)	MOVEMENT	: Discharge
LOCATION	: KMI - Tampa, FL REK Berth - Tampa, FL TPSI - Tampa, FL Buckeye - South	JOB COMPLETED	: 09-AUG-2020

Tampa, FL

PRODUCT : S15 MV NO 2 DSL RENEW FREE

то	:	Term	inal	REFERENCE : LD to Buckeye Terminal Waived
			ipals, we do hereby note the following Protest: NAL PROCEDURES THE LINE DISPLACEMENT HAS BEEN W	/AIVED.
We hereb	y reser	rve th	e right of our Principals to refer to this matter at a	ater date and to take such action as may be deemed necessary.
The sign	natur	e be	ow is for receipt only.	
				Respectfully,
Signatur	e:			
Print Nar	me:	1		
Position:				
Date/Tin	ne:			Camin Cargo Control

3001 SW 3rd Avenue #8 Fort Lauderdale, FL 33315-3315

Office Phone: 954-467-9299

Email: OpsPortEverglades@camincargo.com